

Index

• A •

- About Bundle, 95
- About Menu, 90
- About My Application, 90
- About Panel
 - copyright date in, 95–96
 - credits in, 96–97
 - icon, 92
 - information in, 90
 - setting name or title in, 92
 - version number in, 94–95
- accessor method, 128
- AccountController class
 - adding actions to, 141–142
 - adding outlets to, 141–142
 - adding to project, 331–332
 - changing Object class to, 336–337
 - connecting interface, 143
 - creating files for, 145
 - naming, 141–142
 - running application, 147
 - specifying superclass for, 146
- actions
 - adding, 31, 122
 - connecting to interface, 35, 81–83, 304–305
 - defining, 31
- ADC (Apple Developer Connection), 8, 368
- addObject method, 195
- Address Book, 71
- Adobe Photoshop, 98, 225
- AIFF file, 296, 301, 313
- All-in-One layout (Xcode), 44
- alloc method, 117–118, 129
- animation, 183
- AppKit, 224
- AppKit Framework, 9
- Apple Developer Connection (ADC), 8, 368
- Apple Forums, 370
- Apple Partition Map, 103
- application bundle, 248
- Application item, 68
- Application menu, 75–77
- Application template, 20–21
- applications. *See also* applications, document-based
 - adding code to, 36–37
 - building, 37–39, 60
 - building interface, 23–25
 - code reuse, 366
 - copyright date, 95–96
 - creating disk image, 102–105
 - creating in six steps, 17–19
 - creating interface, 23–25
 - credits, 96–97
 - debugging, 37–39
 - idea for, 19–20
 - information, 90
 - overview, 247–248
 - preparing menu for, 74–77
 - sending e-mail from, 288–289
 - setting icon, 92
 - setting name or title, 93–94
 - starting with project, 20–22
 - version number, 94–95
- applications, document-based
 - adding code, 325–327
 - building and running, 321
 - creating interface, 322–325
 - creating new document, 321
 - creating new project, 317–318
 - interface, 322–325
 - location, 318
 - MyDocument class, 318–321
 - overview, 317
 - running, 321
- applyCheckbox outlet, 204

- arguments, 115
 - arrays. *See also* data types
 - adding items to, 195
 - inserting objects, 195
 - mutable, 194–195
 - NSArray, 193–194
 - NSMutableArray, 193–194
 - overview, 192–195
 - removing items from, 195
 - replacing elements of, 195
 - arrayWithObjects method, 193
 - aString parameter, 113
 - attributes, 344–347
 - Attributes Inspector, 140
 - Attributes window, 65–66
 - audio. *See also* audio player
 - loading sound files, 297–298
 - overview, 295–296
 - playing system sounds, 296–297
 - audio player (Cocoa project)
 - adding stop functionality, 302–303
 - attributes, 299
 - buttons, 299
 - connecting actions to interface, 304–305
 - interface, 299
 - MyAudioController class, 300–302
 - audioFileTypes array, 297
 - Automator, 71
 - autorelease method, 119
 - AVI files, 313
 - awakeFromNib method, 151–152, 188, 330, 335
- **B** •
- backgroundColorWell outlet, 204
 - balance method, 334–340
 - Bank Account application (Cocoa project)
 - adding codes, 138–139
 - adding controller, 141–147
 - adding labels, 140
 - adding view, 139–140
 - creating new class, 136–137
 - implementation file, 139
 - naming, 136–137
 - naming new class, 138
 - selecting application, 136
 - setting up bindings, 335–340
 - title of application, 140
 - bevel buttons, 174–175
 - Bezier paths, 230–231
 - bezierPathWithOvalInRect method, 231
 - bezierPathWithRect method, 230
 - bindings
 - defined, 330
 - implementing, 334–340
 - key-value coding, 333–334
 - key-value observing, 333–334
 - overview, 329
 - setting up in Interface Builder, 335–340
 - starting project with, 331–332
 - blackColor, 224
 - Blank Disk Image, 102
 - blogs
 - Call Me Fishmeal, 369
 - Cocoa Is My Girlfriend, 368
 - Dan Wood: Eponymous Weblog, 370
 - Domain of the Bored, 369
 - Theocacao, 369
 - blueColor, 224
 - BMP files, 313
 - book application (Cocoa project)
 - assigning relationships, 351–353
 - Author entity, 346–353
 - Book entity, 345–353
 - building interface, 354–358
 - Category entity, 346–353
 - creating data model, 344–350
 - creating new project, 342
 - isbn attribute, 347–348
 - Models folder, 343
 - naming, 342–343
 - pages attribute, 347
 - synopsis attribute, 347–348
 - templates, 342–343
 - title attribute, 346–347
 - Bookware Quickie, 368
 - BOOL data type, 112
 - Boolean data type, 195–196
 - breakpoints. *See also* debugging
 - adding, 52–53
 - deactivating, 54
 - removing, 57–58
 - brownColor, 224
 - browser
 - building, 283–287
 - buttons, 286

- functions, 283
 - interface, 285
 - loading Web page, 280–281
 - text field control, 285
 - Build and Debug function, 53, 60
 - Build function, 60
 - Build and Go toolbar, 60–61
 - Build and Run function, 60
 - built-in documentation, 58–59
 - bundle, 248
 - Bundle Version key, 95
 - Button control, 28
 - buttons
 - bevel, 174–175
 - changing, 27
 - check box, 171–173
 - label, 26
 - library, 168–169
 - overview, 167–168
 - push, 169–171
 - radio control, 175–177
 - round, 171–173
- C •
- calculateAnswer action
 - defining, 31
 - modifying, 84–85
 - calculator (Cocoa project)
 - adding actions, 31
 - adding breakpoints, 52–53
 - adding class to interface, 31–33
 - adding code to application, 36–37
 - adding controls to interface, 26–28
 - adding menu, 80–81
 - adding outlets to class, 30
 - adding pop-up menu, 78–79
 - application template, 21
 - building, 37–39
 - building interface, 23–25
 - changing codes in, 45–48
 - connecting class to interface, 33–35
 - connecting interface, 81–83
 - creating classes, 29–30
 - creating Controller class, 81
 - creating project, 20–21
 - debugging, 37–39, 51–58
 - file comments, 49
 - fixing codes, 55–57
 - idea for, 19–20
 - naming project, 21–22
 - removing breakpoints, 57–58
 - selecting location for, 22
 - text fields, 27
 - title of application, 23–24
 - wiring interface, 29–33
 - calibrated color, 225
 - Call Me Fishmeal (blog), 369
 - center method, 151–152
 - changeOperation action, 82, 85
 - Class Browser, 363
 - class method, 119
 - Class models, 48
 - classes. *See also specific classes by name*
 - adding actions to, 31, 122
 - adding outlets to, 30, 122
 - adding to interface, 31–32
 - connecting to interface, 33–35
 - creating, 29–30, 119–125
 - creating files, 124
 - creating interface, 121–122
 - defining, 125–127
 - graphical model, 48
 - implementing, 127–128
 - names, 130
 - printing, 267–268
 - using, 128–129
 - Clean command, 60
 - clearColor, 224
 - close method, 150
 - closing window, 150
 - CMYK color space, 225
 - Cocoa. *See also* Cocoa application; Cocoa programming tips
 - frameworks, 9
 - Interface Builder, 13–15
 - object-oriented programming, 9
 - overview, 8–9
 - reusable codes, 9
 - viewing in Library window, 70
 - Xcode, 10–13
 - Cocoa application
 - adding code to, 36–37
 - building, 37–39, 60
 - building interface, 23–25
 - code reuse, 366
 - copyright date, 95–96
 - creating disk image, 102–105

- Cocoa application (*continued*)
 - creating in six steps, 17–19
 - credits, 96–97
 - debugging, 37–39
 - idea for, 19–20
 - information, 90
 - preparing menu for, 74–77
 - sending e-mail from, 288–289
 - setting icon, 92
 - setting name or title, 93–94
 - starting with project, 20–22
 - version number, 94–95
 - Cocoa Dev Central, 370
 - Cocoa Is My Girlfriend (blog), 368
 - Cocoa programming tips
 - Class Browser, 363
 - coordinate system, 365
 - documentation, built-in, 362–363
 - drag and drop, 363–364
 - init method, 364
 - Interface Builder guidelines, 365–366
 - keyboard shortcuts, 361–362
 - superclass, 364–365
 - window count, 363
 - Cocoa Simulator, 75
 - CocoaBuilder.com, 370
 - CocoaDev, 370
 - Code editor, 76
 - codes
 - adding, 36–37, 206–208
 - changing, 45–47
 - fixing, 55–57
 - reuse, 366
 - Color panels, 207
 - color space, 225
 - colorRadios, 177
 - colors
 - calibrated, 225
 - convenience, 223–224
 - device, 224
 - device independent, 225
 - preset, 224
 - colorWithDeviceRed function, 225
 - Column view (Project window), 67–68
 - comments, 49
 - Condensed layout (Xcode), 44
 - connections, 33–35
 - Console window, 44–45
 - Control + drag operation, 33–34
 - controller
 - adding, 141–147
 - overview, 134
 - Controller class, creating, 81, 120, 251–254
 - controls
 - adding, 26–28
 - bevel buttons, 174–175
 - buttons, 167–173
 - check box, 173–174
 - overview, 167
 - progress bar, 182–183
 - push buttons, 169–171
 - radio control, 175–177
 - round buttons, 171–173
 - slider control, 178–179
 - tab view, 179–182
 - table, 184–189
 - viewing in Library window, 70–71
 - convenience colors, 223–224
 - coordinate system, 365
 - Copyright (Human-Readable) key, 95–96
 - copyright date, 90, 95–96
 - copyTheFile action, 261, 263
 - Core Data
 - advantages of, 342
 - building interface, 354–358
 - creating project, 342–343
 - defining model, 344–353
 - Models folder, 343
 - naming project, 342–343
 - overview, 336–338
 - createDirectoryAtPath method, 265–266
 - credits, 90, 96–97
 - Custom Objects, 71
 - cyanColor, 224
- D •
- Dan Wood: Eponymous Weblog, 370
 - darkGrayColor, 224
 - data types
 - arrays, 192–195
 - Boolean, 195–196
 - dates, 196–197
 - number, 191–192
 - dataOfType method, 327
 - dataWithContentsOfFile method, 219
 - dataWithPDFInsideDeRect method, 278

- date conversion specifiers, 197
 - dates, 196–197
 - Deactive Breakpoints command, 54
 - dealloc method, 119
 - Debug tab, 53
 - debugging
 - adding breakpoints, 52–53
 - building applications and, 37–39
 - fixing codes, 55–57
 - removing breakpoints, 57–58
 - runtime errors, 51
 - steps in, 51, 53–55
 - syntax error, 51
 - Default layout (Xcode), 44–45
 - delegates, 165–166
 - deliverMessage method, 291
 - description method, 196
 - descriptionWithCalendarFormat method, 196–197
 - Design window
 - functions, 66
 - launching, 66
 - overview, 65–66
 - viewing, 68–69
 - determinate progress indicator, 182–183
 - device colors, 224
 - DeviceCMYK color space, 225
 - DeviceRGB color space, 225
 - DeviceWhite color space, 225
 - directories, 248
 - DiscRecording, 71
 - disk image
 - creating, 102–105
 - encryption, 103
 - image format, 103
 - partitions, 103
 - volume format, 102
 - volume name, 102
 - volume size, 103
 - Disk Utility, 102–105
 - Display color attribute, 308
 - displayAsString method, 211–212
 - dissolveToPoint function, 243–244
 - document, 247
 - documentation, built-in, 58–59, 362–363
 - document-based application
 - adding code, 325–327
 - building and running, 321
 - creating, 317–321
 - creating interface, 322–325
 - creating new document, 321
 - creating new project, 317–318
 - interface, 322–325
 - location, 318
 - MyDocument class, 318–321
 - overview, 317
 - running, 321
 - DocumentType entry, 325
 - Domain of the Bored (blog), 369
 - doubleValue method, 192
 - downloading, 281–283
 - drawAString method, 113
 - drawAtPoint method, 239
 - drawing text, 239–242
 - drawRect function, 230, 235, 245, 269
 - Driver class
 - creating, 120
 - defining, 125–127
 - implementing, 127–128
 - testing, 130
 - using, 128–129
- **E** ●
- Editable attribute, 308
 - e-mail
 - adding functions to projects, 291–294
 - sending from client, 288–289
 - sending from Cocoa application, 286–294
 - sending from own apps, 290–291
 - URL, 288
 - emailField outlet, 293
 - encoding, 216
 - encryption, 103
 - entity, 344–346
 - errors
 - routine, 216
 - runtime, 51
 - syntax, 51, 57
 - Extensible Markup Language (XML), 91
- **F** ●
- favorites, 50
 - Favorites Bar (Xcode), 50
 - file directory, 249
 - File Info window, 49
 - file path, 249

- fileAttributesAtPath method, 257–258
 - fileContents instance, 327
 - FileInfoController class, 252–254, 262–263, 266
 - FileMerge application, 78
 - filename, 249
 - files. *See also* folders
 - comments, 49
 - Controller class, 251–254
 - copying, 262–263
 - creation date, 249
 - deleting, 264–265
 - destination path, 262
 - downloading, 281–283
 - icons, 258–260
 - interface, 249–251
 - modification date, 249
 - moving, 263–264
 - opening and using, 249–261
 - overview, 247–248
 - path, 256–258
 - reading from, 261
 - size in bytes, 249
 - source path, 262
 - writing to, 261
 - File's Owner item, 68
 - fill function, 235
 - First Responder item, 68
 - firstName method, 128
 - Flash animation, 313
 - float variable, 46, 55
 - floatValue method, 46, 192
 - folders
 - copying, 262–263
 - creating, 265–266
 - deleting, 264–265
 - destination path, 262
 - moving, 263–264
 - overview, 247–248
 - source path, 262
 - Font Manager item, 68
 - fonts, 208–209
 - Foundation Framework, 9
 - Foundation Kit, 191
 - fraction parameter, 243
 - frameworks, 9
 - Fusebox class
 - adding action to, 36–37
 - adding outlets to, 30
 - adding to interface, 31–33
 - changing codes in, 45–48, 84–87
 - connecting to interface, 33–35, 81–83
 - creating, 29
 - file comments, 49
 - model, 48
- **G** ●
- garbage collection, 117–119
 - getter method, 118
 - GIMP, 98
 - goBack function, 286
 - goForward function, 286
 - Graphic Converter, 98
 - graphics
 - Bezier paths, 230–231
 - colors, 223–227
 - displaying, 242–245
 - drawing path, 234–236
 - drawing text, 239–242
 - filling paths, 231–234
 - interface, 227–230
 - paths, 230–239
 - points, 221–222
 - rectangles, 222–223
 - text, 239–242
 - grayColor, 224
 - greenColor, 224
 - group, 45
 - Groups & Files folder, 22
- **H** ●
- header files, 36, 77–78, 111
 - Help feature, 58–59
 - Hide NewApplication menu, 74
 - hideWindow action, 150
 - hiding window, 150–151
 - HTML (HyperText Markup Language), 96–97
 - Human Interface Guideline, 63, 155

• 1 •

- IBOutlet, 326
- ICNS (icon) file
 - adding to project window, 92
 - assigning to projects, 97
 - building, 98–101
 - creating, 98
 - managing, 101–102
- icns Browser, 101–102
- Icon Composer, 98–101
- Icon File field, 92
- Icon view (Project window), 66–67
- icons
 - assigning to projects, 97
 - building, 98–101
 - creating, 98
 - managing, 101–102
 - setting in About Panel, 92
 - viewing, 258–260
- IDE (integrated development environment), 41
- Identity Inspector, 32
- image editors, 98
- Image Kit, 71
- image well, 250–251
- iMovie, 157
- implementation files, 36, 78
- import statement, 114
- indeterminate progress indicator, 182–183
- indexOfTabViewItem, 181
- Info.plist file, 76–77, 91
- Information Property list, 95–96
- inheritance, 364
- init method, 129, 364
- initWithURLWithPath method, 281
- initWithContentsOfFile method, 298
- insertObject method, 195
- Inspector window
 - functions, 66
 - launching, 66, 71–73
 - opening, 23
 - resizing window with, 24–25
- instance. *See* objects
- instance variables
 - declaring, 111–112
 - overview, 110
- int parameter, 113
- integer value, 37
- integrated development environment (IDE), 41
- interface. *See also* interface controls
 - adding class to, 31–33
 - adding controls to, 26–28
 - adding menu, 80–81
 - adding outlets, 30
 - adding pop-up menu, 78–79
 - building, 23–25
 - changing window's title, 23
 - clients, 29–30
 - connecting actions to, 35, 304–305
 - connecting class to, 33–35
 - connecting to actions, 35, 81–83
 - connecting to outlets, 81–83
 - connections, 33–35
 - creating, 121–122
 - creating Controller class, 81
 - creating header files, 77–78
 - creating implementation files, 78
 - document-based applications, 322–325
 - files, 249–251
 - graphics, 227–230
 - resizing window, 24
 - saving, 35
 - using in Xcode, 83–87
 - wiring, 205–206
- Interface Builder. *See also* interface
 - adding controller in, 141–147
 - Attributes window, 65–66
 - building Web browser, 283–287
 - Design window, 68–70
 - Inspector window, 71–73
 - launching, 64
 - Library window, 70–71
 - Menu editor, 74–77
 - overview, 13–15, 63
 - Project window, 66–68
 - setting up bindings in, 335–340
 - testing browser in, 286
 - windows, 65
- Interface Builder Kit, 70
- interface controls
 - adding, 26–28
 - bevel buttons, 174–175

interface controls (*continued*)

- buttons, 167–173
- check box, 173–174
- overview, 167
- progress indicator, 182–183
- push buttons, 169–171
- radio control, 175–177
- round buttons, 171–173
- slider control, 178–179
- tab view, 179–182
- table, 184–189

interface files, 36, 111, 114

Internet

- downloading files, 281–283
- loading Web page in browser, 280–281
- overview, 279

InternetController class

- adding code, 294
- connecting to interface, 292–293
- creating, 292
- creating files for, 293

intValue method, 192

iPhoto, 157

isVisible method, 151

• J •

JPEG files, 313

• K •

Key Equiv. field, 72–73, 80, 170

keyboard shortcuts, 361–362

KVC (Key-Value Coding), 333–334

KVO (Key-Value Observing), 333–334

• L •

Label control, 27, 335

launchedApplications, 185

Layout settings (Xcode), 44

Library window

- buttons, 168–169
- controls, 70–71
- function, 66
- launching, 25

Media tab, 25

Objects tab, 25

overview, 65–66

lightGrayColor, 224

List view (Project window)

loadResourceDataNotifyingClient
method, 282

loadWebPage action, 280

longValue method, 192

• M •

Mac OS Extended format, 102

Mac OS X, 7–8

magentaColor, 224

MainMenu item, 68

MainMenu.xib

building interface with, 23–25

creating window in, 153

opening, 64

overview, 22–23

makeKeyAndOrderFront method, 151

matrix, 175–177

Media tab, 25

memory management, 117–119

Menu editor

functions, 66

launching, 66

overview, 65–66

preparing menu for application, 74–77

menu item, creating, 80–81

Message Framework, 290

messages, sending, 37, 115

methods, 110, 112–113. *See also specific methods by name*

minimizing windows, 165–166

minutes, 197

modal window, 215

model, 134

Model-View-Controller (MVC) design
pattern

adding controller, 141–147

adding view, 139–140

bindings, 330

building project with, 135–139

controller, 134

model, 134

- overview, 133
- real-world analogy, 134–135
- view, 134
- month name, 197
- .mov file, 306
- moveTheFile action, 263
- movie player (Cocoa project)
 - adding actions to, 311
 - adding code, 311–312
 - adding outlets to, 311
 - adding `QTMovieView` control, 310
 - connecting `MyMovieController` to interface, 311
 - creating, 310–312
 - creating controller class, 310
 - creating interface, 310
- movies
 - classes, 305–306
 - overview, 304–305
 - player, 310–312
 - `QTMovieView` class, 307–310
 - QuickTime, 313–314
- MP3 files, 313
- .mp4 file, 306
- MPEG-1 files, 313
- multimedia
 - building audio player, 299–305
 - building movie player, 310–312
 - loading sound files, 297–298
 - playing sound files, 297–298
 - playing system sounds, 296–297
 - `QTMovie`, 306
 - `QTMovieView`, 307–310
- mutable arrays, 194–195
- mutable object, 240
- MVC design pattern. *See* Model-View-Controller design pattern
- My Application, 90
- `MyAudioController` class
 - adding code, 301–302
 - adding stop functionality, 302–303
 - connecting actions to interface, 304–305
 - creating, 300
- `MyClass` class, 111
- `MyController` class
 - adding actions to, 122
 - adding outlets to, 122
 - creating, 120
 - creating files for, 124–125
 - naming, 121
 - wiring interface to, 124
 - wiring interface to instance, 124
- `MyDataController` class
 - adding outlets to, 185–186
 - connecting data source, 187
 - connecting to interface, 187
 - creating, 185
 - creating files for, 187
 - implementation files, 187–188
- `MyDocument` class, 319–321
- `MyMovieController` class
 - adding actions to, 311
 - adding code, 311–312
 - adding outlets to, 311
 - connecting to interface, 311
 - creating, 311
- `MyPrintController` class
 - adding actions to, 271
 - adding outlets to, 271
 - adding `printToPDF` action to, 275–278
 - changing header file, 272–273
 - changing implementation file, 273
 - connecting to interface, 271–272
 - creating, 270
 - creating files for, 272
- `MySheetController` class
 - adding actions to, 162
 - adding outlets to, 162
 - changing implementation file, 164–165
 - connecting outlets and actions, 162–163
 - creating, 162
 - creating files for, 163
- `MyTextController` class
 - adding actions to, 205
 - adding code, 206–208
 - adding outlets to, 204
 - creating, 204
 - file formats, 213–214
 - naming, 204
 - wiring interface to, 205–206
- `myTextView` outlet, 322
- `MyWindowController` class
 - adding actions to, 153–154
 - adding code to application, 154–155
 - adding outlets to, 153–154
 - naming, 153

• N •

- name of application, 90, 93–94
- name variable, 118
- named color space, 225
- New Application menu, 74
- New File window, 136
- New File Wizard, 29
- New Project window, 20–21, 136
- NeXT operating system, 65
- NIB (NeXT Interface Builder), 65. *See also*
 - NIB project window
- NIB project window
 - Column view, 67–68
 - functions, 66
 - Icon view, 66–67
 - items, 68
 - launching, 66
 - List view, 67
 - overview, 65–66
- NSAlertDefaultReturn, 265
- NSApplicationName, 185
- NSArray class, 191, 193–194
- NSButton control, 168–169, 203, 212, 249–250
- NSCalendarDate class, 196
- NSCancelButton, 256
- NSColor object, 223, 225
- NSColorwell control, 203
- NSControl, 179
- NSData control, 219
- NSDictionary, 240–242
- NSFileManager method, 256–258
- NSFileWrapper, 258
- NSHomeDirectory function, 262
- NSImage object, 243
- NSIndicator, 182–183
- NSLayout class, 268
- NSLog, 181
- NSMailDelivery class, 291
- NSMakePoint function, 222
- NSMatrix, 175–177
- NSMutableArray class, 194–195
- NSMutableDictionary, 240–241
- NSNumber class, 191–192
- NSNumberFormatter class, 55–56
- NSObject class, 48, 111, 292
- NSOKButton, 216, 256
- NSOpenPanel class, 218, 298
- NSPageLayout class, 268, 273
- NSPoint structure, 221–222, 237, 243
- NSRange parameter, 219
- NSRect structure, 222–223
- NSRunAlertPanel function, 265
- NSScaleToFit, 259
- NSScrollView, 187
- NSSlider control, 178–179
- NSSound class, 296–297
- NSString class, 118, 129, 196
- NSTableView control, 184
- NSTabView control, 181
- NSTabViewItem control, 181
- NSTextField control, 201, 249–250, 280, 335, 364–365
- NSTextView control, 201, 202–204, 322–323, 364–365
- NSURL class, 280
- NSView class, 267
- NSWindow class, 255
- NSWorkspace, 185, 280
- numberOfRowsInTableView method, 188
- numbers, 191–192
 - numberWithDouble method, 192
 - numberWithFloat method, 192
 - numberWithInt method, 192
 - numberWithLong method, 192
 - numberWithUnsignedShort method, 192

• O •

- Objective-C language
 - coding in, 115–119
 - creating classes, 29, 119–125
 - declaring instance variables, 111–112
 - declaring methods, 112–113
 - defining methods, 114
 - instantiating objects, 117
 - managing memory, 117–119
 - methods, 110
 - naming in, 130
 - objects, 110
 - overview, 9, 109
 - passing parameters, 115–116
 - returning values, 116
 - sending messages to objects, 115

- object-oriented programming (OOP),
 - 9, 109–110
- objects
 - autoreleased, 119
 - column view, 66
 - dragging to interface, 34–35
 - icon view, 66
 - immutable, 240
 - instance variables, 110
 - instantiating, 117
 - list view, 66
 - methods, 110
 - mutable, 240
 - sending messages to, 37, 115
 - viewing in Library window, 70–71
- Objects tab, 25
- objectValueForTableColumn
 - method, 188
- Omni Group, 369
- one-key access, 72–73
- online resources
 - Apple Developer Connection, 368
 - Apple Forums, 370
 - Bookware Quickie, 368
 - Call Me Fishmeal, 369
 - Cocoa Dev Central, 370
 - Cocoa Is My Girlfriend, 368
 - CocoaDev, 370
 - Dan Wood: Eponymous Weblog, 370
 - Domain of the Bored, 369
 - overview, 367
 - Theocacao, 369
- OOP (object-oriented programming),
 - 9, 109–110
- Open Scripting Kit, 71
- opening window, 150
- OpenPanel class, 254–256
- openSheet method, 165
- openURL method, 280–281
- operationPopup outlet, 81–82
- orangeColor, 224
- orderOut method, 151
- Other Sources group folder, 47
- outlets
 - adding, 30, 122, 252–253
 - connecting to interface, 81–83
 - connections, 33–35
- *p* ●
 - Page panel, 268–269
 - pageData, 281
 - panel, adding to project, 160–165
 - parameters, passing, 115–116
 - parent, 159
 - partitions, 103
 - pasteboard, 210–211
 - paths
 - Beziér, 230–231
 - defined, 248
 - displaying, 256–258
 - drawing, 234–236
 - filling, 231–234
 - relative points, 238–239
 - stop-sign-shaped, 237–239
 - stroking, 234–235
 - PDF (Portable Document File),
 - printing to, 275–278
 - PDFKit, 71
 - Photoshop, 98, 225
 - Pimp My Code series (blog), 369
 - Pixelmator, 98
 - plain text, 213
 - playAppSound action, 301
 - playSoundFile action, 301
 - playSystemSound action, 301
 - PNG files, 98, 313
 - points, 221–222
 - pop-up menu, 78–79
 - Portable Document File (PDF),
 - printing to, 275–278
 - positioning windows, 151–152
 - PostScript, 222
 - preferences, customizing, 43–45
 - prefsCheckbox, 173
 - PrintInfo object, 268–269
 - printing
 - classes, 267–268
 - overview, 267–268
 - page settings, 268–269
 - to PDF, 275–278
 - steps in, 268–269
 - printOnepage method, 271, 274–275
 - printOperationWithView method, 275
 - Product Name key value, 94

- programming tips
 - Class Browser, 363
 - coordinate system, 365
 - documentation, built-in, 362–363
 - drag and drop, 363–364
 - init method, 364
 - Interface Builder guidelines, 365–366
 - keyboard shortcuts, 361–362
 - superclass, 364–365
 - window count, 363
- progress indicators, 182–183
- project, audio player
 - adding stop functionality, 302–303
 - attributes, 299
 - buttons, 299
 - connecting actions to interface, 304–305
 - interface, 299
 - MyAudioController class, 300–302
- project, Bank Account
 - adding codes, 138–139
 - adding controller, 141–147
 - adding labels, 140
 - adding view, 139–140
 - creating new class, 136–137
 - implementation file, 139
 - naming, 136–137
 - naming new class, 138
 - selecting application, 136
 - setting up bindings, 335–340
 - title of application, 140
- project, book application
 - assigning relationships, 351–353
 - Author entity, 346–353
 - Book entity, 345–353
 - building interface, 354–358
 - Category entity, 346–353
 - creating data model, 344–350
 - creating new project, 342
 - isbn attribute, 347–348
 - Models folder, 343
 - naming, 342–343
 - pages attribute, 347
 - synopsis attribute, 347–348
 - templates, 342–343
 - title attribute, 346–347
- project, calculator
 - adding actions, 31
 - adding breakpoints, 52–53
 - adding class to interface, 31–33
 - adding code to application, 36–37
 - adding controls to interface, 26–28
 - adding menu, 80–81
 - adding outlets to class, 30
 - adding pop-up menu, 78–79
 - application template, 21
 - building, 37–39
 - building interface, 23–25
 - changing codes in, 45–48
 - connecting class to interface, 33–35
 - connecting interface, 81–83
 - creating classes, 29–30
 - creating Controller class, 81
 - creating project, 20–21
 - debugging, 37–39, 51–58
 - file comments, 49
 - fixing codes, 55–57
 - idea for, 19–20
 - naming project, 21–22
 - removing breakpoints, 57–58
 - selecting location for, 22
 - text fields, 27
 - title of application, 23–24
 - wiring interface, 29–33
- project, Core Data
 - assigning relationships, 351–353
 - building interface, 354–358
 - creating data model, 344–350
 - creating new project, 342
 - Models folder, 343
 - naming, 342–343
 - templates, 342–343
- project, movie player
 - adding actions to, 311
 - adding code, 311–312
 - adding outlets to, 311
 - adding QTMovieView control, 310
 - connecting MyMovieController to interface, 311
 - creating, 310–312
 - creating controller class, 310
 - creating interface, 310

- project, MVC design
 - adding codes, 138–139
 - adding controller, 141–147
 - adding labels, 140
 - adding view, 139–140
 - creating new class, 136–137
 - implementation file, 139
 - naming, 136–137
 - naming new class, 138
 - selecting application, 136
 - title of application, 140
- Project window
 - Column view, 67–68
 - functions, 66
 - Icon view, 66–67
 - items, 68
 - launching, 66
 - List view, 67
 - overview, 65–66
- projects. *See also* projects with bindings;
specific project entries
 - adding comments to, 49
 - adding e-mail functions to, 291–294
 - adding panel to, 160–165
 - assigning icons to, 97
 - bindings, 331–332
 - changing codes in, 46–47
 - creating, 20–21
 - debugging, 51–58
 - naming, 21–22
 - selecting location for, 22
- projects with bindings
 - implementing, 334–340
 - key-value coding, 333–334
 - key-value observing, 333–334
 - overview, 329
 - setting up in Interface Builder, 335–340
 - starting project with, 331–332
- property, 344–346
- Property List editor, 91
- purpleColor, 224
- Push Button control, 26
- push buttons, 169–171

• Q •

- QTMedia class, 306
- QTMovie class, 305, 306, 314
- QTMovieView class
 - color attribute, 308
 - controller, 308
 - editable attribute, 308
 - overview, 307
 - volume attribute, 308–310
- QTTrack class, 305
- QTVR files, 313
- Quartz Composer, 71
- Quartz graphics engine, 221–222
- Quick Model, 48
- QuickTime, 313–314
- QuickTime Kit, 71
- Quit NewApplication menu, 74

• R •

- radio control, 175–177
- readFromData method, 327
- rectangles, 222–223
- redColor, 224
- reference counting, 117
- relative points, 237
- release message, 117
- removeFileAtPath method, 264–265
- removeObjectAtIndex method, 195
- replaceCharactersInRange method, 219
- replaceObjectAtIndex method, 195
- resizing window, 24–25
- resourceDataUsingCache method, 281–282
- resources, online
 - Apple Developer Connection, 368
 - Apple Forums, 370
 - Bookware Quickie, 368
 - Call Me Fishmeal, 369
 - Cocoa Dev Central, 370
 - Cocoa Is My Girlfriend, 368
 - CocoaDev, 370

resources, online (*continued*)
 Dan Wood: Eponymous Weblog, 370
 Domain of the Bored, 369
 overview, 367
 Theocacao, 369
 retain method, 119
 retrieving text, 216–219
 Return key, 72–73
 reusable codes, 9, 366
 RGB color space, 225
 rich text, 96, 213
 round buttons, 171–173
 rounded level button, 174–175
 RTFFromRange method, 216
 runModal method, 215, 256
 runModalWithPrintInfo method, 273
 runOperation method, 275
 runtime errors, 51

• S •

Save As dialog, 21
 SavePanel, 215
 seconds, 197
 selectedRow method, 177
 selectedTag message, 84
 selectTheFile action, 259, 262
 sendEMailManually action, 292
 sendEMailWithClient action, 292
 setAlpha method, 158
 setBackgroundColor action, 205, 207
 SetBalance method, 334–340
 setCanChooseDirectories method, 255
 setDoubleValue method, 183
 setExcludeFromWindowsMenu
 method, 152
 setFirstName method, 128
 setFloatValue method, 59, 179
 setFormat message, 55
 setFormatter method, 59
 setFrame method, 157
 setFrameOrigin method, 151–152
 setIntValue method, 179
 setLineWidth function, 235
 setName method, 118–119
 setReleasedWhenClosed method, 150
 setStringValue method, 256–258
 setter method, 118

setTextColor action, 205, 207
 setTitle method, 157, 255
 setTitleWithRepresentedFileName
 method, 158
 sharedWorkspace class, 280
 sheet, 159–165
 Show controller attribute, 308
 showing window, 150–151
 showPagePanel method, 271, 273
 slider control, 178–179
 Sound field, 171
 sound files, 170–171
 soundUnfilteredFileTypes class, 298
 source code files, 36
 square bevel button, 174–175
 startAnimation method, 183
 status 0 message, 44–45
 stopAnimation method, 183
 stop-sign-shaped path, creating, 237–239
 stopSoundFile action, 302–305
 stringByExpandingTildeInPath
 method, 282
 Strings window, 65
 stringWithString method, 119
 stroke function, 235
 superclass, 48, 364–365
 syntax error, 51, 57
 system sounds, playing, 296–297

• T •

tab view, 179–182
 table control, 184–189
 TableViewItem, 181
 Tag property, 79
 takeURLStringFrom message, 285
 Targets folder, 93
 Terminal, 248
 text
 adding code, 206–208
 adding style, 208–210
 building interface, 202–204
 controller class, 204–205
 controls, 201
 drawing, 239–242
 manipulating, 210–213
 manual editing, 211–213
 pasteboard manipulations, 210–211

- plain, 213
- retrieving, 216–219
- rich, 213
- saving, 213–216
- style functions, 208–209
- wiring interface, 205–206

text fields, 27, 285

textColorwell outlet, 204

Textured check box, 155–156

textView outlet, 204

Theocacao (blog), 369

theURLField outlet, 280

TIFF files, 313

title of application, 90, 93–94

Title property, 23

toggleRuler action, 205

tracking windows, 152

• U •

- unsignedShort method, 192
- URL (Universal Resource Locator), 280
- URLResourceDidFinishLoading method, 282
- URLWithString parameter, 281–283
- UTF8, 216

• V •

- Value of the Copyright (Human-Readable) key, 95
- valueForKey method, 333
- valueForKeyPath method, 188
- values, returning, 116
- version number, 90, 94–95
- view, 134, 139
- Volume attribute, 308–310

• W •

- Web browser
 - building, 283–287
 - buttons, 286
 - functions, 283
 - interface, 285
 - loading Web page, 280–281
 - text field control, 285

- Web Kit, 70
- Web page, loading, 280–281
- Web sites for developers
 - Apple Developer Connection, 368
 - Apple Forums, 370
 - Bookware Quickie, 368
 - Call Me Fishmeal, 369
 - Cocoa Dev Central, 370
 - Cocoa Is My Girlfriend, 368
 - CocoaDev, 370
 - Dan Wood: Eponymous Weblog, 370
 - Domain of the Bored, 369
 - overview, 367
 - Theocacao, 369
- WebKit Framework, 283–284
- WebView control
 - connecting buttons to, 286
 - connecting text field control to, 285
- weekday name, 197
- whiteColor, 224
- Window Attributes, 23
- window count, 363
- Window item, 68
- windowControllerDidLoadNib method, 327
- windowDidMiniaturize method, 166
- windows
 - adding buttons, 153
 - changing appearance of, 155–157
 - closing, 150
 - creating, 153–155
 - events, 165–166
 - hiding, 150–151
 - keep track of, 152
 - minimizing, 165–166
 - modal, 216
 - opening, 150
 - overview, 149
 - positioning, 151–152
 - resizing, 24–25, 157
 - setting title, 157
 - setting transparency, 158
 - sheet, 159–165
 - showing, 150–151
 - textured property, 155–157
 - withAttributes parameter

Workspace Guide (Xcode), 58
writeToFile method, 215, 278, 281
WYSIWYG interface, 14

• X •

Xcode

- adding outlets to class, 31
- building applications, 60–61
- changing codes in projects, 45–47
- Class models, 48
- creating classes, 31
- customizing preferences, 43–45
- file comments, 49
- Help feature, 58–59
- launching, 20
- layout settings, 43–44
- overview, 10–12, 42
- QuickModel, 48
- using interface in, 83–87

- working with favorites, 50
- working with project files, 45–47
- Workspace Guide, 58

Xcode Developer Tools

- advantages of, 8
- downloading, 7–8

XIB files, 65

XML (Extensible Markup Language), 91

• Y •

year, 197
yellowColor, 224

• Z •

Zarra, Marcus, 368
zoom method, 157