

# Index

---

- Acceleration 60
- Acceleration torque
  - drive train 108
  - generator 107
  - wind turbine 107
- Acquisition costs 388
- Active power 301
  - drooping characteristic 311, 312
- Active power flow 288
- Active power operation 221
- Active stall regulation 24
- Adjustment motor 69
- Adjustment processes
  - at the rotor blades 334
- Adjustment system 69
- Adjustment task 300
- Aerodynamic brakes 91
- Air damping 75
- Air-gap reactance 128
- Airflow 37
- Airflow behaviour at the rotor blade
  - laminar flow 100
  - stalling 100
- Airflow direction 55
- Airstream 33
- Airstrip turbulence 138
- Amplitude spectra of output 250
- Anisotropy
  - of the rotor 149
- Annual available power 373
- Annual energy yield 376
- Annual monetary yields 391
- Annual yield 379
- Annuity method 393
- Area utilization plan 400
- Assessing
  - harmonic feedback 134
- Asynchronous generator 123, 162
  - with dynamic slip control 324
  - with oversynchronous 320
  - 3-phase short-circuit 153
  - power converter cascades 322
- Asynchronous harmonic rotary field torque 139
- Asynchronous machine
  - with adjustable reactive 131
  - efficiency 193
  - no-load current 192
  - nominal slip 137
  - power delivery 133
  - power factor 193
  - starting current 192
- Asynchronous three-phase motor 94
- Availability 122
- Available wind energy 375
- Axis
  - horizontal 47
  - vertical 47
- Back-up plants 123
- Bearing currents 174
  - caused by the pulse-controlled a.c. converter 174
  - in frequency converter operation 174

- Bearing forces 75
- Betz 33
- Biot–Savart 32
- Bipolar transistors 206
- Blade angle 38
- Blade axis 70
- Blade axis of rotation 70
- Blade bending 72
- Blade contour 54, 55
- Blade element method 34
- Blade outline 55
- Blade pitch angle 55, 70
  - definition 36
  - variation 69
- Blade pitch control 308
- Blade pitch control circuit 345
- Blade pitch control mechanism 80
- Blade pitch regulation 81
- Blade pitch speed control circuit 344
- Blade positioning model 77
- Blade positioning system
  - design 92
  - electrically driven 88, 89
- Blade stall 59
- Blade tip 38, 55
- Blade tip speed 50
- Block diagram 271
  - dynamic slip control 330
- BPT, *see* Bipolar transistors
- Breakdown moment 137
- Breakdown slip 135, 137
- Breakdown torque 134
- Building laws 400
- Bypass control 305
  
- Cage rotor 125
- Capacitive coupling 174
- Capacitive earth currents 174
- Capacity utilization 288
- Capital value method 393
- Centrifugal force regulator 82
- Centrifugal governor 303
- Centripetal acceleration
  - due to blade rotation 63
  - due to yawing 62
- Change in grid voltage 154
- Characteristic adaptation
  - generator frequency variation 146
- Characteristic values of synchronous machines 193
- Circle diagram 163, 168
  - asynchronous machine 130
  - synchronous machine 130
  - $U_i$ , 163
- Class yield 375, 379
  
- Clock frequency 208
- Combined grid 287
- Combined operation 300
- Commissioning 200
- Commutation 208, 209
- Comparison of parameters of motor and generator-type asynchronous machines 170
- Compatibility level 262
- Compensatory measures 399
- Complex
  - landscape structures 381
  - orography 379
- Component loading 309
- Components
  - tangential 36
- Connection
  - antiphasal 151
  - cophasal 151
  - excited 152
- Connection conditions 200
- Constraints on the generator 119
- Construction
  - asynchronous generators 125
  - synchronous generators 126
- Consumption values 298
- Control
  - of double-fed asynchronous generators 320
  - of fixed-speed wind turbine 332
  - in isolated operation 309, 310
- Control characteristics 297
- Control circuit for blade pitch adjustment 343
- Control circuits 402
- Control concepts 309
- Control dynamics 303
- Control principles 302
- Control procedures 60
- Control range 306
- Control system types 300
- Controlled rectifier 217
- Controlled wind energy supply 299
- Controller design 331
- Controller parameters 334
- Conversion stages 28
- Converter designs 212
- Converter systems 201, 213
- Coriolis acceleration 64
  - of a rotor blade 64
- Coriolis moment 64
- Cost relationship 189
- Costs
  - of asynchronous machines 190
  - of synchronous machines 191
- Cumulative curve 376
- Cumulative yield 379

- Current circle diagram
  - asynchronous machine 130
  - synchronous machine 130
- Cut-in procedures 147
- Cut-in speed 38
- Cut-out procedures 147
  
- Damping
  - of the moved air 75
- Damping cage 149
- Damping coefficient 79
- DC/DC converter 217
- Delay time 127
- Delivery of energy 122
- Demands
  - on generator 119
  - on generator use 119
- Design aspects 162
- Design tip speed ratio 54
- Desired value correction 313
- Diesel unit 298
- Differential equation 77
- Dimensioning issues 147
- Dimensioning of controllers 342
- Direct-axis reactance
  - of synchronous machines 195
- Direct-axis subtransient reactance
  - of synchronous machines 196
- Direct converter 125, 203
- Directives
  - FGW 291
  - VDEW 297
- Disturbance factor 32
- Double air gap designs 188
- Double-fed
  - asynchronous generators 318
  - asynchronous machine 319
- Double generator configuration 173
- Downwind 46
- Drag coefficient 38
- Drive moment
  - generator 107
- Drive torque
  - wind turbine 37
- Drive train
  - conventional 104
  - data 110
  - gearless 104
  - junctions 172
  - loading 138, 141
  - mechanical 102
  - shock moments 121
- Dwell torques 122
- Dynamic effects at the turbine 333
  
- Economic considerations 387
- Economic operation 372
- Economic potential 383
- Economic viability 391
- Efficiency
  - of asynchronous machines 193
  - of synchronous machines 195
- Elasticity 137
- Electrically driven turbine yaw system 66
- Electricity generation costs 390, 392
- Electricity supply systems 298
- Electrohydraulic speed regulation 304
- Electromagnetic compatibility 225
- EMC, *see* Electromagnetic compatibility
- Emergency shut-down 363
- Employment figures 387
- Energie-Wirtschafts-Gesetz (EnWG) 291
- Energy conversion 300
- Energy conversion systems
  - mechanical–electrical 124
- Energy converter systems 123
- Energy costs 393
- Energy draw 298
- Energy feed 297
- Energy flow 298, 299
- Energy input 298
- Energy management 297
- Energy predictions 373
- Energy transmission 298
- Energy yield 371, 378, 379
- Energy yield forecast 375
- Energy yield prediction 373
- Environmental testing 395
- Equations of motion 77
  - of the blade 77
- Equivalent circuit
  - asynchronous machine 128
  - asynchronous machine, simplified 129
  - synchronous machine 128
  - synchronous machine, simplified 129
- Equivalent circuit diagram
  - for synchronous machine in short-circuit 176
- Erection of wind turbines 403
- Erneuerbare Energien Gesetz 390
- European Wind Atlas 379
- Excitation current 128, 129
- Excitation device 125
- Excitation status 131
- Exciter 126
- Exciter losses 123
- External rotor design 183
  
- Family of characteristics 144
- Fast positioning procedures 96

- Fault indication 299
- Fault prediction 368
- Fault shut-down 363
- Faults 363
- Feed tariff 394
- Field-oriented currents 321
- Filter design 276
- Filters 274
- Fixed-speed wind turbine 307
- Flicker 252, 259
- Flicker disturbance factor 259
- Flicker phase angle 260
- Flow
  - around blade roots 38
  - around blade tips 38
- Flow cross-section of the turbine 59
- Forces 37
  - drive torque-generating 36
  - on the rotor blade 333
- Forecasting 247
- Form parameter 374
- Four-generator configuration 173
- Frequency 123, 301
- Frequency behaviour of wind power plants 248
- Frequency control 313
- Frequency converter
  - grid-commutated 125
  - self-commutated 125
- Frequency converter concept
  - with sinusoidal voltage 224
  - with step-up converter 225
  - with trapezoidal voltage 225
- Frequency-converter-dependent circulating currents 175
- Frequency fluctuations 303
- Frequency maintenance 300
- Frictional moment
  - in blade bearings 74
  - load-dependent 73
- Froude's theorem 34
- Full-load operation 360, 361
- Functional chain 28
- Functional structures 19, 29
- Fundamental frequency 134
- Fundamental-frequency field 134
- Fuses 228
- Fuzzy controller 347
  
- Gate turn-off thyristor 205
- Gaussian normal distribution 374
- General development plan 400
- Generator 119
  - with power converter 142
- Generator short-circuit 147, 152
- Generator simulation 155
  
- Generator torque 142
- Generator-type design 163
- Generator voltage
  - sinusoidal 179
  - trapezoidal 179
- Global wind conditions 371
- Graph showing grid voltage 290
- Grid abnormalities 153
- Grid connection 150, 154, 168, 200, 201, 305, 384
  - fixed-speed 324
  - of wind turbines 200, 230
- Grid connection rules 291
- Grid connection time 101
- Grid control 284, 285
- Grid control unit 290
- Grid coupling
  - rigid 123
- Grid disconnection 228
- Grid disturbance 147
- Grid effects 236
- Grid feedback 200
- Grid operation 300, 304
- Grid protection 228
- Grid reactions 309
- Grid regulation unit 286
- Grid short-circuit 153
- Grid short-circuiting power 229
- Grid-side pulse-controlled inverter 319
- Grid-specific filter layout 278
- Grid state variables 301
- Grid support 285, 321
- Grid surveillance 366
- Grid voltage
  - changes 154
- Grid voltage desired value 311
- GridCode 2000 291
- GTO Thyristor, *see* Gate turn-off thyristor
- Gustiness 372
  
- Harmonic absorber filters 277
- Harmonic behaviour 326
- Harmonic distortion factor 264
- Harmonic voltage 280
- Harmonics 123, 260, 261
- Hellman exponent 46
- Hub
  - cone-hinge 51
  - rigid 51
  - teetering 51
- Hub design 50
- Hydraulic blade pitch adjustment 82–5
- Hydraulic turbine yaw system 66

- I* converter 204
- IGBT, *see* Insulated gate bipolar transistors
- IGCT, *see* Integrated gate commutated thyristor
- Immission protection 396
- Immobilization 362
- Impedance path 272
- Improving the control characteristics 346
- Increase of short-circuit power 231
- Indirect converter 204, 214
- Inertia 69
- Inertia of accelerating air masses 75
- Infrasound 397
- Initial symmetrical short-circuit power 229
- Inputs 32
- Inspection procedure 401
- Installation 109
- Installation of turbines 395
- Insulated gate bipolar transistors 206–7
- Integrated gate commutated thyristor, 205–7
- Integration 297
- Internal rotor design 183
- Inverter coupling 123
- Inverter mode 210
- Inverter stability limit 211
- Investment costs 388
- Iron losses 128
- Isolated operation 234
  
- Jet effect 379
  
- Kloß's equation 136
  
- Labour-intensity 387
- Landscape 398
- Landscape conservation 398
- Landscape structure 379
- Large-scale test 377
- Leakage 136
- Leakage reactance
  - rotor 128
  - stator winding 128
- Legal aspects 395
- Lift 36
- Lift coefficient 37, 38
- Lift force 36, 72
- Lightning protection 366
- Line commutation 209
- Linearizing 338
- Lines of development 178
- Load characteristic 284
- Load flow 286
- Load management 298
- Load moment
  - at the asynchronous generator 161
  
- Local wind conditions 373
- Long-time behaviour 243
- Longer-term flicker level 259
  
- Machine cost
  - per kW 115
  - per m<sup>2</sup> 116
  - per Nm 116
- Machine data 188
- Machine-dependent losses 46
- Machine mass 110
- Machine-side pulse-controlled inverter 319
- Machines
  - brushless 126
  - concentric 47
- Main generator 126
- Maintenance and repair costs 388
- Maintenance cost 128, 388, 389
- Management range 306
- Management system 297, 352, 353
- Marginal vortex 38
- Marginal vortex loss 38
- Mass
  - of asynchronous machines 189
  - of synchronous machines 190
- Mass relationship 189
- Material costs 185
- Maximum moment
  - nonsalient pole machine 152
- Maximum noise level 396
- MCT, *see* Metal oxide semiconductor-controlled thyristor
- Mechanical regulation processes 309
- Mesoskala model 379
- Metal oxide semiconductor-controlled thyristor 206
- Metal oxide semiconductor field-effect transistor 206
- Model
  - simplified 81
- Moment of inertia 94
- Moments
  - damping 107
  - due to the acceleration of air masses 76
  - due to air damping 76
  - due to blade bending 73
  - due to lift forces 72
  - due to rotor teetering 72, 74
  - on the rotor blade 69, 333
  - for rotor blade pitch adjustment 78
  - torsion-elastic 107
- Monitoring systems 364
- MOSFET 206
- Motorized run-up 148
  - of synchronous generators 149

- Nacelle 2
- Nacelle mass
  - per kNm 113
  - per kW 112
  - per m<sup>2</sup> 112
- Nature conservation 398
- Neural network 351
- No-load current
  - of asynchronous machines 192
- No-load desired value 311
- No-load losses 123, 162
- Noise immission 397
- Noise limit value 397
- Noise propagation 396
- Nominal slip 138, 168
- Nominal torque 134
- Nonsalient pole rotor 126
- Normal positioning procedures 95
- Normal wind year 374
- Number of rotor blades 52, 54
  
- Obstacles 379
- Offshore 384
- Offshore plant 385
- Offshore wind power exploitation 385
- Open-circuit current 128
- Operating costs 389
- Operating ranges
  - asynchronous generators 128
  - asynchronous machine with load compensation 133
  - asynchronous machine with no-load compensation 133
  - dynamic 103
  - synchronous generators 128
- Operating states 353
  - steady-state 354
  - transient 354
- Operator of the transmission grid 291
- Optimum output 316
- Optimum wind power 147
- OptiSlip® 328
- Ordinal number 134
- Orography 373, 379, 383
- Oscillation damper 142
- Oscillation monitoring 366
- Output behaviour 237, 248
  - of wind power plants 237
  - of wind turbines 237
- Output fluctuations 237
- Output gradients 237
- Output power
  - electrical 130
- Output smoothing 239, 242
- Output variables 297
  
- Output/rotational speed characteristics 103
- Outputs 32
- Overload protection 147
- Overspeed 364
- Overtemperature 364
- Overvoltage 236
- Overvoltage protection 319
  
- Parallel operation of frequency converters 222
- Parasitic torque 140
- Part-load operation 358, 359
- Peak moment 153
- Performance characteristic 101
- Performance characteristics from measurements 163
- Performance coefficient 34, 40, 41, 48, 50, 142
  - approximating 44
  - determining 43
- Performance control 123
- Peripheral speed
  - of turbine 55
- Permanent-magnet synchronous machine
  - with axial air gap field 183
  - with radial air gap field 180
- Phase-control reactive power 211
- Phase shifter 131
- Pilot exciter 126
- Pitch angle 55
- Pitch regulation 24
- Pitch-regulation mechanism
  - using rotating masses 82
- Pitch regulator drive 80
- Pitch-setting mechanism 88
- Pitch setting system
  - moment of inertia 93
- Pitch variation mechanism 69
- Planning 401
- Planning permission 401
- Plants
  - with blade pitch adjustment mechanism 303
  - with load management 303
  - without blade pitch adjustment mechanism 302
- Point of common coupling 254
- Positioning drive 96
  - design 96
  - power 96
- Potential 383
- Potential for expansion 385
- Power
  - for positioning 95
- Power absorbed
  - mechanical 130
- Power conditioning 201, 226
- Power control 60, 102
- Power converter 202, 207
- Power-dependent loss modelling 47

- Power duration curves 245
- Power factor
  - of asynchronous machines 193
- Power factor 200
- Power graph 377
- Power limitation 59
- Power reserves 297
- Power-rotational speed characteristics 142
- Power semiconductor 204
- Power-speed diagram 176
- Power supply 388
- Power variation 46
- Prediction model 246
- Privileged plant 401
- Propeller moment 71, 335
- Protective gear 200
- Protective measures 226
- Pull-up torque 134
- Pulse-controlled inverter 219
- Pulse number 208
- Purchase costs 388
  
- Quality criteria 350
  
- Rapid auto-reclosure 147, 154, 234, 363
- Rayleigh distribution 373
- Rayleigh distribution function 373
- Reactive power 123, 301
  - compensation 200, 221
  - control 123
  - delivery 123
  - flow 288
  - operation 221
  - power drooping characteristic 311
  - regulation system 319
- Rectifier mode 210
- Rectifiers 216
- Redemption period 393
- Reduction of loads 123
- Regulation 2
  - of a small wind turbine 315
  - of variable-slip asynchronous generators 316
  - of variable-speed turbines 316
- Regulation processes
  - mechanical 309
- Relative motion
  - of rotating blades 61
- Remedial measures
  - against grid effects 274
  - against grid resonances 274
- Remote interrogation 299
- Repowering 385
- Requirements 162
  - of conversion systems 178
  
- Resistance
  - stator winding 128
- Resonance effects 269
- Restoring torque 71
- Rotary field 123
- Rotating field generator 123
- Rotating pointer 319
- Rotational flow 35
- Rotor blade
  - bent 57
  - loading 50
  - transport 59
  - twist 56
- Rotor blade acceleration 60
- Rotor blade geometry 52
  - optimal 55
- Rotor blade manufacture 56
- Rotor blade moments 60
- Rotor blade pitch variation 69
- Rotor blade positioning 80
- Rotor blade shape
  - optimal 55
  - rectangular 55
  - trapezoidal 55
- Rotor current 128
- Rotor performance coefficient 59, 60
- Rotor voltage
  - field-oriented 319
- Roughness 378
  - of the landscape 371
- Run-up time 97
- Run-up time constant 107, 110
- Run-up torque 122
- Running-up 356, 357
  
- Safety monitoring 299
- Safety systems 80, 365
- Salient pole machine 153
- Salient-pole rotor 126
- Saturation state 162
- Scaling factor 374
- Scherbius principle 322
- Screw connections 109
- Secondary costs 388
- Security of supply 122
- Self-commutated systems 212
- Self-tuning control system 349
- Semiconductor diodes 205
- Separately excited salient pole machine
  - with radial air gap field 179
- Servicing costs 389
- Shadow casting 397, 398
- Shadow casting periods 398
- Shadowing 399
- Shadowing losses 379

- Shaft voltages 175
  - in frequency converter operation 174
- Sheet metal blades 50
- Shock moments
  - to the drive train 121
- Short-circuiting power 229
- Short-circuits 364
- Short-term flicker level 259
- Short-time behaviour
  - in an isolated system 248
  - of a wind farm 237
- Shut-down 362
- Simpson's rule 39
- Simulation results 157, 158, 160
- Single-bladed turbine 54
- Site analysis 383
- Site category 374, 378
- Site survey 373
- Slip 123
  - increase 138
- Slip control 325
  - dynamic 139
- Slip ring 127
- Slip ring rotor 126, 169
- Smoothing
  - of output 239
- Soft start 155
- Specific annual energy yield 378
- Speed of flow
  - swirl-free 33
- Speed regulation 300, 303, 312
- Speed variation 102
- Sphere of management 298
- Stall operation 99
- Stall regulation 24
- Standalone operation 300
- Standard values for wind turbine systems 111
- Standardizing 338
- Standstill 354
- Start-up 354
  - speed 147
  - time 92
- Starting current
  - of asynchronous machines 192
- Starting devices 154
- Starting torque 134
- State determination 364
- State monitor 350
- State variable 32
- Stator current 128
  - during the short-circuit of a synchronous machine 177
  - generator mode 131
  - motor mode 131
- Stator voltage 128
- Steady-state stability 145
- Storage plant 122
- Stromeinspeisungsgesetz 390
- Structure
  - mechanical drive train 108
  - mechanical drive train (simplified) 109
  - for rotor blade pitch adjustment 78
  - synchronous generator 126
- Studies on potential 384
- Subharmonics 260
- Summed frequency
  - of the wind speed 374
- Supplier characteristic 284
- Supply line 215
- Surface structure 383
- Surveillance computer 367
- Swirl effects 39
- Symmetrical optimum 346
- Synchronization devices 154, 155
- Synchronous generated voltage 129
- Synchronous generator 123
  - gearless 178
  - for gearless plants 175
  - motorized run-up 148, 149
  - nonsalient pole machine 152
- Synchronous harmonic rotary field
  - torque 140
- System
  - gearless 125
- System data 109
- System-oriented controller design 349
- System requirements 299
- Tariff 388
- Taylor expansion 339
- Technical and economic potential 383
- Theordorsen function 76
- Thermal tower 47
- Thermal turbine 49
- Three-blade rotor 333
- Three-bladed machine 54
- Three-phase bridge connection 208
- Thrust 35
  - axial 36
- Thyristor inverter 218
- Thyristors 205
- Tip speed ratio 40, 50, 142
- Tolerance band regulation 221
- Topography 373
- Torque 32
  - blade position-dependent 46
  - dynamic 133, 147
  - internal 135
  - nonsalient pole machines 141
  - pitch-dependent 46

- salient pole machines 141
- wind turbine 24
- Torque determination 34
- Torque development 136
- Torque effects 104
- Torque fluctuation 46, 137
- Torque limiting values 142
- Torque matrix 341
- Torque oscillations 106
- Torque parameter 144
- Torque peaks 148
- Torque-rotational speed characteristics 142
- Torque/speed characteristic
  - of an asynchronous machine 135
- Torsional moments
  - at the rotor blades 334
- Torsional resetting moment 339
- Torsional stiffness 109
- Total harmonic distortion 264
- Total moments 337
- Tower effects 45
- Tower mass 110
  - per kW 113, 114
  - per m 115
  - per m<sup>2</sup> 114
- Tower shadow 50
- Tower wind-shadow effect 46
- Tower windbreak effect 46
- Transfer of electrical energy 199
- Transient
  - currents 147
  - direct-axis reactance 196
  - torques 147
- Transistors 206
- Transmission losses 45
- Trigger delay angle 209
- Turbine
  - lift type 47
- Turbine characteristics
  - modelling 43
- Turbine control
  - by means of a bypass 304
- Turbine data 110
- Turbine design 50
- Turbine efficiency 48
- Turbine flicker coefficient 260
- Turbine output 300
- Turbine performance fluctuations 138
- Turbine tester 354
- Turbine testing 355
- Turbine torque 142
- Turbine yawing 59
- Turbine yield 375
- Turbogenerator 126
- Turbulence 46
  - degree of 372
- Turbulence intensity 378
- Turning
  - the plane of rotation 60
- Two-axis field coordinate system 319
- Two-bladed machine 54
- U* converter 204
- U<sub>i</sub>* circle diagram 163
- Uncontrolled diode rectifier bridges 216
- Uncontrolled supply 298
- Uncoordinated feed 297
- Unexcited connection 150
- Upwind 46
- Utilizing compensating effects 281
- Variable-frequency operation
  - of the wind turbine 146
- Variable-slip asynchronous generators 172
- Vector diagram
  - asynchronous machine 132
  - synchronous machine 132
- Verband der Netzbetreiber (VDN) 291
- Vertical speed gradient 46
  - effects 46
- Visibility 399
- Visibility map 399
- Visualization of a wind farm 400
- Voltage 123, 301
  - asymmetries 250
  - change 162, 252, 253, 254, 256, 258, 286
  - induced 129
- Voltage control circuit 313
- Voltage fluctuations 252
- Voltage graph 287
- Voltage levels 250
- Voltage regulation 311, 312
- Voltage regulation procedures 127
- Voltage response
  - in grid supply 249
- Voltage rise 253
- Voltage spectra
  - of wind turbines 265
- Vortex turbine 48
- Waiting mode 356
- Wake
  - turbulent 38
- WASP, *see* Wind Atlas Analysis Application Programme
- Weak wind generators 171
- Weibull distribution 373, 375, 379

- Weibull frequency distribution
  - of wind speeds 373
- Weibull parameter 377
- Wind Atlas Analysis Application Programme 379
- Wind atlas method 379
- Wind class 374
- Wind conditions 371
- Wind direction distribution 378
- Wind farm 271
- Wind farm monitoring 368
- Wind farm output measurement 247
- Wind measurement systems 374
- Wind measuring devices 365
- Wind output measurement 247
- Wind power predictions 245
- Wind-pressure yawing 69
- Wind speed 50
  - decelerated 55
  - height-dependent 45
  - measurement 374
- Wind-speed profile 45
- Wind turbine 2
  - with blade pitch adjustment 307, 308
  - without blade pitch adjustment 306
  - fixed-speed 307
  - monitoring 367
  - power 33
  - power (maximum) 33
  - variable-speed 308
- Wind vane 69
- Wind velocity 44
  - resultant 71
  - distribution 372, 378
- Withstand ratio 229
- Wooden blades 50
- Working range
  - full-load generator 171
  - weak wind generator 171
- Yaw acceleration 60
- Yaw control mechanisms 65
- Yaw-control system 60
- Yaw moments 64
- Yaw system 60



