

# Index

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

- a option
  - in gpasswd, 193, 198
  - in ls, 94
  - in rpm, 160
- A option
  - in gpasswd, 198
  - in ipchains, 395
  - in ps, 153
  - in top, 155
  - in wbinfo, 463
- a option in fdisk, 113
- A (address) records, 310
- ACCEPT option, 408
- access file, 358
- access\_log file, 338–339
- access time, sorting files by, 94
- AccessConfig directive, 339
- accounts. *See* groups; user accounts
- acl command, 301
- Active Directory, 487
- Active Server Pages (ASPs), 13–14
- Adapter tab, 46, 46
- address (A) records, 310
- admin users command, 455
- administration, difficulty in, 486
- administrators in Samba, 455
- ADSL Network Termination (ANT), 391
- afio command, 139
- AFS (Andrew Filesystem), 12
- Afterstep window manager, 264
- aliases file, 355–356
- aliases for Sendmail servers, 355–356
- all keyword, 128
- Allison, Jeremy, 426
- Allman, Eric, 352
- allow directive, 342–343
- allow file, 404–406
- AllowOverride directive, 342
- alnum character class, 111
- alpha character class, 110–111
- Alpha processors, 18–19
- ampersands (&) for background programs, 239–240
- Andrew Filesystem (AFS), 12
- anonymous FTP access, 371–374
- AnotherLevel window manager, 264
- ANT (ADSL Network Termination), 391
- any keyword, 322
- Apache servers, 13–14, 335, 490–491
  - configuring, 336–344, 347
  - content for, 346–347
  - daemons in, 179
  - disabling modules in, 403–404
  - installing, 335
  - publishing with, 343–344
  - starting, 336, 347
  - stopping, 336
  - testing, 347–348
  - virtual hosts in, 344–346
- apmd daemon, 188
- appliance computers, 18
- applications
  - compiling, 163–166
  - documentation for, 162–163
  - DOS, 424
  - for graphics and GUIs, 284–286
  - installing, 156–160
  - problems with, 482–483
  - uncompressing, 162
  - for X Window System, 254–255
- applications menu in KDE, 272
- Applixware application, 285
- aquarium program, 255
- architecture-dependent RPMs, 161
- Arla AFS, 12
- ASPs (Active Server Pages), 13–14

asterisks (\*) in searches, 95–96, 109

at symbol (@) for variables, 310

AT&T

and BSD, 28

and Unix, 24

attempts option, 293–294

authentication

in NT/2000 domains. *See* winbind

in Red Hat installation, 54

in SMB, 441–447

auto.master file, 86

auto.misc file, 86

autofs service, 86

automatic partitions, 52

automating

backups, 141–142

Internet connections, 391

startup

DHCP servers, 334–335

DNS servers, 321

NIS clients, 223

NIS servers, 218–219

Samba, 461

winbind, 463

automounters, 86

autoraise feature, 242

## B

-b option

in mv, 102

in useradd, 196

-B option in dhcpd, 324–326

background programs, 239–240

backslashes (\) for metacharacters, 110

backups

automating, 141–142

incremental and differential, 141

limitations of, 144–145

restoring, 140

to tape, 138–144

verifying, 140

viewing, 140

to Zip drives, 142–144

batch files. *See* script files

-bd option, 248

Berkeley Internet Name Domain (BIND)

program, 15

Berkeley Software Distribution (BSD), 27–28

bg command, 240

-bg option, 248

/bin directory, 89

binary files, 156

directories for, 89

in smbclient, 436

BIND DNS server, 179

BIND (Berkeley Internet Name Domain)

program, 15

-bitmap option, 248

bitmaps for backgrounds, 248

blank character class, 112

blanks in filenames, 93–94

bonobo toolkit, 265

boot.b file, 418

/boot directory, 89

boot.b file in, 418

kernels in, 167–168

boot options, kernel as, 173–175

boot partitions, 50–52, 115

bootable DOS images, 424

bootable floppy disks, 47, 55, 118, 121

booting, dual boots, 58, 415

default images for, 417

lilo.conf for, 415–417

LILO loader for, 480

messages for, 418

timeouts for, 417–418

bootloaders in Red Hat installation, 53

braces ({})

in regular expressions, 109

in statements, 301

brackets ([]) in searches, 96, 98, 107–111

browsing workgroups, 433–434

BRU program, 138

BSD (Berkeley Software Distribution), 27–28

bug fixes in open source code, 29–30

bunzip2 command, 136

burning CD-R discs, 118–119

- business model, 5
  - Business Software Alliance, 477
  - .bz files, 136–137
  - bzImage file, 172
  - bzip2 command, 136–137
- C**
- c option
    - in grep, 105
    - in tar, 138–139
    - in useradd, 193, 195
  - cable modems, 391–392
  - caching servers, 296, 304
  - CAD applications, 285, 483
  - cal command, 188
  - calculator, 237–238, 237
  - Caldera Linux, 36
    - printing in, 129
    - site for, 493
  - calendars, 188
  - canonical name (CNAME) records, 310
  - carets (^) in regular expressions, 107–111
  - carriage returns, 415
  - case sensitivity
    - of commands, 91
    - of filenames, 97, 340
    - of passwords, 56
    - in searches, 98
  - cat command, 102–103
  - cd command
    - in Linux, 92
    - in smbclient, 435
  - CD-R discs, burning, 118–119
  - CD-ROMs, mounting, 85–86
  - CDE (Common Desktop Environment), 266
  - cdrecord command, 118–119
  - cdfdisk program, 113
  - CGI scripts, disabling, 404
  - changing
    - directories, 92
    - permissions for, 206–207
  - character classes, 110–111
  - characters, counting, 188
  - chat program, 254, 388–390
  - check-names option, 302–303
  - chess game, 254
  - chgrp command, 209
  - chmod command, 145, 210–213
  - chown command, 208
  - circumflexes (^) in regular expressions, 107–111
  - classes of characters with grep, 110–112
  - clean command, 165–166
  - clear text passwords, 194, 485–486
  - click-to-type focus policy, 242
  - clients
    - in DHCP, 324–326
    - in NFS, 228–230
    - in NIS, 214–215
      - activating, 220–222
      - programs for, 219–220
      - setting up, 225
      - starting, 220, 223
    - in SMB, 427–428
      - smbclient, 432–436
      - smbfs, 428–432
    - in X Window System, 255–260, 281–282
  - clock chips, 73
  - clustering concepts, 33
  - CNAME (canonical name) records, 310
  - cntrl character class, 112
  - coas program, 129
  - Coda file server, 12
  - code forks, 32
  - color in X Window System, 247–248
  - COM1 ports, 383–384
  - COM3 ports, 383
  - command-line sessions, 236
  - command prompts, 56
  - commands, help for, 132–134
  - commas (,) in regular expressions, 109
  - comments
    - in Apache files, 337
    - in user accounts, 193
    - in zone files, 309
  - commercial distributions, 34–35
    - Caldera, 36
    - Debian, 36–37
    - Red Hat, 35–36

- selecting, 38
  - Slackware, 37
  - sources of, 493–494
  - SuSE, 37
  - UnitedLinux, 37–38
  - Common Desktop Environment (CDE), 266
  - Common Object Requests Broker Architecture (CORBA) model, 265
  - compat option, 221
  - compatibility
    - of file formats, 20
    - with Microsoft. *See* Microsoft OS interoperability
  - compiling
    - applications, 163–166
    - kernel, 171–172
    - modules, 172–173
  - compressed files, 136–138
  - concatenating files, 103
  - conf directory, 336
  - conf.modules file, 378
  - config command, 170
  - configuration files
    - backing up, 144–145
    - directories for, 89
    - for DNS, 299–308
  - configure command, 163–164
  - configuring
    - Apache servers, 336–344, 347
    - DHCP servers, 327–330
    - FTP servers, 367–371
    - IP masquerading, 393–397
    - mgetty, 398–401
    - name servers, 296
    - networks. *See* network interface cards (NICs)
    - PPP clients, 401
    - printers, 128–132
    - resolvers, 293–295
    - Sendmail servers, 352–357
    - SMB servers. *See* SMB (Server Message Block) video. *See* video adapters
  - connecting to file shares, 434–436
  - connections, Internet, 381
    - cable modems and DSL for, 391–392
    - dial-in servers for, 397–401
    - dialing out to ISPs, 385–391
    - IP masquerading in, 392–397
    - modems for, 381–385
  - console sessions, 236
  - converting text files, 414–415
  - cops command, 401
  - copying
    - files, 100–101, 435
    - kernels, 173
  - copyleft, 25
  - CORBA (Common Object Requests Broker Architecture) model, 265
  - costs, 25–26
  - counting
    - grep lines, 105
    - words and characters, 188
  - Cox, Alan, 176
  - cp command
    - in Linux, 100–101
    - in smbclient, 435
  - cpio command, 139
  - crack command, 401
  - creating, permissions for, 206–207
  - cron command, 141
  - crontab file, 141
  - crossover cables, 392
  - crtscs command, 399
  - curly braces ({})
    - in regular expressions, 109
    - in statements, 301
  - current directory
    - for script files, 146–147
    - shorthand for, 92
  - cursor keys with Telnet, 151–152
  - CustomLog directive, 338–339
- ## D
- d option
    - in dhcpd, 324–326
    - in gpasswd, 193, 198
    - in ls, 93
    - in tar, 140
    - in useradd, 193, 195–196

- D option
  - in dhcpd, 324–326
  - in useradd, 195–196
- d option in fdisk, 113
- daemons, 176, 179
- dashes (-) in searches, 96
- database servers, 17–18
- date command, 187
- dates
  - integers for, 201
  - setting, 186–187
- dd command, 120
- DDNS (Dynamic DNS), 321–323
- Debian distribution, 36–37, 493
- debug option, 293
- default-lease-time option, 328
- defaults
  - dual boot images, 417
  - startup mode runlevel, 178
  - user accounts, 195–196
    - settings, 195–196
    - shells, 191
- deleting
  - directory trees, 103
  - files, 103–104
  - groups, 198
  - Linux, 74–77
  - partitions, 52
  - permissions for, 204, 206–207
  - user accounts, 196
  - users from groups, 198
- deny directive, 342–343
- deny file, 404–405
- DENY option, 408
- dependencies, 171–172
- descriptions for user accounts, 191, 193
- desktop, Linux on, 19–21
- /Desktop directory, 273–274
- desktop environments, 234
  - GNOME, 264, 267–269
    - basics of, 277–279, 277–278
    - vs. KDE, 269–271
  - KDE. *See* KDE desktop environment
  - window managers for, 264–265
- destroying partitions, 112–115
- detach option, 399
- /dev directory, 82–84, 89
- development kernels, 176
- development systems, 16–17
- Device Manager, 45–46, 46
- devices
  - directories for, 89
  - names for, 82–84
- df command, 92
- DHCP. *See* Dynamic Host Configuration Protocol (DHCP)
- dhcpd command, 60, 324–326
- dhcpd-eth0 file, 325
- dhcpd.conf file, 322, 327, 330–331
- dhcpd daemon, 322
- dhcpd.leases file, 322, 329–330, 334
- dial-in servers, 397
  - installing, 398
  - mgetty for, 398–401
- diald program, 391
- dialing out to ISPs, 385–391
- dictionary hacks, 190, 402
- differential backups, 141
- digit character class, 110–111
- digital subscriber line (DSL) connections, 391–392
- directories
  - changing, 92
  - in copying files, 100–101
  - creating, 82, 85, 99
  - listing, 56–57, 56, 211
  - permissions for. *See* permissions
  - for script files, 146–147
  - standard, 88–91
  - viewing, 91–96
- DirectoryIndex directive, 339, 343–344
- Disable days field, 201
- disabling
  - CGI scripts, 404
  - FTP anonymous access, 373–374
  - modules, 403–404
  - network interface cards, 68
  - services, 402–403
  - user accounts, 196–197

- Disk Druid tool, 48
- disk quotas, 471
- disk structure, 80–81
  - CD-ROMs, 85–86
  - FAT/FAT32 drives, 86–87, 88
  - floppies, 81–85
  - hard disks, 81, 81
  - navigating, 92
  - NTFS drives, 88
  - standard directories in, 88–91
- DISPLAY option in export, 260, 263
- display option in X Window, 249
- DISPLAY variable, 148
- displaying files, 102–103
- distributions. *See* commercial distributions
- dmesg command, 187
- DNS. *See* Domain Name Service (DNS)
- dns option, 221
- doc file, 134
- documentation
  - for applications, 162–163
  - HOWTOs for, 135–136
  - info for, 134
  - man for, 132–134
  - for monitors, 45
  - for Red Hat installation, 40
- DocumentRoot option, 339
- dollar signs (\$)
  - for parameters, 148
  - in regular expressions, 108
- domain command, 293
- domain model, limitations of, 485–486
- Domain Name Service (DNS), 291–292
  - configuration files for, 299–308
  - dynamic, 321–323
  - name server configurations in, 296
  - resolvers in, 292–296
  - reverse zone files in, 314–315
  - search lists in, 295–296
  - servers for, 14–15, 489–490
    - installing, 297–298, 316–320
    - for NICs, 66
    - starting and stopping, 299, 320–321
  - testing, 298–299
  - zone files in, 308–313

- domain option, 447
- domains
  - authentication with. *See* winbind
  - joining, 462
  - for NIS, 214, 217
  - for Samba, 447
  - for Sendmail servers, 353–354
- DOS applications, 424
- dos2unix tool, 415
- dosemu tool, 424
- dosutils directory, 47, 121
- downloading kernel, 175–176
- drive letters, 81
- drivers
  - lack of, 486–487
  - for printers, 123–124
  - with Xconfigurator, 72
- DSL (digital subscriber line) connections, 391–392
- du command, 92
- dual boots, 58, 415
  - default images for, 417
  - lilo.conf for, 415–417
  - LILO loader for, 480
  - messages for, 418
  - timeouts for, 417–418
- dump command, 139
- Dynamic DNS (DDNS), 321–323
- Dynamic Host Configuration Protocol (DHCP), 322–323
  - clients in, 324–326
  - servers for
    - configuring, 327–330
    - installing, 326–327, 333
    - reservations from, 330–331
    - starting and stopping, 332
    - summary, 332–334
- dynamic zones, 322

## E

- e option
  - in rpm, 160
  - in useradd, 194–195
- E option in grep, 107–111

- echo command, 147–148
- edit mode in vi, 63–64
- editing
  - nsswitch.conf, 462–463
  - smb.conf, 439
  - with vi, 62–64
  - XF86Config-4, 71
- educational institutions, 32
- educational systems, 16–17
- egrep command, 107
- eject option, 118
- emacs application, 254
- emulators, 418
- encryption
  - in NIS, 214–215
  - for passwords, 190
  - in ssh, 152–153
- Enlightenment window manager, 264
- environment variables, 147–148
- erase command, 141
- erasing
  - files, 103–104
  - tapes, 141
- ErrorLog directive, 338
- escaping metacharacters, 110
- ESSID line in wireless.opts, 69
- /etc/aliases file, 355–356
- /etc/auto.master file, 86
- /etc/auto.misc file, 86
- /etc/conf.modules file, 378
- /etc/dhcpd.conf file, 322, 327, 333–334
- /etc directory, 89, 144
- /etc/exports file, 226–228, 406–407
- /etc/ftpaccess file, 368–371
- /etc/ftphosts file, 368
- /etc/ftpusers file, 367
- /etc/group file, 193, 202
- /etc/gshadow file, 202
- /etc/hosts file, 65, 449
- /etc/hosts.allow file, 404–406
- /etc/hosts.deny file, 404–405
- /etc/httpd directory, 336
- /etc/inittab file, 177, 398–399
- /etc/issue file, 407
- /etc/lilo.conf file, 174
- /etc/lmhosts file, 449
- /etc/mail/access file, 358
- /etc/mail/sendmail.mc file, 352–353
- /etc/mail/virtusertable directory, 356–357
- /etc/mgetty+sendfax directory, 398
- /etc/named.conf file, 320
- /etc/nsswitch.conf file, 221–222
- /etc/pam.d directory, 401, 465
- /etc/passwd file, 190, 200, 221
- /etc/ppp/pap-secrets file, 400
- /etc/printcap file, 129
- /etc/rc.d directory, 332
- /etc/rc.d/init.d directory, 290–291
- /etc/rc.d/rc.firewall file, 395
- /etc/rc.d/rc.local file, 185
- /etc/resolv.conf file, 66, 292–296, 325
- /etc/securetty file, 150
- /etc/sendmail.cf file, 352, 354–355
- /etc/shadow file, 201–202
- /etc/sysconfig/network file, 66
- /etc/sysconfig/network-scripts directory, 389
- /etc/wvdial.conf file, 386–388
- /etc/xinetd.d/wu-ftpd file, 365
- /etc/yp.conf file, 218, 220
- eth0 interface, 60
- Ettrich, Matthias, 266
- Exceed server, 261
- exclamation points (!) in SMB, 435
- excluding lists in grep command, 109–110
- EXE files, 156
- ExecCGI option, 343
- execute permissions, 204–205, 210–212
- expiration times
  - for DHCP leases, 327–328
  - for zones, 312
- Expire date field, 201
- expiring user accounts, 194
- export command, 147–148, 260, 263
- exportfs command, 228
- exports file, 226–228, 406–407
- EXT3 format, 42
- external modems, 381, 383–384

**F****-f option**

- in cp, 101
- in mv, 102
- in rpm, 160
- in tar, 137–142

FAT/FAT32 drives, 42, 86–87, 88, 116

fdformat command, 117

fdisk tool, 48, 112–115

**features**

- for kernel, 170–171
- in open source code, 29

fg command, 240

-fg option, 248

FHS (File Hierarchy System), 89

file command, 188

file extensions, sorting files by, 94

file format compatibility, 20

File Hierarchy System (FHS), 89

file servers, 11–12, 490–491

file shares, 434–436

**files**

- compressed, 136–138
- concatenating, 103
- copying, 100–101, 435
- deleting, 103–104
- displaying, 102–103
- editing, 62–64
- finding, 95–99
- listing, 56–57, 56, 91–96
- moving, 101–102
- permissions for. *See* permissions
- renaming, 101–102
- sharing. *See* Network File System (NFS)
- type of, 188
- users of, 188

files option, 221

**filters**

- grep for, 106
- in printing, 124, 131

find command, 97–98, 291

**finding**

- files, 95–99
- with grep. *See* grep command

finger command, 197

fips utility, 43

firewall file, 395

firewalls, 16, 53, 407–411, 490

fixed-focus focus policy, 242

fixed-space fonts, 251

**floppy disks**

- bootable, 47, 55, 118, 121

- formatting, 117–118

- mounting, 81–85

-fn option, 249–250

Focus command, 242

focus follows mouse focus policy, 242

focus policies, 239, 241–242

FollowSymLinks option, 343

fonts, 250–252

forking, 32

**formatting**

- floppy disks, 117–118

- partitions, 116–117

forward chains, 408

forward slashes (/), 81

forwarding, 408–410

FQDNs (fully qualified domain names), 295

free command, 155–156

free disk space, 92

free software, 254–255, 476–477

frequencies, video, 44, 73

Friendly Virtual Window Manager (fvwm),  
245–247, 246

FTP servers, 364

- anonymous access to, 371–374

- configuring, 367–371

- installing, 365–366

- starting and stopping, 366

- summary, 374

ftpaccess file, 368–371

ftphosts file, 368

ftpusers file, 367

fully qualified domain names (FQDNs), 295

fuser command, 188

fvwm window manager, 245–247, 246

**G****-g option**

- in groupmod, 198

- in useradd, 192–193
- in wbinfo, 464
- in X Window system, 249–250
- G option
  - in groupmod, 198
  - in usermod, 192
- games, 254, 483
- Games menu, 272
- GDI printer, 123
- gedit program, 279
- geometry option, 249–250
- get command, 435
- getent command, 464
- GhostScript program, 124
- gids (group ids), 460
- Gimp program, 261–263
- GNOME (GNU Network Object Model Environment), 264, 267–269
  - basics of, 277–279, 277–278
  - vs. KDE, 269–271
- GNOME panel, 276, 278
- gnome-session command, 276–277
- gnome-terminal program, 279
- GNU (GNU's Not Unix), 26–27
- GNU Network Object Model Environment (GNOME), 264, 267–269
  - basics of, 277–279, 277–278
  - vs. KDE, 269–271
- GNU Public License (GPL), 26–27
- gnnumeric program, 279
- gpasswd command, 193, 198
- GPL (GNU Public License), 26–27
- graph character class, 111
- graphics and GUIs, 233–235. *See also* window managers; X Window System
  - applications for, 284–286
  - limitations of, 484–485
  - in Red Hat installation, 55
  - in remote sessions, 152
  - startx for, 279–280, 282–283
  - unfreezing, 283–284
  - xinit for, 280–282
- Graphics menu in KDE, 272

- grep command, 104–106
  - for classes of characters, 110–112
  - excluding lists in, 109–110
  - for filters, 106
  - metacharacters with, 107–108, 110
  - with regular expressions, 106–112
  - repeating patterns in, 108–109
- Group directive, 338
- group file, 193, 202
- group ids (gids), 460
- groupadd command, 197
- groupdel command, 198
- groupmod command, 197–198
- groups
  - adding users to, 192
  - creating, 197
  - deleting, 198
  - in directory listings, 57
  - joining, 198–199
  - managing, 198–199
  - memberships in, 191–193, 198
  - permissions for, 208–209
  - in Samba, 455
  - in smb.conf, 460
- growth of Linux, 33–34
- GRUB bootloader, 53, 480
- gs program, 124
- gshadow file, 202
- guest access in FTP, 369–370
- guest option in smbfs, 430
- GUIs. *See* graphics and GUIs; window managers; X Window System
- gunzip program, 136–137
- .gz files, 136–137

## H

- h option
  - for command help, 132
  - in top, 155
  - in useradd, 196
- H option in dhcpd, 324–325
- hard disks, structure of, 81, 81
- hard mounts, 230

## hardware

- in Red Hat installation, 40–41
- requirements for, 6–7
- support for, 486–487
- hardware compatibility list (HCL), 482
- hctosys option, 187
- hdparm command, 116
- header pages, 131
- height of windows, 250
- help
  - HOWTOs, 135–136
  - info, 134
  - man, 132–134
  - for script files, 149
  - setup, lack of, 483–484
- help option, 132–133
- hidden files
  - for configurations, 144
  - listing, 94
- high-level formatting, 117
- hints file, 300, 305
- home directories
  - in FTP, 372
  - setting, 196
  - in smb.conf, 460
  - for user accounts, 191, 193
  - for winbind, 464
- /home directory, 89, 191
- horizontal video frequencies, 44, 73
- host command, 330–331
- host header records, 344
- host names for NICs, 65–66
- hostname command, 66
- HOSTS entry for NICs, 65
- hosts file, 66, 449
- hosts in Apache servers, 344–346
- HOWTOs, 135–136
- httpd file, 179, 336
- httpd.conf file, 336–343
- hwclock command, 186–187
- Hyperterminal program, 152
- hyphens (-) in searches, 96

**I**

- i option
  - in hdparm, 116
  - in locate, 98
  - in mv, 102
  - in rpm, 158–159, 161–162
- I option in smbclient, 436
- ICE Window Manager, 264
- iconic option, 249
- ICS (Internet Connection Sharing), 16, 289
- ifcfg-eth0 file, 61, 68
- ifconfig command, 59–61, 59, 66–67
- ifup command, 390
- ifup-ppp script, 389–390
- images
  - for dual boots, 417
  - kernel, 172
  - in lilo.conf, 416
- IMAP4 (Internet Messaging Application Protocol), 349
- imm module, 143
- iname option, 96
- include command, 301
- incremental backups, 141
- inet6 option, 294
- inetd daemon, 402
- info routine, 134
- init.d directory, 290–291
- init script, 177–179
- initial groups, 191
- initrd image, 173
- inittab file, 177, 398–399
- input chains, 408
- input filters in printing, 131
- insert mode in vi, 62–63
- insmod command, 168
- installing
  - Apache servers, 335
  - applications, 156–160
  - DHCP servers, 326–327, 333
  - dial-in servers, 398
  - DNS servers, 297–298, 316–320

- FTP servers, 365–366
- Linux. *See* Red Hat Linux
- modems, 381–385
- multiple NICs, 376–378
- POP3, 350–351
- Sendmail servers, 350
- interactive mode in lpc, 128
- Intermezzo network system, 12
- internal modems, 381–382, 384
- international language support, 268
- Internet Connection Sharing (ICS), 16, 289
- Internet connections, 381
  - cable modems and DSL for, 391–392
  - dial-in servers for, 397–401
  - dialing out to ISPs, 385–391
  - IP masquerading in, 392–397
  - modems for, 381–385
- Internet menu in KDE, 273
- Internet Messaging Application Protocol (IMAP4), 349
- interoperability, Microsoft OS. *See* Microsoft OS
  - interoperability
- interrupts file, 375–376
- invalid users command, 455
- invalid users in Samba, 452–455
- ioports file, 375
- IP addresses, 392–393
  - for dial-in servers, 400
  - for NICs, 60–61, 379–380
  - with smbfs, 431–432
- IP masquerading, 16, 381, 392–397
- ip option, 430
- IP routing, 16
- ipchains program, 16, 290, 394–395, 407–411
- ipconfig command, 322
- iptables program, 16
- IRQs for external modems, 383
- ISA modems, 385
- isapnp program, 385
- ISO files, 118, 120–121
- ISPs, dialing out to, 385–391
- issue file, 407
- iwconfig command, 69

## J

- joining
  - domains, 462
  - files, 103
  - groups, 198–199

## K

- k option
  - in dhcpcd, 324–326
  - in man, 134
  - in top, 155
- KDE desktop environment, 264, 266–267, 272
  - vs. GNOME, 269–271
  - in-the-box programs, 272–273
  - navigation in, 271–272
  - as remote desktop, 275–276
  - session-to-session memory in, 273–274
  - tricks in, 274–275
- .kdelnk file, 274
- KEA! X server, 261
- kedit program, 279
- Kerberos system, 235
- kernel
  - as boot option, 173–175
  - compiling, 171–172
  - downloading, 175–176
  - features for, 170–171
  - initrd image for, 173
  - linking, 171–172
  - modules for, 168–169
  - recompiling, 166–176
  - source code for, 169
  - storage of, 167–168
  - upgrades to, 30–31
- key command, 301
- KEY line in wireless.opts, 69
- keyboard in Red Hat installation, 48
- keyword searches, 134
- kill command, 153–154
- killall command, 402
- killing processes, 153–154, 181
- KOffice tools, 273

Kppp program, 386  
ksysv program, 182

## L

-l option  
in ls, 93  
in rpm, 159  
in ssh, 153

-L option  
in smbclient, 433–434  
in usermod, 196

l option in fdisk, 113  
languages in Red Hat installation, 48

Last Change field, 201

LaStrange, Tom, 238

lcd command, 435

leases in DHCP  
dhcpd.leases file, 329–330  
expiration times for, 327–328  
file for, 322  
obtaining, 324–325  
releasing, 324  
renewing, 325

less command, 96–97, 103

/lib directory, 89

/lib/modules directory, 168

libraries  
directories for, 89  
purpose of, 157

licenses, 2–3, 25–26, 477–478

Licensing 6.0, 475

lilo command, 173–174

lilo.conf file, 174, 415–417

LILO loader, 480  
for dual boots, 415–418  
in Red Hat installation, 53

line counts in grep, 105

line feeds, 415

line numbers with cat, 103

linking  
kernel, 171–172  
modules, 172–173  
programs, 163

links, symbolic  
creating, 104  
for kernel, 168  
linux directory, 169  
Linux native partitions, 50  
LinuxCAD, 285  
Linuxcare, support from, 495  
linuxconf program, 129, 199  
listing  
files and directories, 56–57, 56, 91–96  
permissions, 209–210  
permissions for, 205–206  
lmhosts file, 432, 449  
ln command, 104  
lo section, 60  
load modules, 156  
local file, 185  
local host files, 300, 305–306  
localhost file, 305  
localnets keyword, 322  
locate command, 98  
locked programs, 153–155  
log files  
for DNS, 301  
for printers, 131  
logging command, 301  
logging in, first time, 55–57  
login file, 465  
login.config file, 400–401  
long file listings, 93  
loopback domains, 305  
lost clusters, 89  
/lost+found directory, 89  
low-level formatting, 117  
lower character class, 111–112  
lpc command, 124, 127–128  
lpd command, 12, 121–122, 125, 129  
lpq command, 126  
lpr command, 12–13, 121–122, 124–126  
lprm command, 124, 126–127  
ls command, 56–57, 56, 91–96  
lsmod command, 168

## M

- m option
  - in free, 156
  - in useradd, 195
- M option
  - in gpasswd, 193
  - in smbclient, 433–434
  - in tar, 139
  - in top, 155
  - in useradd, 195
- m option in fdisk, 113
- Macintosh computers, 8–9
- mail command, 354
- mail exchanger (MX) records, 310, 312–313, 351
- mail servers, 15, 489
  - defining, 312–313
  - Sendmail. *See* Sendmail servers
- mail transfer agent (MTA), 349
- make command, 163–165
- make bzImage command, 172
- make clean command, 165–166
- make config command, 170
- make dep command, 171–172
- make install command, 164–165
- make menuconfig command, 170
- make modules command, 172
- make mrproper command, 166, 169
- make xconfig command, 170
- Makefile file, 216
- makewhatis command, 134
- man online help system, 132–134
- Mandrake distribution
  - kernel in, 168
  - NICs in, 66
  - printing in, 129
  - site for, 493
- MAPI (Messaging Application Program Interface), 349
- maps, NIS, 214, 217
- mars\_nwe project, 12
- MASQ option, 408
- master servers
  - in DNS, 296, 302
  - in NIS, 214
- max-lease-time option, 328
- MaxClients directive, 338
- May Change field, 201
- mbrwipe.com program, 75–77
- mcopy program, 85, 415
- mdel program, 85
- mdeltree program, 85
- mdir program, 85
- meminfo file, 155
- memory
  - in KDE, 273–274
  - for swap partitions, 49–50
  - system use of, 155–156
  - for video, 44, 73
- menuconfig command, 170
- menus for twm, 242–245
- MERGE\_GROUP option, 216
- MERGE\_PASSWD option, 216
- messages
  - for dual boots, 418
  - with smbclient, 433
- Messaging Application Program Interface (MAPI), 349
- metacharacters, 107–108, 110
- metaphors, desktop, 265
- mformat program, 85, 117
- mgetty program, 398–401
- mgetty+sendfax directory, 398
- MI/X program, 260–261
- mice in Red Hat installation, 48
- Microsoft OS interoperability, 413–414
  - DOS applications, 424
  - dual boots, 415–418
  - networking. *See* Samba program
  - NT/2000 domain authentication. *See* winbind
  - printer servers, 424–425
  - text files, 414–415
  - VMware for, 423–424
  - WINE for, 418–423
- Microsoft TCP/IP Printing tool, 425
- minicom program, 384
- Minix operating system, 24–25
- MINUID option, 216
- minus signs (-) in searches, 96
- /misc directory, 90

- mkbootdisk program, 118
- mkdir command, 82, 85, 99
- mkfs.msdos command, 116
- mkinitrd command, 173
- mkisofs command, 118
- mmin option, 98
- mmove program, 85
- /mnt directory, 83, 90
- MODE line in wireless.opts, 69
- modems
  - cable, 391–392
  - installing, 381–385
- modified files in searches, 98
- modprobe command, 119, 142, 169
- modules
  - compiling and linking, 172–173
  - disabling, 403–404
  - for kernel, 168–169
- modules command, 172
- modules directory, 169
- monitors
  - documentation for, 45
  - in installation, 45
  - Xconfigurator for, 72–73
- monopolies, 474–475
- monospaced fonts, 251
- more command, 97
- Motif Window Manager (mwm), 264
- mount command, 81–82, 85, 87–88, 228–230
- mountd daemon, 227–228
- mounting
  - CD-ROMs, 85–86
  - floppy drives, 81–85
  - in NFS, 229–230
  - with smbfs, 428–432
- mouse in Red Hat installation, 48
- moving files, 101–102
- mren program, 85
- mrproper command, 166, 169
- msdos type, 82
- mt command, 141
- MTA (mail transfer agent), 349
- mtime option, 98
- mtools programs, 85

- mtype program, 85
- multi-user systems, runlevel for, 178
- multi-vendor nature of Linux, 474–476
- Multimedia menu in KDE, 273
- multiple domains for Sendmail servers, 356–357
- multiple NICs, 375–376
  - installing, 376–378
  - IP information for, 379–380
  - routing with, 380–381
- multiple tapes in tar, 139
- multiple virtual servers, 471
- multiple X Window System sessions, 263
- multiprocessor systems, 33–34
- multitasking, 237–238
- Murdock, Deb and Ian, 37
- mv command, 101–102
- mwm (Motif Window Manager), 264
- MX (mail exchanger) records, 310, 312–313, 351
- MySAP product, 285
- MySQL database, 17

## N

- n option
  - in cat, 103
  - in groupmod, 197
  - in top, 155
- n option in fdisk, 113
- N option in top, 155
- name option, 98
- name resolution
  - in Samba, 449
  - with smbfs, 431–432
  - with winbind, 461–462
- name resolve command, 449
- name servers, configuring, 296
- named.conf file, 301, 306
  - creating, 320
  - options statement in, 301–302
  - sample, 303–304, 307–308
  - zone statement in, 302–303
- named daemon, 179, 291–292, 300
- named.local domain, 305
- names for devices, 82–84

- nameserver command, 293
- nameserver (NS) records, 310
- NameVirtualHost directive, 344–345
- NASA version, 32–33
- NAT (Network Address Translation), 289–290, 392
- native partitions, 50
- navigating
  - disk structure, 92
  - KDE, 271–272
- nbtstat program, 437–438
- Nero Burning ROM, 120
- net send command, 433
- netatalk, 12
- netbios name command, 439
- netbios-name-servers option, 329
- netconfig command, 61–62
- netstat program, 315, 380
- Network Address Translation (NAT), 289–290, 392
- network file, 66
- Network File System (NFS), 12
  - clients in, 228–230
  - example, 230–231
  - servers in
    - /etc/exports file for, 228
    - security for, 406–407
    - shares for, 225–227
    - starting, 227–228
- Network Information Service (NIS), 213–215
  - clients in
    - activating, 220–222
    - programs for, 219–220
    - setting up, 225
    - starting, 220, 223
  - example, 230–231
  - servers in, 215
    - automatic starting of, 218–219
    - domains for, 217
    - files for, 216–217
    - passwords in, 224
    - portmap service in, 215–216
    - setting up, 224–225
    - updating, 223–224
    - ypbind tool for, 217–218
  - for user accounts, 194
- network interface cards (NICs), 58
  - activating, 60–61
  - disabling, 68
  - DNS servers for, 66
  - host names for, 65–66
  - HOSTS entry for, 65
  - multiple, 375–381
  - in Red Hat installation, 41
  - routing information for, 64–65, 380–381
  - static IP addresses for, 60–61
  - testing, 59–60, 59
  - wireless, 66–69
- network-scripts folder, 61, 68
- networks
  - configuring for IP masquerading, 393–397
  - Microsoft. *See* Samba program
  - in Red Hat installation, 53
- newaliases command, 356
- newgrp command, 198–199
- newsgroups, 495
- NFS. *See* Network File System (NFS)
- nfsd daemon, 228
- NICs. *See* network interface cards (NICs)
- NIS. *See* Network Information Service (NIS)
- NIS+, 215
- nis option, 221
- nisplus option, 221
- nmbd command, 179, 439
- nmblookup tool, 449, 461–462
- no-check-names option, 294
- non-intel hardware, 15–17
- non-routable addresses, 289
- nroff language, 124
- NS (nameserver) records, 310
- nslookup command, 322
- nsswitch.conf file, 221–222, 462–463
- NT/2000 domains, authentication with. *See* winbind
- NT/2000/XP interoperability, 3–4
- NT Diagnostics program, 45
- ntds.dit file, 199
- NTFS drives, 88
- number signs (#)
  - for comments, 337
  - for prompts, 56

**O**

- .o extension, 165, 170
- o option
  - in free, 156
  - in mkisofs, 118
- object models, 265
- octothorps (#)
  - for comments, 337
  - for prompts, 56
- office suites, 483
- Omni-X server, 261
- online documentation
  - HOWTOs for, 135–136
  - info for, 134
  - man for, 132–134
- open relays, 358
- open source
  - benefits of, 29–30, 473–474
  - costs of, 25–26
- OpenAFS AFS, 12
- operating systems
  - creating, 5–6
  - interoperability between. *See* Microsoft OS interoperability
  - VMware, 284, 423–424
- /opt directory, 90
- options command, 293–294
- options statement, 301–302
- Orinoco Gold NICs, 66–69
- Outlook application, 349
- output chains, 408
- overwriting
  - in copying files, 100–101
  - in renaming files, 102
  - in tar, 139
- owners, permissions for, 207–208

**P**

- p option
  - in rpm, 158–162
  - in tar, 140
- P option
  - in ipchains, 395
  - in lpr, 125
  - in lprm, 126–127
  - in top, 155
- p option in fdisk, 113–114
- packages
  - installing, 156–160
  - in Red Hat installation, 54
- paggers, 278
- pam.d directory, 401
- pam\_deny module, 465
- pam\_env module, 465
- pam\_unix module, 465–466
- PAMs (Pluggable Authentication Modules)
  - for passwords, 401–402
  - for winbind, 464–466
- panels in GNOME, 276, 278
- parallel port version for Zip drives, 142–143
- parameters in scripts, 148
- Partition Magic program, 43–44
- partition tables, 114
- partitions
  - creating, 112–115
  - deleting, 74–77, 112–115
  - formatting, 116–117
  - in Red Hat installation, 41–44, 48–52
- passwd file, 190, 200, 221
- password option, 402, 430
- passwords, 190
  - in /etc/gshadow, 202
  - in /etc/shadow, 201–202
  - in NIS, 194, 214, 216, 218, 224, 485–486
  - in Red Hat installation, 53–54
  - in server security, 401–402
  - in SMB servers, 441–447
  - for user accounts, 190–191, 195–196
- PATH variable, 148
- paths
  - for scripts, 146–148
  - for shell programs, 193
  - in wine, 420
- PathWorks tool, 426
- pattern searches, 95–96, 108–109
- PC-Xware server, 261
- PCI modems, 385

- PCMCIA modems, 385
  - PCMCIA service, 67
  - periods (.)
    - for current directory, 92, 146
    - in filenames, 94
    - in regular expressions, 108
  - permissions
    - in backups, 140
    - example, 205–207
    - execute, 204–205
    - for groups, 208–209
    - limitations of, 485
    - listing, 209–210
    - for owners, 207–208
    - read, 203
    - in Samba, 451–455, 457
    - setting, 210–213
    - in SMB servers, 440
    - world, 209
    - write, 203–204
  - Personal edition of Red Hat, 40
  - PgUp and PgDn keys with Telnet, 151–152
  - pids (process IDs), 153–154
  - ping command, 59
  - pipe symbols (|) in searches, 96–97
  - plain text passwords, 194, 485–486
  - plug-and-play modems, 385
  - Pluggable Authentication Modules (PAMs)
    - for passwords, 401–402
    - for winbind, 464–466
  - point size, 251
  - pointer (PTR) records, 310, 315
  - points, 251
  - POP (Post Office Protocol), 349–351
  - pop-up messages, 433
  - Port directive, 337
  - portmap daemon, 215–216, 219
  - position of windows, 249–250
  - POSIX interface, 25
  - Post Office Protocol (POP), 349–351
  - PostScript language, 124
  - pound signs (#)
    - for comments, 337
    - for prompts, 56
  - PowerPC processors, 18–19
  - ppa module, 143
  - PPP clients, 401
  - ppp-on script, 389
  - pppd, 399–400
  - primary servers, 296
  - print character class, 111
  - print servers, 12–13, 424–425
  - printcap file, 129
  - printers
    - configuring, 128–132
    - controlling, 122–123
    - drivers for, 124
  - printing
    - commands for, 124–126
    - queues for, 126–128
    - text, 121–122
  - printtool tool, 129
  - private internets, 394
  - /proc directory, 90
  - /proc/interrupts file, 375–376
  - /proc/ioports file, 375
  - /proc/meminfo file, 155
  - process IDs (pids), 153–154
  - processes, killing, 153–154, 181
  - Professional edition of Red Hat, 40
  - programs, background, 239–240
  - prompt command
    - for dual boots, 418
    - in smbclient, 436
  - proprietary protocol support, 487
  - proxyarp command, 399
  - ps command, 153–155
  - PTR (pointer) records, 310, 315
  - public-key encryption in ssh, 152–153
  - publishing with Apache servers, 343–344
  - puns in Linux names, 14
  - put command, 435
  - PuTTY program, 153
  - pwd command, 92
- ## Q
- q option in fdisk, 114

- q option in rpm, 159–162
- QPL license, 267
- Qt programs, 267
- queues, print, 126–128
- Quicklaunch bar, 278–279
- quotas, disk, 471
- quotes (' ')
  - in grep, 107
  - for search patterns, 97

## R

- r option
  - in cp, 100–101
  - in exportfs, 228
  - in grep, 112
  - in ls, 94
- R option
  - in dhcpd, 325
  - in ls, 94
  - in nmblookup, 461–462
  - in rm, 103
- r permission, 210
- Raise command, 241
- raising windows, 241–242
- ranges in searches, 96, 109
- rawrite utility, 47, 121
- rc.d file, 178
- rc script, 178–179, 181
- rd command, 436
- rdate command, 187
- read list command, 453–455
- read permission, 203, 210–211
- README files, 162–163
- real access in FTP, 369–370
- real time clock (RTC), 186–187
- reboots
  - need for, 478
  - runlevel for, 178
- recompiling kernel, 166–176
- recording scripts, 149
- recursion
  - in grep, 112
  - in names, 14
- Red Hat Linux, 35–36
  - installation
    - authentication configuration in, 54
    - boot floppies for, 47, 55
    - without CD-ROMs, 119–121
    - GUI setup in, 55
    - hardware detection in, 40–41
    - improvements in, 39–40
    - installation type in, 48
    - language, keyboard, and mouse in, 48
    - LILO loader in, 53
    - networks and firewalls in, 53
    - NICs in, 41
    - package selection in, 54
    - partitions in, 41–44, 48–52
    - problem areas in, 41–42, 480–482
    - root passwords in, 53–54
    - video adapter detection in, 54
    - video strategies in, 44–46, 46
    - X Window configuration in, 42
  - kernel storage in, 168
  - lease location of, 329
  - NTFS support in, 88
  - printing in, 129
  - rc in, 178–179
  - runlevel scripts in, 181
  - script location in, 291
  - site for, 493
  - support from, 495
- Red Hat Package Manager (RPM), 156–160
- referers, 338
- Reflection X server, 261
- refresh cycles for zones, 312
- /registerdns option, 322
- registers, 76
- regular expressions, 95–96, 105–112
- REJECT option, 408
- relays with Sendmail servers, 357–359
- releasing DHCP leases, 324
- reliability, 20, 473–474
- reload option for scripts, 180
- remote control, 478
- remote desktop, KDE as, 275–276
- remote procedure calls (RPCs), 215

- remote sessions, 261–263
- remote systems, 149–153
- renaming
  - files, 101–102
  - groups, 197
  - kernel, 173
- renewing DHCP leases, 325
- repeating patterns in grep, 108–109
- research institutions, 32
- reservations in DHCP, 330–331
- resizing partitions, 43–44
- resolution, video, 73–74
- resolv.conf file, 66, 292–296, 325
- resolver code, 291
- resolvers in DNS, 292
  - configuring, 293–295
  - search lists for, 295–296
- ResourceConfig directive, 339
- resources in X Window System, 249–254
- restart command, 128
- restart option, 180
- restore command
  - for dump, 139
  - for tar, 141
- restoring backups, 140
- retension command, 141
- retry cycle for zones, 312
- reverse zone files, 300, 314–315
- rewind command, 141
- Ritchie, Dennis, 24
- rm command, 103–104
- rmdir command, 436
- rmmod command, 169
- ro option, 430
- robustness, 478–479
- root directories, 81, 90
- root partitions, 50
- root passwords in Red Hat installation, 53–54
- root\_squash option, 227
- rotate option, 294
- routable IP addresses, 289
- route command, 65
- route add command, 64–65, 379–380
- routers, 490

- routing information for NICs, 64–65, 380–381
- rpc.mountd daemon, 227–228
- rpc.nfsd daemon, 227–228
- RPC portmapper daemon, 215
- RPCs (remote procedure calls), 215
- RPM (Red Hat Package Manager), 156–160
- rpmfind.net site, 158
- RTC (real time clock), 186–187
- runaway programs, 153–155
- runlevel scripts
  - finding and running, 177–179
  - starting services with, 179–185
- rv option, 248
- rw option, 430
- rwho command, 402

## S

- s option
  - in ln, 104
  - in useradd, 193, 195
- S option
  - in ls, 94
  - in man, 133–134
- saint command, 401
- Salary Survey, 8
- Samba program, 12, 425–427
  - administrators in, 455
  - automatic startup, 461
  - daemons in, 179
  - for file servers, 490–491
  - groups in, 455
  - permissions in, 451–455, 457
  - shares in, 450–456
    - and SMB clients, 427–428
      - smbclient, 432–436
      - smbfs, 428–432
    - and SMB servers
      - authentication options for, 441–447
      - basic, 436–439
      - example setup, 447–451
      - security options for, 440–447
      - testing, 451
  - with Windows 2000, 457–458

- saving vi files, 63
- sawfish window manager, 264
- /sbin directory, 90–91
- scanbus option, 118–119
- Schliefler, Robert, 235
- scope in DHCP, 327
- screens, displaying output by, 96–97
- script files, 145
  - benefits of, 479–809
  - directories for, 146–147
  - disabling, 404
  - executable, 145–146
  - help for, 149
  - variables in, 147–148
- script tool, 149
- scroll bars in GNOME, 279
- SCSI support
  - for disks, 171
  - for Zip drives, 142
- search command, 293
- search lists in DNS, 295–296
- search-pattern syntax, 95–96
- searches
  - for files, 95–99
  - with grep. *See* grep command
- searching in vi, 64
- secondary servers, 296, 306–307
- securetty file, 150
- security
  - Active Directory for, 487
  - in NIS, 214
  - server. *See* server security
  - ssh for, 152–153
- security option, 441
- security = domain option, 444
- security = server option, 442–443
- security = share option, 441
- security = user option, 441–442
- semicolons (;)
  - for comments, 309
  - in statements, 302
- sendmail.cf file, 352, 354–355
- sendmail.mc file, 352–353
- Sendmail servers, 15, 348
  - aliases for, 355–356
  - configuring, 352–357
  - domains for, 353–354
  - installing, 350
  - limitations of, 349–350
  - MX records for, 351
  - operation of, 348–349
  - relays with, 357–359
  - starting and stopping, 351
  - summary, 363–364
  - testing, 359–363
- serial numbers in SOA records, 311
- serial ports for modems, 383–384
- server command, 301
- server configuration files, 281
- Server Message Block. *See* SMB (Server Message Block)
- server option, 447
- server security, 401
  - disabling items for
    - CGI scripts, 404
    - modules, 403–404
    - services, 402–403
  - /etc/issue in, 407
  - firewalls for, 407–411
  - NFS exports in, 406–407
  - passwords for, 401–402
  - SMB servers, 440–447
  - TCP wrappers for, 404–406
- server string command, 439
- ServerName directive, 337
- ServerRoot directive, 337
- servers
  - database, 17–18
  - DHCP
    - configuring, 327–330
    - installing, 326–327, 333
    - reservations from, 330–331
    - starting and stopping, 332
    - summary, 332–334
  - DNS, 14–15, 489–490
    - installing, 316–320
    - for NICs, 66
    - starting and stopping, 320–321
  - file, 11–12, 490–491
  - FTP, 364

- anonymous access to, 371–374
- configuring, 367–371
- installing, 365–366
- starting and stopping, 366
- summary, 374
- Internet connections with. *See* Internet connections
- mail, 15, 489
  - defining, 312–313
  - Sendmail. *See* Sendmail servers
- NFS
  - /etc/exports file for, 228
  - security for, 406–407
  - shares for, 225–227
  - starting, 227–228
- NICs for, 375–381
- NIS. *See* Network Information Service (NIS)
- print, 12–13, 424–425
- prototype networks for, 289
- requirements for, 288–290
- security for. *See* server security
- services with, 290–291
- SMB
  - authentication options for, 441–447
  - basic, 436–439
  - example setup, 447–451
  - security options for, 440–447
  - testing, 451
  - types of, 288–289
  - Web. *See* Apache servers
  - in X Window System, 255–260, 281
- services, 176–177, 290–291
  - disabling, 402–403
  - DNS. *See* Domain Name Service (DNS)
  - init, 177–179
  - starting, 179–186
  - stopping, 186
  - sysinit, 177
- session-to-session memory in KDE, 273–274
- setmode command, 436
- Settings menu in KDE, 273
- setup
  - without CD-ROMs, 119–121
  - help for, 483–484
- shadow file, 201–202
- shadow password program, 190
- shadow passwords, 190, 201–202, 214
- share option, 446
- shares and sharing
  - in NFS. *See* Network File System (NFS)
  - in Samba, 450–456
- shells for user accounts, 191
- shortcuts, 104
- showmount command, 228, 406–407
- showrgb command, 247
- shutdown command, 57–58
- shutting down, 57–58
- Simple Mail Transport Protocol (SMTP), 349
- single-user maintenance mode, runlevel for, 178
- size
  - of partitions, 43–44
  - of windows, 249–250
- Slackware distribution, 37, 493
- slashes (/) for root partition, 50
- slave servers, 214, 296, 302, 306–307
- SMB (Server Message Block), 426–427
  - clients, 427–428
    - smbclient, 432–436
    - smbfs, 428–432
  - servers
    - authentication options for, 441–447
    - basic, 436–439
    - example setup, 447–451
    - security options for, 440–447
    - testing, 451
- smb.conf file, 437, 439
  - creating, 448
  - editing, 439
  - for winbind, 458–460
- smbclient program, 432–433
  - browsing workgroups with, 433–434
  - connecting to file shares with, 434–436
  - pop-up messages with, 433
- smbd daemon, 179, 439
- smbfs program, 428–432
- smbpasswd command, 462
- SMTP (Simple Mail Transport Protocol), 349
- SOA (start of authority) records, 310–312
- soft mounts, 230
- software
  - free, 476–477

- licenses for, 2–3, 25–26, 477–478
  - sources of, 495
  - Software Assurance program, 475
  - Software & Information Industry Association, 477
  - solid option, 247–248
  - sorting
    - file listings, 94
    - processes, 155
  - sound, setting up, 74
  - source code, 5, 19, 169
  - sourceforge.net site, 495
  - space character class, 112
  - spam, 353, 358
  - speed option in cdrecord, 118
  - spool directory, 131
  - spreadsheets, 279
  - square brackets ([]) in searches, 96, 98, 107–111
  - ssh program, 152–153
  - sshd service, 153
  - stable kernels, 176
  - Stallman, Richard, 26–27
  - standard directories, 88–91
  - standards, 474, 476
  - standby mode, 188
  - StarOffice application, 285
  - start of authority (SOA) records, 310–312
  - start option, 180
  - starting
    - Apache servers, 336, 347
    - DHCP servers, 332, 334
    - DNS servers, 299, 320–321
    - FTP servers, 366
    - NIS clients, 220, 223
    - NIS servers, 217–219
    - processes, 182
    - Samba, 461
    - Sendmail servers, 351
    - services, 179–186
    - winbind, 463–464
  - startkde command, 276
  - StartServers directive, 338
  - startx command, 279–280, 282–283
  - static IP addresses, 60–61
  - status option, 180
  - stop option, 180
  - stopping
    - Apache servers, 336, 347
    - DHCP servers, 332
    - DNS servers, 299
    - FTP servers, 366
    - locked programs, 153–155
    - Sendmail servers, 351
    - services, 186
  - storing resource information, 253–254
  - su program, 151, 187
  - supplementary groups, 191
  - support, sources of, 495
  - SuSE distribution, 37
    - printing in, 129
    - site for, 493
  - suspend mode, 188
  - swap partitions, 48–50
  - symbolic links
    - creating, 104
    - for kernel, 168
  - sysinit script, 177
  - system-auth file, 465–466
  - system clock, 186–187
  - system halted runlevel, 178
  - system messages, 187
  - system partitions, 50
  - system.twmrc file, 243
  - System V approach to runlevel scripts, 181
  - systohc option, 187
- ## T
- t option
    - in ls, 94
    - in mount, 82, 87
    - in tar, 140
  - t option in fdisk, 114
  - T option in top, 155
  - tab window manager (twm), 238, 238, 240–241, 240
    - focus in, 241–242
    - menus for, 242–245
    - raising windows in, 241–242
  - Tanenbaum, Andrew, 24

- tapes
    - backups to, 138–144
    - caring for, 141
  - .tar files, 136–138
  - tar program, 137–142
  - Tara Term Pro, 152–153
  - TCP wrappers, 404–406
  - tcpd file, 404
  - telnet, 149–152, 262
  - template homedir command, 460
  - template shell command, 460
  - temporary files, directories for, 91
  - terminal sessions, 236
  - terminal windows, 237
  - testing
    - Apache servers, 347–348
    - DNS, 298–299
    - NICs, 59–60, 59
    - Sendmail servers, 359–363
    - SMB servers, 451
    - WINE, 422–423
    - X configuration, 70
  - TeX formatter, 124
  - text files
    - OS interoperability with, 414–415
    - printing, 121–122
  - Thompson, Ken, 24
  - three-button support, 48
  - tildes (~) in URLs, 340
  - time
    - in searches, 98
    - setting, 186–187
    - sorting files by, 94
  - time to live (TTL) in zone files, 310–312
  - time zone setting, 53
  - timeout command, 417–418
  - timeout option, 293
  - timeouts
    - for dual boots, 417–418
    - for resolver, 293
  - title bars, 241
  - title option, 249
  - tksysv program, 182
  - /tmp directory, 91
  - toasters, 18
  - top utility, 155
  - Torvalds, Linus, 24, 26, 176
  - Tridgell, Andrew, 426
  - troff language, 124
  - TrueType fonts, 251–252
  - TTL (time to live) in zone files, 310–312
  - TTSSH program, 153
  - TurboLinux, site for, 493
  - twm (tab window manager), 238, 238, 240–241, 240
    - focus in, 241–242
    - menus for, 242–245
    - raising windows in, 241–242
  - type of files, 188
- ## U
- u option
    - in cp, 101
    - in ls, 94
    - in top, 155
    - in useradd, 195
    - in wbinfo, 464
  - U option
    - in nmblookup, 461–462
    - in smbclient, 433–434
  - u option in fdisk, 114
  - uids (user ids), 194–195, 460
  - umount command, 84–85
  - uncompressing applications, 162
  - unexpected.tdb file, 461
  - unfreezing GUIs, 283–284
  - uninstalling packages, 160
  - UnitedLinux distribution, 37–38
  - Unix operating system, 4–5, 24
  - updating NIS server information, 223–224
  - upper character class, 111–112
  - URLs, 340–341
  - used disk space, 92
  - user accounts, 189. *See also* groups
    - adding users to groups, 192
    - centralizing, 213
    - creating, 190–192
    - default settings for, 195–196
    - deleting, 196
    - disabling, 196–197

- expiring, 194
- location of, 199–202
- NIS for. *See* Network Information Service (NIS)
- options for, 193
- passwords for, 190–191, 195–196
- for SMB servers, 450
- user ID numbers for, 194–195
- user agents, 338
- user.dat file, 422
- User directive, 338
- user ids (uids), 194–195, 460
- user option, 446
- useradd command, 190–193
- userdel command, 190, 196
- UserDir directive, 340
- usermod command, 190, 192, 196–198
- username option, 430
- USERNAME variable, 147–148
- usernames
  - in /etc/shadow, 201
  - in Samba, 430
  - for user accounts, 191
- users command, 198
- users in Samba, 452–455
- /usr directory, 91
- /usr/sbin/tcpd file, 404
- /usr/share/doc file, 134
- /usr/src/linux directory, 169
- Utilities menu in KDE, 273

## V

- v option
  - in cat, 103
  - in cdrecord, 118
  - in mail, 354
  - in mkbootdisk, 118
  - in tar, 137–140
- v option in fdisk, 114
- V option in rpm, 160
- valid users command, 453, 455
- valid users in Samba, 452–455
- /var directory, 91
- /var/ftp directory, 372
- /var/log/samba directory, 449

- /var/named directory, 317–320
- /var/yp directory, 216–217
- variables
  - in script files, 147–148
  - in zone files, 310
- VariCAD, 285
- Varimetrix CAD, 285
- VBScript language, 13–14
- vendor support, 486–487
- verifying backups, 140
- versions, kernel, 31–33, 173, 176
- vertical bars (|) in searches, 96–97
- vertical video frequencies, 44, 73
- vfat type, 82, 87
- vi editor, 62–64
- video adapters
  - in Red Hat installation, 44–46, 46, 54
  - Xconfigurator for, 72–74
- video chips, 44–45
- viewing directories, 91–96
- virtual hosts, 344–346
- virtual memory, report on, 156
- virtual servers, 471
- virtual user tables, 356–357
- virtusertable directory, 356–357
- vmlinuz file, 167–168, 173–174
- VMware operating system, 284, 423–424

## W

- w command, 198
- w option in fdisk, 114
- w permission, 210
- Warning days field, 201
- wbinfo command, 463–464
- wc program, 188
- Web servers. *See* Apache servers
- Web sites, list of, 494
- Web terminals, 490
- webmin tool, 308
- WEP (Wireless Encryption Protocol), 69
- which command, 98–99, 297
- white box support, 29–30
- who command, 198
- width of windows, 250

- wildcard characters
  - in copying, 101
  - in deleting, 103
  - in searches, 96
- winbind, 458
  - for domain accounts, 463–464
  - example, 467–471
  - home directories for, 464
  - name resolution for, 461–462
  - nsswitch.conf for, 462–463
  - PAM configuration for, 464–466
  - for Samba startup, 461
  - smb.conf setup for, 458–460
  - startup of, 463–464
- winbind enum groups command, 460
- winbind gid command, 460
- winbind separator command, 459–460
- window managers, 234, 238, 238
  - for desktop environment, 264–265
  - fvwm, 245–247, 246
  - GNOME, 265, 267–269
    - basics of, 277–279, 277–278
    - vs. KDE, 269–271
  - KDE. *See* KDE desktop environment
  - list of, 264
  - operation of, 239
  - twm, 240–245, 240
- windows
  - position and size of, 249–250
  - raising, 241–242
- Wine (Wine Is Not an Emulator) project, 414, 418–419
  - crashes in, 423
  - for GUI applications, 284
  - preparing for, 419–422
  - testing, 422–423
- /.wine/conf file, 420–422
- winmodems, 383–385
- WINS server, 432, 439
- winsock, 152
- Wireless Encryption Protocol (WEP), 69
- wireless NICs, 66–69
- wireless.opts file, 68–69
- wmaker window manager, 264
- words, counting, 188
- workgroup command, 439
- workgroups, browsing, 433–434
- world permissions, 209
- wrappers, TCP, 404–406
- write list command, 453–455
- write permissions, 203–204, 210–211
- writable command, 452–454
- wu-ftp program, 365
- /wu-ftpd file, 365
- wvdial.conf file, 386–388
- wvdial program, 386–388
- www.cheapbytes.com site, 495
- www.download.com site, 495
- www.freshmeat.net site, 495
- www.lintraining.com site, 494
- www.linuxapps.com site, 495
- www.linuxberg.com site, 495
- www.linuxcare.com/help-yourself page, 494
- www.linuxdoc.org site, 494
- www.linuxjournal.com site, 494
- www.linuxmall.com site, 495
- www.linuxnewbie.org site, 494
- www.linuxtoday.com site, 494
- www.linuxworld.com site, 494
- www.lwn.net site, 494
- www.redhat.com/apps/support page, 494
- www.slashdot.com site, 494

## X

- X command, 235–236
- X-Deep/32 server, 261
- X option in ls, 94
- x option in tar, 137–138, 140
- x permission, 210
- X Window System, 69–70
  - clients in, 255–260, 281–282
  - color in, 247–248
  - fonts in, 250–252
  - free applications for, 254–255
  - history of, 235, 255–256
  - multitasking in, 237–238
  - in Red Hat installation, 42

- remote sessions with, 261–263
- resources in, 249–254
- servers in, 255–260, 281
- settings for, 70–71
- with Windows NT, 260–261
- X command for, 235–236
- Xconfigurator for, 72–74
- xinit and xterm, 236–237, 236
- X Window terminal, runlevel for, 178
- X-WinPro server, 261
- xbill application, 254
- xboard application, 254
- xcalc program, 237–238, 237, 241, 255
- xchat application, 254
- xclock program, 241, 255
- xconfig command, 170
- Xconfigurator program, 72–74
- .Xdefaults file, 253
- xdigit character class, 112
- xearth application, 255
- xedit command, 250–251
- xemacs application, 254
- xeyes program, 258–260
- XF86\_FBDev system, 72
- XF86\_SVGA system, 72
- XF86\_VGA16 program, 72
- XF86Config-4 file, 70–71
- xfd program, 251
- xfishtank application, 255
- xfonstsel program, 252, 254
- xhost client, 259
- xhost command, 262
- xinetd daemon, 183–185
- xinit, 236–237, 258
  - for GUIs, 280–282
  - for terminals, 262
- xinitrc file, 281–282
- .xinitrc file, 281–282
- xkill application, 254
- xload application, 254
- xlsclients application, 255, 260
- xlsfonts command, 250

- xmag application, 254
- xman application, 254
- xpdf application, 254
- .Xresources file, 253
- xserverrc file, 283
- xset application, 254
- xsetroot command, 247–248
- xterm program, 236–237, 236, 253, 255
- xvpf, 140
- xwininfo application, 255

## Y

- YaST program, 129
- Year 2038 problem, 201
- Yellow Pages, 213–214
- yp.conf file, 218, 220
- yp directory, 216–217
- ypbind command, 217–218, 223
- ypcat command, 218, 220
- ypmatch command, 218
- yppasswdd daemon, 224–225
- ypserv command, 217, 219
- YPSRCDIR option, 216
- ypwhich command, 218

## Z

- z flag, 139
- z option, 138
- Zip drives, 142–144
- .zip extension, 135–136
- zip-like functions, 136
- zip program, 136
- zone command, 301
- zone statement, 302–303
- zones and zone files, 300, 308–311
  - of authority, 301
  - dynamic, 322
  - mail servers, 312–313
  - reverse, 314–315
  - SOA records, 310–312