

Index

A

accessing

- BIDS 2008, 116
- custom web service project, 232–237
- SharePoint data (direct database access), 205
- SharePoint list, 193–201
- URL access method, 349, 352, 353

accessing reports, 85–86. See also cached reports; on-demand reports; snapshot reports; subscriptions

Action pane, 83

activating report server integration feature, 46–48

ad hoc reports, 51, 68–69

Add New Report, 143, 319

Add Table window, 121

add-ins

- BIDSHelper, 114
- Reporting Services Add-In, 15–17, 21, 44–46

ADO.NET code, 213

advanced data gathering techniques, 204

advanced deployment techniques, 275–300

advanced reporting techniques, 203–239

Adventure Works

- databases, 88
 - installing, 55, 88, 129–134
 - Sales Employees and, 120
- datasets, 97–99
 - Internet Sales, 135–139
- download options, 129
- linked reports. *See* linked reports
- Sales by Sales Territory report, 404–424
- sample reports, 55–65, 88, 110. *See also*
 - Business Intelligence Development Studio 2008
- features of, 56
- Gauges project, 110
- offline, 55, 77
- Visual Studio and, 56–65

AdventureWorks2008DB, 142, 143, 145, 161, 171, 174, 189

AdventureWorksReports project, 140, 143, 159, 171, 233. See also SalesDetailReport

AdventureWorksWebService project. See custom web service project

aggregate data, 99, 166, 403, 404, 406, 407, 408. See also dashboards; gauges; linked reports

AJAX, 339, 340, 343, 345, 347, 348, 351, 356, 430

aliases, 122, 230

alternating row color schema, 150, 153, 155–157, 159, 200, 201

Analysis Services (SQL Server 2008 Analysis Services), 3, 119, 127, 204, 367

anonymous access, 14, 21, 319, 332, 333, 367

anonymous users, 332–333

APIs. See also endpoints

- Reporting Services, 2, 300, 339, 372
- ReportExecution2005.asmx, 17, 279
- ReportService2006.asmx, 17, 278, 279, 280, 281, 294, 329, 341, 342
- ReportServiceAuthentication.asmx, 17, 279
- SharePoint, 43, 317
- SOAP, 278
- web service, 317

Application Management, 47, 49, 364, 373

application pages (SharePoint application pages)

- custom, 16, 326, 330
- secure, 326
- unsecured, 326
- virtual _layouts directory, 326

application pool, 230, 231

Application Samples, 55

Application Templates (WSS), 424

applications (business problem solution), defined, 275

area charts, 76, 77

ASP.NET, 9

- Professional ASP.NET 2.0 Databases*, 213
- Web Part, 350
- Web Service Application, 207
- WSP Services and, 339

AsyncRendering, 335, 336, 338

@REGION, 167, 168, 171, 175

@YEAR, 167, 168, 171, 175, 178

authentication

Basic Authentication, 360

Forms Authentication, 17, 279, 360

Kerberos, 50, 364, 365, 366

ReportServiceAuthentication.asmx, 17, 279

SQL Server Authentication, 143, 366

Trusted Authentication mode, 50

Windows Authentication, 50, 143, 196, 259, 319, 360, 364, 365, 426

automating deployment, 275, 276, 278–288

AWWS, 230, 231, 233

B

backend data

linked reports and, 166–171

report creation and, 127–134

WCF service, 339–346

Backup button, 42

bar charts, 76, 77

Basic Authentication, 360

Beginning T-SQL with Microsoft SQL Server 2005 and 2008 (Wrox), 168

best practices

client education (for reports), 54–65

data manipulation in data layer, 135, 162, 165, 166, 169, 171, 205

domain account, 260

domain name and, 208

grouping libraries, 244

migrating reports, 53–54

report creation, 72, 135, 162

ReportAdmin account, 260, 261

shared data sources. *See* shared data sources

SharePoint lists, 316, 363

SharePoint object model/ local SharePoint Server, 206

SQL queries, 120

stored procedures, 72, 135

Working with Large Lists in Office SharePoint Server 2007 and, 363

bicycle company. *See* Adventure Works

BIDS 2008. *See* Business Intelligence Development Studio 2008

BIDSHelper, 114

BIN assembly, 228

binding pointer, to data field, 406–408

Blocked option, 123

body (of report), 83, 84

Boolean, 94, 283, 394, 395

boxing Report Viewer Web Part, 333–339

breaking security inheritance, 271–273

built-in collections, 101

Built-in Fields grouping, 93–94

Business Intelligence, 430

Business Intelligence Development Studio 2008 (BIDS 2008), 87–126

accessing, 116

BIDSHelper, 114

deploying reports with, 242, 251–269, 275

installation, 116

Query Designer, 120–125

Report Builder v., 6–7

report creation with, 116–126

Report Server Project Wizard, 117–119, 318

Report Wizard, 118, 120–125

Reporting Services and, 5

sample reports and, 56–65

tool windows. *See* tool windows

Visual Studio and, 5, 6, 87, 242

BusinessEntityID, 212

C

C#

data access and, 213

PowerShell and, 280, 281

reports and, 1

Visual Studio and, 206–207

cached data

cache expiration schedule, 378, 379

deleting, 113, 114

report execution cache, 377–379, 380–383

cached reports, 68

on-demand reports v., 378, 382, 401

snapshot reports v., 68, 379

caching mechanism (Reporting Services), 377–379

Call Center Reports (report project), 425–430

Call Center site application template, 424

CAML, 195, 292

CAS (Code Access Security), 223–224

cascading dropdowns, 73

catalog synchronization. *See* synchronization process

Central Administration (SharePoint), 21, 43, 46, 49, 52, 303, 364, 371, 373

- Change Credentials button, 36**
- Change Database button, 31, 32, 36**
- Chapter 4-BIDS Report, 124–125**
- charts, 75, 108–109. See also gauges; pie charts; specific charts**
 - Chart Properties option, 108, 109
 - Chart wizard, 108
 - modifying, 108
 - 3D rendering, 7–9
 - types, 76–77, 108
- Choose the Table Layout page, 123**
- Choose the Table Style page, 124**
- Chrome, Google, 222**
- ClickOnce update, 51**
- clickthrough reports, 69**
- client education, reports and, 54–65**
- client tools, for managing reports, 360–362**
- clustered setup, 20**
- Code Access Security (CAS), 223–224**
- code blocks, 137, 207, 212**
- code listings. See Listings**
- code reuse, 166, 271, 363, 364, 396**
- CodePlex, 55, 114, 129**
- collections, built-in, 101**
- color combinations (Choose the Table Style page), 124**
- column charts, 76, 77**
- column definition table, 71–72**
- columns. See also datasets; matrixes; tables; tabular reports**
 - InternetSalesReport, 154–155
 - resizing, 154–155, 185
- Common Functions, 102, 158, 186**
- Community Technology Preview (CTP), 326**
- Company Sales 2008 Report, 57, 79–80**
- Complete screen, 27**
- Configuration Manager**
 - project's Property Pages dialog box, 255–257
 - Reporting Services, 22, 27–43, 360, 367, 368, 384, 385
- configuration wizard, 21, 27–44**
- conn, 213**
- connectable Report Viewer (Web Part), 306–314**
- Connection Properties dialog box, 118, 119**
- connection string filed, 366, 367**
- connString, 213**
- consistency, snapshot reports and, 68**
- containers. See folders**
- content types, 16**
- conversion functions, 408**
- Create Dashboard page, 247–248**
- Create Strong Name Key dialog box, 225**
- CreateChildControl(), 336, 338, 350, 351**
- CreateDataSource(), 278, 283, 284, 285, 295**
- creating reports. See report creation**
- credentials**
 - Change Credentials button, 36
 - Credentials tab, 196, 319
 - for database access, 51
 - permissions/login error and, 260
 - prompted, 365
 - stored, 331, 366–367, 378, 391, 396, 400
- CROSS JOIN, 121**
- cross-tab report, 147**
- Crystal Reports, 1, 4–5. See also Reporting Services**
- .csv format, 9, 53, 54**
- CTP (Community Technology Preview), 326**
- Current Month Order Summary table, 58**
- Current User - Integrated Security, 33, 34**
- custom application pages, 16, 326, 330**
- custom assembly, 112, 113**
- custom deployment, 275–300**
- custom pointer, on gauge, 418–419**
- Custom Report Builder launch URL option, 51**
- custom reports. See also linked reports**
 - accessing SharePoint list, 193–201
 - advanced reporting techniques, 203–239
 - intermediate reporting techniques, 165–202
 - Report Wizard v., 165, 201–202
- custom web service project (employee table/ phone numbers list), 206–239**
 - accessing, in Reporting Services, 232–237
 - as AdventureWorksWebService, 207
 - CAS and, 223–224
 - cleaning up, 210–211, 237–238
 - creation/setup (Visual Studio), 206–211
 - custom code, 211–222
 - DataTables in, 211–213
 - debugging, 221–222
 - deployment, 222–232
 - final code, 219–221
 - five percent gap and, 203, 204, 205
 - GAC and, 223, 224, 225, 226, 227, 228, 289, 352
 - GetJoinedTable(), 216–219
 - goal of, 205
 - HelloWorld method, 208, 210
 - http://tempuri.org, 208, 209, 210, 219, 233, 234

custom web service project (continued)

- IIS and, 229–232
- Microsoft.SharePoint using statement, 209
- phone number list, 214–215
- preparing/deploying, 222–232
- public, 209
- requirements for, 206
- scenario for, 204–205
- SharePoint list method, 214–216
- SharePoint object model and, 209, 210
- testing, 236–237
- Web Service Namespace, 208–209, 233–234
- XML and, 205, 211, 233, 234, 238

D

daPerson, 213

dashboard pages, 247–249

dashboard.js (code listing), 349–350

dashboards

- defined, 403
- drillthrough reports and, 69
- gauges in, 403–430
- importance of, 403
- interactive dashboard, 339–357
 - backend WCF service, 339–346
 - Web Part creation, 347–357
- KPIs and, 247, 248
- linked reports and, 166

data. See also cached data

- aggregate, 99, 166, 403, 404, 406, 407, 408.
See also linked reports
- backend data
 - linked reports and, 166–171
 - report creation and, 127–134
 - WCF service, 339–346
- filtered, by year/region, 166–168
- SharePoint
 - direct database access of, 205
 - gauges and, 424–430
 - visualization techniques and, 403. See also gauges

data connection libraries, 251, 363–364

Data Form Web Part, 312, 313

data gathering techniques, advanced, 204

data layer, 135, 162, 165, 166, 169, 171, 205

data manipulation, in data layer, 135, 162, 165, 166, 169, 171, 205

data regions, 74–79, 99–110. See also charts; gauges; images; lines; lists; matrixes; rectangles; subreports; tables; tablix; text boxes

Data Source Properties dialog box, 173, 233, 312

data sources, 2–4

- Analysis Services, 3, 119, 127, 204, 367
- Connection Properties dialog box and, 118, 119
- disparate, 205, 211. See also custom web service project
- dsChapter4, 118
- Hyperion Essbase, 3, 119, 128, 204
- libraries for, 244–246
- list, 3–4, 127–128, 204
- managing, 363–370
- ODBC, 3, 4, 119, 127, 128, 204, 367
- OLE DB, 3, 4, 119, 127, 128, 204, 367
- Oracle, 3, 4, 119, 127, 204, 367
- Report Model, 3, 16, 51
- Report Server Model, 3, 128, 204
- SAP NetWeaver BI, 3, 119, 128, 204
- security in, 364–366
- SQL Server, 3, 119, 128, 143, 204
- SqlClient, 119, 143
- Teradata, 3, 4, 128, 204
- unattended report processing account and, 367–370
- XML, 3, 4, 128, 204, 205, 238, 282, 319, 367.
See also XML

Database screen, 31–37

databases. See Adventure Works; specific databases

data-driven subscriptions, 394–401

DataDrivenSubscriptionWizard.aspx, 16

DataSet object, 211, 216, 234, 239

datasets

- Adventure Works, 97–99
 - Internet Sales, 135–139
- column definition table, 71–72
- grouping data, 79–80
- importance of, 204
- layout of data, 74–79
- mock-up, 70–71
- report creation and, 135–139
- requirements for, 69–70
 - as rows, 70
 - single, disparate data sources and, 205, 211

Datasets (collection), 101

DataSources (collection), 101

- DataTables, 211–213. See also custom web service project**
- DB2 relational database, 4**
- debugging**
 - custom web service project, 221–222
 - Report Preview and, 113–114, 151, 152
- delivering reports, 85. See also on-demand reports; subscriptions**
- delivery extensions, 383–391**
 - email, 383, 384–386
 - null, 383, 388–389
 - SharePoint document library, 383, 390–391
 - Windows file share, 383, 386–388
- DemoReports, 306, 307, 308, 323, 324**
- deployment, xxii, 10, 241–273, 275–300. See also specific deployment topologies**
 - advanced techniques, 275–300
 - automating, 275, 276, 278–288
 - with BIDS, 242, 251–269, 275
 - custom, 275–300
 - of custom web service project, 222–232
 - errors, 258–269
 - feature framework and, 275, 288–300
 - integrated security and, 14, 241
 - integrated storage and, 14, 241
 - PowerShell script, xxii, 280, 281–288
 - process (overview), 276–278
 - with Report Builder, 242, 269–270
 - Reporting Services and, 10
 - SharePoint way
 - document library instances, 291–294
 - predeployment configuration settings, 288–291
 - solution framework and, 275, 288–300
 - topologies, 17–20
- deployment PowerShell script (code listing), 285–287**
- design mode, 150, 185, 187, 191, 199**
- detail/master filtering, 309–314**
- Details Report. See SalesDetailReport**
- Details section (Design the Table page), 122**
- Developing Service-Oriented AJAX Applications on the Microsoft Platform (Larson), 340**
- http://www.devhorizon.com**
 - /go/0, 305
 - /go/1, 320
 - /go/2, 326
 - /go/3, 280
 - /go/4, 326
 - /go/5, 326
 - /go/6, 333
 - /go/7, 280
 - /go/8, 363
 - /go/9, 369
 - /go/10, 340
 - /go/11, 347
 - /go/12, 349
- DEVHOST.COM, 263, 267**
- dialog box**
 - Connection Properties, 118, 119
 - Create Strong Name, 225
 - Data Source Properties, 173, 233, 312
 - Edit Hyperlink, 312, 313
 - Image Properties, 95, 96
 - Login, 365
 - New Project, 116, 117
 - project's Property Pages, 255–257
 - Radial Pointer Properties, 407
 - Rectangle Properties, 102
 - Report Parameter Properties, 94, 176, 177, 189
- DiffGrams, 234**
- digital dashboards. See dashboards**
- direct database access, of SharePoint data, 205**
- direct reporting against SharePoint databases, 316–317, 372**
- Disk Space Requirements screen, 25**
- disparate data sources/single dataset, 205, 211. See also custom web service project**
- displaying reports, xxii, 301–357**
 - to anonymous users, 332–333
 - dashboard pages and, 247–249
 - out-of-the-box functionalities, 301–306, 357
 - extending, 301, 325–357
 - redirecting to RSViewerPage.aspx, 302
 - Report Viewer Web Part, 14, 303–315
 - connectable, 306–314
 - embedded, 302, 315
 - limitations, 315
 - standalone, 303–306
 - wrapper for, 333–339
 - Reporting Services and, 301
- distributed server deployments, 18–20**
- document libraries**
 - delivery extension, 383, 390–391
 - instances, via code, 291–294
 - lock escalation and, 363
- DOUBLE, 212, 216**
- double hop, 365**

drag-and-drop functionality, 2, 9, 96, 99, 104, 107, 108, 112, 155, 161, 178, 181, 238, 312, 406, 421

drilldown reports, 56, 57, 61, 62, 123, 148, 184, 186, 203, 413

drillthrough reports, 69. *See also* dashboards

- clickthrough reports v., 69
- creating, 316, 317, 322, 325
- dashboards and, 69
- Windows file share extension and, 386

dropdown controls, 169, 173, 174, 175, 176, 177, 183, 189, 191, 196, 197, 200, 225, 230, 256

dropdowns, 72, 73, 180

dsChapter4, 118

Dundas gauges, 7–9. *See also* gauges

E

ECB (Edit Control Box) menu, 365, 373, 391, 392

Edit Control Box (ECB) menu, 365, 373, 391, 392

Edit Hyperlink dialog box, 312, 313

Editions (SQL Server 2008), 21, 136, 311

ElementPath, 234, 235, 320, 426

Ellipse button, 231

email delivery extension, 383, 384–386

Email Settings screen, 39–40

embedded data, 57, 59, 69. *See also* encapsulation

Embedded Edition (SQL Server 2008), 21

Embedded option, 96, 418

embedded Report Viewer, 302, 315

embedded reports. *See* subreports

Employee Sales Summary 2008 Report, 57–59

employee table/phone numbers list. *See* custom web service project

Enable Ad Hoc Reporting, 51

Enable Windows Integrated Security, 51

encapsulation, 135, 139, 146, 166, 211, 228, 233, 350

encryption, 41–42, 366, 368, 378

endpoints (Reporting Services proxy endpoints), 16–17, 279–280

- ReportService2006.asmx, 17, 278, 279, 280, 281, 294, 329, 341, 342
- ReportServiceAuthentication.asmx, 17, 279
- SQL Server 2000 report server proxy endpoint, 279

Enterprise CAL, 311

Enterprise Edition (SQL Server 2008), 21, 69

Error and Usage Reporting screen, 26

Error List (tool window), 115

errors, deployment, 258–269

Excel (Microsoft Excel)

- exporting to, 9
- functions, 200
- mainframe reports and, 53, 54
- mock-ups and, 70–71
- Pivot tables, 68, 75
- Services, 363, 364
- tables and, 71, 155, 156
- Windows file share extension and, 386, 387, 400

Execution Account screen, 40–41

exporting reports, 9, 128, 152, 302

Express Edition (SQL Server 2008), 21, 136

Expression button, 99, 191, 407

Expression editor, 156, 157, 158, 178, 179, 186, 192, 200, 201

expression wizard, 156, 158

expressions, 82, 94, 99, 101, 102, 107, 112, 113, 238, 406, 407

extensibility

- out-of-box functionalities, for displaying reports, 301, 325–357
- Reporting Services, 203–204

Extension Samples, 55

F

FBA users, 326, 330, 331, 333

feature definition with feature receiver (code listing), 289

Feature Selection screen, 25

features (new SharePoint addition), 275, 288–300

- defined, 275
- well-implemented, 292

“Features Supported by Reporting Services in SharePoint Integrated Mode”, 14

Fields (collection), 101

filtering

- filtered data, by year/region, 166–168
- master/detail filtering across two pages, 309–314

five percent gap, 203, 204, 205

Float, 94, 212, 213, 216, 220, 427

folders

- ISAPI, 16, 17, 278, 280
- POSH, 287
- relative, 254

Reports folder, 90, 91, 113, 140, 143, 150, 197, 233, 319

ReportServer folder, 278–280

scalability planning and, 362–363

Shared Data Sources folder, 90, 91, 140, 141, 143, 233, 245, 319

TargetDataSourceFolder property, 253, 254, 276

TargetReportFolder property, 253, 254, 276

footers (report), 83, 84, 112, 123, 187

FormatCurrency(), 102, 186, 188

FormatNumber(), 158

Forms Authentication, 17, 279, 360

40 Application Templates, 424

free versions, xxiii

Adventure Works. *See* Adventure Works

BIDSHelper, 114

Microsoft Visual Web Developer 2008 Express Edition, 206

phone list template, 214–215

Report Builder, 6

Reporting Services, 1–2, 4, 6

free-form data region, 75, 104–105. *See also* lists

Full Trust mode, 223

full WroxRSViewer Web Part code, 338–339

funnel charts, 77

G

GAC (Global Assembly Cache), 223, 224, 225, 226, 227, 228, 289, 352

gap, five percent, 203, 204, 205

Garbage In, Garbage Out, 76

gauges, 75, 78–79, 109–110, 403–430

adding, to Sales by Sales Territory report, 404–424

appearance customization of, 411–420

components of, 109–110

creating, 424–430

custom image (pointer) on, 418–419

Dundas, 7–9

Gauges project, 110

KPIs and, 404, 405, 408, 411, 412, 413, 416, 419, 424, 429, 430

labels in, 416–417

linear, 75, 78–79, 109, 110

marker pointers in, 413–415

multiple, in same report, 419–420

pointers on, 109, 110, 406–408, 418–419

radial, 7, 75, 78–79, 109, 110, 418

ranges in, 109, 110, 411–413

scale properties of, 408–410

SharePoint data usage and, 424–430

snapping intervals on, 417–418

in tablix data region, 420–424

3D rendering, 7–9

generating reports. *See* report creation

GetJoinedTable(), 216–219

GetListItems method, 195, 197, 320, 426

GetSQLTable method, 213, 216, 218, 220

getting top 10 sales numbers to populate sample list (code listing), 317–318

Global Assembly Cache (GAC), 223, 224, 225, 226, 227, 228, 289, 352

Globals, 101

Google Chrome, 222

Grant Database Access link, 50

grouping

data for reports, 79–80

libraries, 244

Grouping section (Design the Table page), 122

Grouping window (tool window), 114–115

groupings (Report Data window)

Built-in Fields, 93–94

Images, 95–97

Parameters, 94–95

GUID, 265, 266, 267, 268, 320

H

headers (report), 83, 84, 112, 153–154

HelloWorld method, 208, 210

helper class to retrieve deployment settings (code listing), 290–291

hidden rows, 57

history, snapshots and, 379–383

hop, double, 365

housing reports, 244–251

“How to Use the Unattended Report Processing Account,” 369

HTML

iframes and, 69, 353, 354, 356

jQuery and, 339

MHTML, 395, 401

report execution process and, 370

ssrsDashboardUI user control HTML markup, 347–349

http://jacobsanford, 194, 195, 196, 213, 215, 216, 220, 221

HTTP.SYS, 9

http://tempuri.org, 208, 209, 210, 219, 233, 234
Hyperion Essbase (data source), 3, 119, 128, 204
hyperlinks. See **linked reports**

I

IF...ELSE statement, 157. See also **IIF statement**
iframes, 69, 353, 354, 356
IIF statement, 157, 201, 407, 422
IIS (Internet Information Services), 9, 229–232, 275, 340. See also **web applications**
Image Properties dialog box, 95, 96
images (data region), 106–107
Images grouping, 95–97
InfoPath forms, 363, 364
inheritance, breaking, 271–273
inherited governance, 241
inherited security, 241
INNER JOIN, 121, 122, 137, 138
installation
 Adventure Works databases, 55, 88, 129–134
 BIDS 2008, 116
 Reporting Services in SharePoint integrated mode, 13–52
Installation Progress screen, 27
Installation Rules screen, 26
Installation Type screen, 24
INT datatype, 212, 265, 266
Integer, 94
integrated mode. See **SharePoint integrated mode**
integrated security, 14, 33, 34, 51, 241, 319, 364, 365, 369
integrated storage, 14, 241
interactive dashboard, 339–357
 backend WCF service, 339–346
 Web Part
 code listing, 351–352
 creation, 347–357
interactive reports, 81–83
Interactive Sorting pane, 82–83
intermediate reporting techniques, 165–202
Internet Information Services. See **IIS**
Internet Sales data set, 135–139
InternetSalesReport
 cleaning up, 153–162
 columns, 154–155
 headers, 153–154
 number formatting, 158–159
 pie chart in, 159–162
 Preview tab and, 151, 152

Report Wizard and, 143–152
rows, 155–157

IP address, 69, 70

ISAPI folder, 16, 17, 278, 280

J

JavaScript Object Notation. See **JSON**
Join(), 102
joined table report. See **custom web service project**
JoinedData, 233, 236
JOINS, 121, 146, 205
 CROSS, 121
 INNER, 121, 122, 137, 138
 LEFT, 121, 167
jQuery, 339, 343, 345, 347, 348, 430
JSON (JavaScript Object Notation), 339, 340, 343, 345, 348, 349

K

Kerberos, 50, 364, 365, 366
Key Performance Indicators (KPIs)
 dashboards and, 247, 248
 gauges and, 404, 405, 408, 411, 412, 413, 416, 419, 424, 429, 430
 images and, 107
KPIs. See **Key Performance Indicators**

L

labels, in gauges, 416–417
Larson, Daniel, 340
layout properties, on radial scale, 410–411
_layouts pages, 326. See also **application pages**
LEFT JOIN, 121, 167
libraries
 data connection, 251, 363–364
 for data sources, 244–246
 document library instances, via code, 291–294
 organizing, 244–245
 Reports, 249–251
 for reports, 244–246
 security for, 245
 SharePoint document library delivery extension, 383, 390–391
 for SharePoint environment, 244–246
licensing

- Microsoft Public License, 129, 130, 131
 - SharePoint, 19, 20
 - line charts, 76, 77**
 - linear gauges, 75, 78–79, 109, 110**
 - lines (data region), 99, 102–103**
 - linked reports, 68, 165–193. See also custom web service project**
 - aggregate data and, 166
 - dashboards and, 166
 - flow, 165–166
 - SalesDetailReport (2003 Sales Data for the Southwest Region), 165, 171–188, 191–193
 - AdventureWorks2008DB and, 171
 - AdventureWorksReports project and, 171, 174
 - creating, 171–188
 - data backend and, 166–171
 - data elements in, 172–178
 - finished, 165, 188
 - linking, 191–193
 - reporting elements in, 178–188
 - /SalesSummaryReport flow, 165–166
 - SalesSummaryReport (2003 Sales Figures/pie chart), 165, 188–193
 - data backend and, 166–171
 - finished, 165, 190
 - linking, 191–193
 - pie chart and, 188–190
 - /SalesDetailReport flow, 165–166
 - Listings (code listings)**
 - dashboard.js, 349–350
 - deployment PowerShell script, 285–287
 - feature definition with feature receiver, 289
 - getting top 10 sales numbers to populate sample list, 317–318
 - helper class to retrieve deployment settings, 290–291
 - interactive dashboard Web part, 351–352
 - modified app.config file, 341
 - modified Web.config file, 344
 - persisting deployment configuration settings using feature receiver, 289–290
 - publish method, 294–296
 - publish reports feature definition, 292–293
 - publish reports feature receiver to create document libraries, 293–294
 - referencing GetListItems in the lists.aspx, 320
 - report business entity, 341
 - repository class, 342–343
 - retrieving all of the existing distinct sales number, 312
 - RSViewer.aspx code behind, 355
 - RSViewer.aspx page HTML markup, 353–354
 - sample subscriber table, 395–396
 - ssrsDashboardUI user control HTML markup, 347–349
 - WCF service code behind, 345
 - WCF service markup, 345
 - WroxRSViewer Web Part code, 338–339
 - WroxRSViewerPage.aspx, 327
 - WroxRSViewerPage.cs, 327–328
 - listName parameter, 320**
 - lists. See also tablix**
 - as free-form data region, 75, 104–105
 - phone list template, 214–215. *See also* custom web service project
 - SharePoint, 193–201
 - reporting against, 315–325
 - Working with Large Lists in Office SharePoint Server 2007* and, 363
 - lists.aspx, 319, 320**
 - live reporting, 357, 386**
 - lock escalation, 363**
 - Lockdown mode feature, 326**
 - Login dialog box, 365**
 - login/permissions error, 259–263**
- ## M
- mainframe reports, 53, 54**
 - major tick mark, 109, 110**
 - Management Studio (SQL Server Management Studio/SSMS), 9, 89, 90, 120, 134, 136, 139, 146, 147, 317, 360, 395**
 - managing data sources, 363–370**
 - managing report parameters, 375**
 - managing reports, 359–401**
 - client tools for, 360–362
 - scalability planning, 362–363
 - schedules and, 376–377
 - setting permissions, 270–273
 - marker pointers, 413–415**
 - master/detail filtering across two pages (via query string), 309–314**
 - matrix reports, 122, 146, 147**
 - matrixes (data region), 75, 105–106**
 - tables v., 105–106
 - Member permission, 258, 259**
 - MHTML, 395, 401**

Microsoft Excel. See **Excel**
Microsoft Office SharePoint Server 2007. See **SharePoint Server 2007**
Microsoft Public License, 129, 130, 131
Microsoft SQL Server 2008. See **SQL Server 2008**
Microsoft Visio, 84
Microsoft Visual Studio 2008. See **Visual Studio 2008**
Microsoft Visual Web Developer 2008 Express Edition, 206. See also **Visual Studio 2008**
Microsoft Word. See **Word**
Microsoft.SharePoint using statement, 209
middle tier, 204
migrating reports, 53–54
minor tick mark, 109, 110
mirrored setup, 20
Model Samples, 55
modified app.config file (code listing), 341
modified Web.config file (code listing), 344
MOSS 2007. See **SharePoint Server 2007**
MSDN
 deployment problems and, 268, 269
 GetListItems and, 195, 320
 redirection and virtualization technique, 280
* **.msi packages,** 130
MSSQL Server 2000 instance, 134
MSSQL Server 2008 database servers, 128
MSSQLSERVER, 24
multiple selection option, 73

N

naming
 reports, 66
 shared data sources, 142
native mode, 254, 360
.NET Framework, 281, 311, 335, 339
 ADO.NET code, 213
 ASP.NET, 9
 Professional ASP.NET 2.0 Databases, 213
 Web Part, 350
 Web Service Application, 207
 WSP Services and, 339
.NET XML, 294
New Project dialog box, 116, 117
nonintuitive report names, 53
Notepad, 206, 228
n-tier application, 166
null delivery extension, 383, 388–389

O

object model
 SharePoint, 18, 206, 209, 210, 280, 287, 293, 357
 WSS, 17, 371
ODBC (data source), 3, 4, 119, 127, 128, 204, 367
ODC (Office Data Connection), 363
Office Data Connection (ODC), 363
Office Space (comedy film), 53
offline sample reports (Adventure Works), 55, 77
OLE DB (data source), 3, 4, 119, 127, 128, 204, 367
on-demand report execution, 370–374
on-demand reports, 68, 85, 359, 365, 370–374, 383, 401. See also **cached reports; snapshot reports; subscriptions**
 cached reports v., 378, 382, 401
 snapshot reports v., 380, 401
 subscriptions v., 85, 383, 401
on-demand synchronization process, 372–373
Oracle. See also **Reporting Services**
 as data source, 3, 4, 119, 127, 204, 367
 Oracle Reports, 1
out-of-box functionalities, for displaying reports, 301–306, 357
Output window, 115
outside the SSRS box, 204, 205
OverwriteDataSources property, 253–254
Owner permission, 258, 259

P

p2p.wrox.com, xxv
Page section (Design the Table page), 122
parameter definition table, 74
parameterized reports, 67
parameters, 72–74. See also **specific parameters**
Parameters (collection), 101
Parameters grouping, 94–95
passing report definitions, 306–308
PDFs
 exporting to, 9, 128, 152
 SharePoint document library and, 390
 static subscriptions and, 391, 392
performance
 report execution cache and, 377–379
 snapshot reports and, 68
permissions

/login error, 259–263
 Member permission, 258, 259
 Owner permission, 258, 259
 setting, 270–273

persisting deployment configuration settings using
 feature receiver (code listing), 289–290

personalization, 14, 93, 338

Person.PersonPhone, 215

Person.PhoneNumberType, 215

phone number list/employee table. See custom web service project

pie charts, 8, 76, 77, 161, 162. See also SalesSummaryReport
 InternetSalesReport and, 159–162
 SalesSummaryReport and, 188–190

Pivot tables, 68, 75

planning, for reports, 53–86

pointer cap, 109, 110

pointers (gauge component), 109, 110, 406–408, 418–419

polar charts, 76, 77

pool, application, 230, 231

POSH folder, 287

PowerShell script, xxii, 280, 281–288

Preview tab, 151, 152, 153, 157, 158, 162, 175, 180, 183, 185, 236, 409, 417, 420, 422

proc_SecGetPrincipalById, 265, 266, 267

Product Catalog 2008 Report, 59–61, 106, 391, 397, 398, 399, 400

Product Line Sales 2008 Report, 56, 61–62, 66, 97

product samples (Reporting Services), 55–56

ProductCategories, 97, 98

ProductSubCategories, 97, 98

Professional ASP.NET 2.0 Databases (Thangarathinam), 213

Professional Microsoft SQL Server 2008 Programming (Wrox), 168

Profiler, SQL, 264, 265, 266, 267

projects. See report projects

project's Property Pages dialog box, 255–257

prompted credentials, 365

Properties window, 111

proxy endpoints. See endpoints

publish method (code listing), 294–296

publish reports feature definition (code listing), 292–293

publish reports feature receiver to create document libraries (code listing), 293–294

publishing reports. See deployment

purpose of report (requirements gathering), 66

Q

QAHOST.COM, 263

queries (SQL queries), 69, 70, 72, 73, 93, 94, 120, 168

Query Builder, 120, 321

Query Designer, 120–125

query string, master/detail filtering and, 309–314

R

radar charts, 77

radial gauges, 7, 75, 78–79, 109, 110, 418

Radial Pointer Properties dialog box, 407

radial scale, layout properties on, 410–411

range charts, 76, 77

ranges (gauge component), 109, 110, 411–413

rdl files, 113, 114. See also report definitions

rds files, 90
 AdventureWorks2008DB.rds, 143, 173, 189, 252
 rds files and, 276–278
 XML and, 294

Ready to Install screen, 26, 27

Rectangle Properties dialog box, 102

rectangles (data region), 99, 102–103

redirection and virtualization technique, 280

redirection to RSViewerPage.aspx, 302

referencing GetListItems in the lists.aspx (code listing), 320

@REGION, 167, 168, 171, 175

REGION parameters, 166, 168, 175, 189, 192

relative folders, 254

rendering, 3D, 7–9

reports. See also Reporting Services; specific reports
 accessing, 85–86. *See also* cached reports; on-demand reports; snapshot reports; subscriptions
 ad hoc, 51, 68–69
 body of, 83, 84
 C# and, 1
 cached. *See* cached reports
 clickthrough, 69
 client education and, 54–65
 columns for, 71–72
 creating. *See* report creation
 cross-tab, 147
 custom. *See* custom reports

reports (continued)

- custom assembly for, 112, 113
- datasets
 - column definition table, 71–72
 - grouping data, 79–80
 - layout of data, 74–79
 - mock-up, 70–71
 - requirements, 69–70
- delivering, 85. *See also* on-demand reports;
subscriptions
- deploying. *See* deployment
- displaying. *See* displaying reports
- drilldown, 56, 57, 61, 62, 123, 148, 184, 186,
203, 413
- drillthrough. *See* drillthrough reports
- embedded. *See* subreports
- exporting, 9, 128, 152, 302
- footers, 83, 84, 112, 123, 187
- headers, 83, 84, 112, 153–154
- housing, 244–251
- interactive, 81–83
- joined table. *See* custom web service project
- libraries for, 244–246
- linked, 68, 165–193
- live, 357, 386
- mainframe, 53, 54
- managing, 359–401
- matrix, 122, 146, 147
- migrating, 53–54
- multiple gauges in, 419–420
- naming, 66
- nonintuitive names for, 53
- on-demand. *See* on-demand reports
- parameterized, 67
- parameters and, 72–74
- planning for, 53–86
- processing options, 374–383
- publishing. *See* deployment
- purpose of, 66
- report items. *See* data regions
- requirements gathering for, 66–86
- Sales by Sales Territory, 404–424
- sample (Adventure Works), 55–65
- SharePoint Server 2007 and, xxi
- snapshot. *See* snapshot reports
- subreports. *See* subreports
- tabular, 54, 75, 106, 122, 146–149
- TPS, 53
- types of, 67–69

Report Authors, 245

Report Builder (Microsoft SQL Server 2008 Reporting Services Report Builder 2.0), 6–7

- BIDS v., 6–7
- deploying reports with, 242, 269–270
- download, 6
- Report Samples, 55

report business entity (code listing), 341

Report Center site, 246–251

report creation, xxii, 127–163. *See also* InternetSalesReport

- best practices, 72, 135, 162
- BIDS and, 116–126
- data backend, 127–134
- dataset creation, 135–139
- drillthrough reports, 316, 317, 322, 325
- linked reports, 68, 165–193
- Report Wizard and, 127, 135, 143–162, 165,
202, 318
- shared data connection, 139–143
- simple reports, xxii, 127–163
- stored procedures and, 72, 135–139
- Visual Studio and, 206–211

Report Data (tool window), 92–99

Report Data pane, 160, 161, 172, 173, 174, 176, 178, 180, 182, 189, 190, 197, 198, 199, 233, 236

report definitions

- files (.rdl), 16, 294
- passing, 306–308

Report Designer (tool window), 112–113

Report Developers, 245

report execution cache, 377–379, 380–383. *See also* snapshot reports

report execution timeout, 373–374

Report Formatting toolbar, 154, 158, 159, 180, 185, 187, 200

report history, snapshot reports and, 68

Report History Default (setting), 51

Report Manager URL screen, 37–39

Report Model (.smdl), 3, 16, 51

Report Model Project, 318

Report Parameter Properties dialog box, 94, 176, 177, 189

report parameters, managing, 375

Report Preview (tool window), 113–114, 151, 152. *See also* Preview tab

report processing account, unattended, 367–370

Report Processing Log, 51

report processing options, 374–383

Report Processing Timeout, 51

report projects. See also report creation

- New Project dialog box, 116, 117
- planning for, 53–86
- project’s Property Pages dialog box, 255–257
- requirements gathering for, 66–86

Report Readers, 245

Report Samples, 55–56

report server computer, SharePoint web front-end on, 43–44

Report Server Database screen, 36

Report Server integration feature, 45, 46–48

Report Server Model (data source), 3, 128, 204

Report Server Project option, 116, 140, 318

Report Server Project Wizard, 117–119, 318

Report Server Status screen, 29

Report Server Web Service, 15, 16

Report Viewer (Web Part), 14, 303–315

- connectable, 306–314
- embedded, 302, 315
- limitations, 315
- standalone, 303–306
- wrapper for, 333–339

Report Wizard, xxii, 127, 135, 143–162, 165, 202, 318

- BIDS and, 118, 120–125
- custom reports v., 165, 201–202

ReportAdmin account, 260, 261

ReportExecution2005.asmx, 17, 279

Reporting Services (SSRS/SQL Server Reporting Services 2008). See also displaying reports; reports; SharePoint integrated mode

- Add-In, 15–17, 21, 44–46
- advanced reporting techniques, 203–239
- APIs. See APIs
- benefits of, xxi
- caching mechanism, 377–379
- competitors v., 1–2
- Configuration Manager, 22, 27–43, 360, 367, 368, 384, 385
- Configuration screen, 26
- configuring (on SQL Server), 27–44
- Crystal Reports v., 1, 4–5
- data sources. See data sources
- deployment. See deployment
- designer. See BIDS
- developer enhancements, 9
- displaying reports and, 301
- extensibility, 203–204

“Features Supported by Reporting Services in SharePoint Integrated Mode”, 14

five percent gap and, 203, 204, 205

free, 1–2, 4, 6

IIS and, 9

installation (for SharePoint integrated mode), 13–52

deployment topologies, 17–20

planning for, 14–21

requirements for, 20–21

on SQL Server, 23–27

steps, 21–27

intermediate reporting techniques, 165–202

introduction, 1–11

limitations, 205, 238

modes, 5

new features, 7–9

Oracle Reports v., 1

outside the box, 203, 204

overview, 1–11

product samples, 55–56

proxy endpoints. See endpoints

Server Defaults, 51–52

/SharePoint integration (high level), 15–17

SharePoint Server 2007 v., xxi

on SQL Server 2008, 205

configuring, 27–43

installation, 23–277

toolbox, data regions, 74–79

Reporting Services Configuration Manager (tool/utility), 22, 27–43, 360, 367, 368, 384, 385

Reporting Services Configuration screen, 26

Reporting Services Server Defaults, 51–52

Reporting Services/SharePoint integrated mode.

See **SharePoint integrated mode**

reporting techniques

advanced, 203–239

intermediate, 165–202

simple report generation, xxii, 127–163

ReportItems (collection), 101

Reports folder, 90, 91, 113, 140, 143, 150, 197, 233, 319. See also Shared Data Sources folder

ReportServer folder, 278–280

ReportService2006.asmx, 17, 278, 279, 280, 281, 294, 329, 341, 342

ReportServiceAuthentication.asmx, 17, 279 repository class (code listing), 342–343

requirements

for Reporting Services installation
(in SharePoint integrated mode), 20–21
for reports (requirements-gathering template),
66–86

resizing columns, 154–155, 185

**retrieving all of the existing distinct sales
number (code listing), 312**

reusability, 166, 271, 363, 364, 396

RIGHT(), 200, 427

**rows. See also datasets; matrixes; tables;
tabular reports**

alternating row color schema, 150, 153,
155–157, 159, 200, 201

as datasets, 70

formatting, 155–157, 187

hidden, 57

InternetSalesReport, 155–157

row lock, 363

tablix and, 105

RPC server is not listening, 268

rds files. See also shared data sources

rds files and, 276–278

as shared data sources, 16

RSReportServer.config file, 368, 374

RSViewer.aspx code behind (code listing), 355

**RSViewer.aspx page HTML markup (code listing),
353–354**

RSViewerPage.aspx, 16, 302, 303, 325, 326

runas, 260, 261

S

**Sales by Sales Territory report, 404–424. See
also gauges**

**Sales Order Detail 2008 Report, 56, 61, 66, 309,
310, 317, 322, 323, 338, 389**

Sales Order ID, 58

sales order numbers list, 317–318

Sales Trend 2008 Report, 64–65

**SalesDetailReport (2003 Sales Data for the
Southwest Region), 165, 171–188,
191–193**

AdventureWorks2008DB and, 171

AdventureWorksReports project and, 171, 174

creating, 171–188

data backend and, 166–171

data elements in, 172–178

finished, 165, 188

linking, 191–193

reporting elements in, 178–188

/SalesSummaryReport flow, 165–166

**SalesSummaryReport (2003 Sales Figures/pie
chart), 165, 188–193**

data backend and, 166–171

finished, 165, 190

linking, 191–193

pie chart and, 188–190

/SalesDetailReport flow, 165–166

**sample reports (Adventure Works), 55–65, 88,
110. See also Business Intelligence
Development Studio 2008**

features of, 56

Gauges project, 110

offline sample reports, 55, 77

Visual Studio and, 56–65

sample subscriber table (code listing), 395–396

**SAP NetWeaver BI (data source), 3, 119, 128,
204**

scalability planning, 362–363

scalable server deployments, 20

scale label (gauge component), 109, 110

scale properties, of gauges, 408–410

Scale-out Deployment screen, 42–43

scatter charts, 77

ScheduleProperties.aspx, 16

schedules, 376–377

screens. See specific screens

Script Samples, 55

secure application page, 326

security

breaking security inheritance, 271–273

CAS, 223–224

in data sources, 364–366

inherited, 241

integrated, 14, 33, 51, 241, 319, 364, 365,
369

for libraries, 245

security contexts, 364–365

Select Chart Type screen, 160

Select Data Source screen, 120

Server Configuration screen, 25, 26

Server Explorer, 89–90

Server Management Samples Reports, 55

**server-based reporting technologies, 1–2. See
also Reporting Services**

Service Account screen, 29

Service Credentials option, 35

setting permissions, 270–273

Setup Support Rules screen, 23

- SetWebPartSettings()**, 328, 329, 335, 336, 338, 339
- shape charts**, 77
- shared data connection**, 139–143
- Shared Data Source Properties** dialogue box, 143, 196, 233
- shared data sources**, 363
- best practices, 141–143, 162, 165
 - creating, 141–143, 145
 - naming, 142
 - .rds content type, 16
- Shared Data Sources** folder, 90, 91, 140, 141, 143, 233, 245, 319. *See also* Reports folder
- SharePoint 12** hive, 16
- SharePoint API**, 43
- SharePoint application pages**. *See* application pages
- SharePoint Central Administration**, 21, 43, 46, 49, 52, 303, 364, 371, 373
- SharePoint data**
- direct database access of, 205
 - gauges and, 424–430
- SharePoint databases**, direct reporting against, 316–317, 372
- SharePoint document library** delivery extension, 383, 390–391
- SharePoint environment**
- deployment to, 241–273
 - housing reports in, 244–251
 - libraries for, 244–245
 - preparation of, 242–251
 - Report Center site, 246–251
 - Report Server Integration feature, 242–243
- SharePoint integrated mode (Reporting Services/SharePoint integrated mode)**, 9
- benefits of, 13–14
 - deployment and, 10
 - deployment topologies, 17–20
 - displaying reports in. *See* displaying reports “Features Supported by Reporting Services in SharePoint Integrated Mode”, 14
 - high level functioning of, 15–17
 - licensing and, 19, 20
 - reasons for, 13–14
 - relative folders and, 254
 - Reporting Services in
 - configuration, 27–43
 - installation process, 13–52
 - subscriptions and, 9
- SharePoint list** method, 214–216. *See also* custom web service project
- SharePoint lists**. *See* lists
- SharePoint object** model, 18, 206, 209, 210, 280, 287, 293, 357
- SharePoint Server 2007 (Microsoft Office SharePoint Server 2007/MOSS 2007)**. *See also* WSS 3.0
- benefits of, xxi
 - Central Administration, 21, 43, 46, 49, 52, 303, 364, 371, 373
 - data connection libraries, 363–364
 - installation/setup, xxii, xxiii
 - on report server computer, 43
 - reporting and, xxi
 - Reporting Services v., xxi
 - search facility, 315
 - setup/installation, xxii, xxiii
 - Site Template, 246
 - Web Part Connection, 306
 - Working with Large Lists in Office SharePoint Server 2007*, 363
- SharePoint Services**. *See* WSS 3.0
- SharePoint web front end** servers, 16, 18, 19, 20, 21, 44, 277, 364, 386
- ShellRunas**, 262, 263
- Silverlight**, 140
- Simple Mail Transport Protocol** server. *See* SMTP server
- simple report** creation, xxii, 127–163. *See also* report creation
- 64-bit** server, 45, 129
- slider** charts, 7
- .smdl**, 16. *See also* Report Model
- SMTP (Simple Mail Transport Protocol)** server, 39, 40, 384, 385
- snapping intervals**, on gauges, 417–418
- snapshot** reports, 68, 379–383
- benefits of, 68
 - cached reports v., 68, 379
 - history and, 379–383
 - on-demand reports v., 380, 401
 - report execution cache v., 380–383
- SOAP**
- APIs, 278
 - automated deployment and, 278
 - command, 197
 - JSON v., 343
- Solution Explorer**, 90–92
- solution package** mechanism. *See* solutions

solutions (solution package mechanism), 275, 288–300
source code, xxiv
sources, for data. See data sources
Southwest Region Sales Data. See SalesDetailReport
Space(), 102
SPSite object, 215, 216, 329, 336, 338
SPWeb object, 215, 216, 296
SQL Agent service, 377
SQL Profiler, 264, 265, 266, 267
SQL queries. See queries
SQL Server 2000 report server proxy endpoint, 279
SQL Server 2008 (Microsoft SQL Server 2008)
 Analysis Services. *See* Analysis Services
 Beginning T-SQL with Microsoft SQL Server 2005 and 2008, 168
 as data source, 3, 119, 128, 143, 204
 database engine, 19, 20, 33
 Editions, 21, 69, 136, 311
 Management Studio. *See* Management Studio
 Professional Microsoft SQL Server 2008 Programming, 168
 Report Builder 2.0. *See* Report Builder
 Reporting Services on, 205. *See also* Reporting Services
 configuring, 27–43
 installation, 23–277
SQL Server Authentication, 143, 366
SQL2008.AdventureWorks_All_Databases.ia64.msi, 129
SQL2008.AdventureWorks_All_Databases.x64.msi, 129
SQL2008.AdventureWorks_All_Databases.x86.msi, 129
SQL2008.AdventureWorks_All_Databases.zip, 129
SQL2008.AdventureWorksLT2008_Only_Database.zip, 129
SqlClient, 119, 143
SqlConnection, 210, 213, 220
SqlDataAdapter, 213
SSL information, 30
SSMS. See Management Studio
SSRS. See Reporting Services
ssrsDashboardUI user control HTML markup (code listing), 347–349
standalone server deployments, 17–18
Standard Edition (SQL Server 2008), 21
static subscriptions, 391–394

Stepped option, 123
stock charts, 77
storage, integrated, 14, 241
Store Contacts 2008 Report, 63–64
stored credentials, 331, 366–367, 378, 391, 396, 400
stored procedures
 report creation and, 72, 135–139
 Stored Procedures option, 136, 175
 uspGetInternetSalesData, 137, 138, 139, 146
 uspGetSalesDataDetail, 167, 171, 175, 189
 uspGetSalesRegions, 170, 171, 175, 176
 uspGetSalesYears, 169, 171, 176, 189
strong name, 224, 225, 289
strSQLQuery, 213
subreports, 69, 107
subscriber table (code listing), 395–396
subscriptions, 85–86, 383–401
 data-driven, 394–401
 delivery extensions and, 383–391
 on-demand reports v., 85, 383, 401
 SharePoint integrated mode and, 9
 static, 391–394
SUM(), 186, 407, 408, 422
Summary Report. See SalesSummaryReport
Summary screen, 35, 36
synchronization process, 14, 16, 372–373
System.Data.SqlClient.SqlConnection, 210

T

Table Style Options screen, 149, 150
Table tablix template, 105
tables, 75, 105. See also Adventure Works; specific tables
 employee list, phone numbers and. *See* custom web service project
 matrixes v., 105–106
tablix (data region), 64, 75, 76, 80, 86, 104–105, 107, 111, 126, 183, 198, 199, 236, 386, 405, 406, 411, 417, 420–424
tabular reports, 54, 75, 106, 122, 146–149
TargetDataSourceFolder property, 253, 254, 276
TargetReportFolder property, 253, 254, 276
TargetServerURL property, 253, 255, 276
TCP/IP protocol, 367
templates. See also data regions
 Application Templates (WSS), 424
 BIDS and, 87, 116
 mock-up, 70–71

- phone list, 214–215. *See also* custom web service project
 - Report Server Project Wizard, 117–119, 318
 - requirements-gathering, for reports, 66–86
 - Teradata (data source), 3, 4, 128, 204**
 - Territory Sales 2008 Report, 62–63**
 - Test Connection, 118, 119, 143**
 - text boxes (data region), 99–102**
 - text field, 73**
 - Thangarathinam, T., 213**
 - 3D rendering, 7–9**
 - three-server scenario (distributed server deployments), 19–20**
 - tick mark, 109, 110**
 - tiers. *See also* data layer**
 - middle, 204
 - n-tier application, 166
 - timeout, report execution, 373–374**
 - tool windows (BIDS), 88–115**
 - Error List, 115
 - Grouping window, 114–115
 - Output window, 115
 - Properties window, 111
 - Report Data, 92–99
 - Report Designer, 112–113
 - Report Preview, 113–114
 - Server Explorer, 89–90
 - Solution Explorer, 90–92
 - toolbox. *See* toolbox
 - toolbox**
 - BIDS, 99–110
 - Reporting Services, 74–79
 - Toolbox pane, 159, 180, 189, 198, 236**
 - tool/utility (Reporting Services Configuration Manager), 22, 27–43, 360, 367, 368, 384, 385**
 - TopCustomerStores, 97, 98**
 - TopEmployees, 97, 98**
 - topologies, deployment, 17–20**
 - TPS reports, 53**
 - trace, 264, 265**
 - Trim(), 102**
 - trust levels, 223**
 - Trusted Authentication mode, 50. *See also* Kerberos**
 - T-SQL, 135, 146, 168, 212, 367, 395**
 - 12 hive, 16**
 - 2003 Sales Data for the Southwest Region. *See* SalesDetailReport**
 - 2003 Sales Figures. *See* SalesSummaryReport**
 - 2D bar charts, 76, 77**
 - two-server scenario (distributed server deployments), 18–19**
- ## U
- UCase(), 102**
 - UDC (Universal Data Connection), 363**
 - unattended report processing account, 367–370**
 - Universal Data Connection (UDC), 363**
 - unsecured application page, 326**
 - URL access method, 349, 352, 353**
 - User (collection), 101**
 - “User cannot be found” error, 263–268**
 - using statement, Microsoft.SharePoint, 209**
 - uspGetInternetSalesData, 137, 138, 139, 146**
 - uspGetSalesDataDetail, 167, 171, 175, 189**
 - uspGetSalesRegions, 170, 171, 175, 176**
 - uspGetSalesYears, 169, 171, 176, 189**
- ## V
- Variables (collection), 101**
 - VBScript, 157, 200, 207. *See also* PowerShell script**
 - viewing reports. *See* displaying reports**
 - virtual directories, 9, 30, 37, 38, 326, 339, 351, 352, 354**
 - virtual _layouts directory, 326. *See also* application pages**
 - virtualization and redirection technique, 280**
 - Visibility pane, 82**
 - Visio (Microsoft), 84**
 - Vista, 226, 268**
 - Visual Basic, 112**
 - Visual Studio 2008, xxiii**
 - BIDS and, 5, 6, 87, 242
 - C# and, 206–207
 - custom web service and, 206–239
 - Full Trust mode, 223
 - Microsoft Visual Web Developer 2008 Express Edition v., 206
 - sample reports and, 56–65
 - Visual Studio 2010, 326**
 - Visual Studio extensions for Windows SharePoint Services 3.0 (VSeWSS), 326, 327, 334, 335, 336**
 - Visual Web Developer 2008 Express Edition (Microsoft), 206**

visualization techniques of aggregated data, 403. See also gauges

VSeWSS (Visual Studio extensions for Windows SharePoint Services 3.0), 326, 327, 334, 335, 336

W

WCF (Windows Communication Foundation) service, 339–346

WCF service code behind (code listing), 345

WCF service markup (code listing), 345

web applications (SharePoint/IIS), 14, 17, 275

web front end servers (SharePoint), 16, 18, 19, 20, 21, 44, 277, 364, 386

Web Parts, xxii, 10. See also Report Viewer; Solution Explorer

Connection, 306

Data Form, 312, 313

interactive dashboard and, 347–357

zones, 248, 304, 307

web service APIs, 317

Web Service Namespace, 208–209, 233–234.

See also custom web service project

Web Service URL screen, 30, 31

web services. See also custom web service project
SharePoint, 128

XML and, 128, 208, 233, 234, 238

Web.config, 139, 162, 221, 290, 340, 342, 343, 344, 345, 346

what you see is what you get (WYSIWYG), 112, 153, 154

Windows Authentication, 50, 143, 196, 259, 319, 360, 364, 365, 426

Windows Communication Foundation service. See WCF service

Windows file share delivery extension, 383, 386–388

Windows SharePoint Services 3.0. See WSS 3.0

Windows Vista, 226, 268

wizards

Chart wizard, 108

configuration wizard, 21, 27–44

DataDrivenSubscriptionWizard.aspx, 16

expression wizard, 156, 158

Report Server Project Wizard, 117–119, 318

Report Wizard, xxii, 127, 135, 143–162, 165, 202, 318

BIDS and, 118, 120–125

Word (Microsoft Word)

exporting to, 9, 152

header/footer, 84

Report Builder and, 6

Reporting Services and, 6, 9

saving, to SharePoint, 269

tables and, 71

Working with Large Lists in Office SharePoint Server 2007, 363

wrapping, 333–339

WroxRSViewer Web Part code, 338–339

WroxRSViewerPage.aspx, 327, 329, 330, 333, 338

WroxRSViewerPage.aspx (code listing), 327

WroxRSViewerPage.cs (code listing), 327–328

wsd.exe command, 280, 281

WSDL file, 278, 281

WSS 3.0 (Windows SharePoint Services 3.0), xxiii. See also SharePoint Server 2007

Application Templates, 424

features. *See features*

object model, 17, 371

Reporting Services Add-in and, 21

servers and, 43, 206

solutions. *See solutions*

trust levels, 223

Visual Studio extensions for, 326, 327, 334, 335, 336

WSS_Medium, 223

WSS_Minimal, 223

WYSIWYG (what you see is what you get), 112, 153, 154

X

XML

custom web service project and, 205, 211, 233, 234, 238

as data source, 3, 4, 128, 204, 205, 238, 282, 319, 367

.NET XML, 294

rds/rdl and, 294

WebMessageBodyStyle.Bare and, 345

Y

@YEAR, 167, 168, 171, 175, 178

YEAR parameter, 166, 175, 187, 189, 192, 193