

# Index

Page numbers in *italic* refer to figures or tables. Alloys are listed according to elemental composition.

- Abeles's model 63–4
- AlAsSb
  - band-gap energies 174–5
  - optical properties 323
  - phonon frequencies 108
  - thermal conductivity 70
- AlGaAs
  - band offsets
    - GaAs interface 278–9
    - GaN interface 278
  - band-gap energies 157–60
  - deformation potential 263–4, 269–70, 271–2
  - effective masses 239–41
  - elastic properties 90, 96
  - electro-optic constant 358, 359
  - Franz–Keldysh effect 360
  - impact ionization coefficient 383
  - low-field mobility 369, 377–8
  - microhardness 93
  - minority-carrier transport 380–1
  - nonlinear optical constant 361–2
  - optical properties 316, 317
  - phonon frequencies 106–7, 113–15, 120
  - photoelastic constant 357, 358
  - piezoelectric constant 128–9
  - thermal conductivity 68, 69
  - thermal diffusivity 75–6
- AlGaAsSb
  - band offsets
    - GaInAsSb interface 282
    - InP/InAs/GaSb interfaces 281
  - band-gap energies 187–8, 196
  - optical properties 328
  - Schottky barrier 296–7
- AlGaN
  - and coherent epitaxy 37
  - phonon frequencies 108, 109
- AlGaInAs
  - band offsets, GaInAs interface 283
  - band-gap energies 194–5
  - effective masses 250, 251
  - impact ionization coefficient 385
  - optical properties 331–2
  - Schottky barrier 298–9
  - thermal conductivity 74
- AlGaNIn
  - crystal lattice parameters 25, 26
  - low-field mobility 373–4
  - Schottky barrier 297–8
  - thermal conductivity 68, 69, 70
- AlGaInP
  - band offsets
    - AlInP interface 282
    - GaInP interface 282–3
  - band-gap energies 187, 191, 193–4, 196
  - effective masses 250
  - elastic properties 81, 86
  - low-field mobility 373–4
  - minority-carrier transport 382
  - optical properties 330–1
  - Schottky barrier 298
  - thermal conductivity 74
- AlGaN
  - band offsets, GaN interface 283–4
  - band-gap energies 149–51
  - and critical thickness 38
  - deformation potential 261–2, 263
  - impact ionization coefficient 382
  - low-field mobility 368, 376, 377
  - minority-carrier transport 380
  - nonlinear optical constant 361
  - optical properties 311–12
  - phonon frequencies 105–6
  - piezoelectric constant 125
  - Schottky barrier 291

- AlGaNaS
  - band-gap energies 184–5
  - optical properties 326–7
- AlGaP
  - band-gap energies 153, 154
  - effective masses 238–9
  - optical properties 314
- AlGaPAs
  - band-gap energies 186–7
  - optical properties 326–7
- AlGaSb
  - band-gap energies 163–5
  - effective masses 242–3
  - impact ionization coefficient 384
  - lattice parameters 26, 27
  - low-field mobility 369–70
  - Schottky barrier 294–5
- AlInAs
  - band offsets
    - GaInAS interface 280
    - InP interface 279
  - band-gap energies 160–1
  - deformation potential 264
  - effective masses 240, 241
  - elastic properties 89, 90
  - optical properties 316–17, 318
  - Schottky barrier 293–4
- AlInAsSb
  - band offsets, GaInAsSb interface 282
  - band-gap energies 187, 188–9, 196
- AlInN
  - band offsets, GaN interface 284
  - band-gap energies 150, 152
  - low-field mobility 368–9
  - optical properties 313, 314
- AlInP
  - band offsets
    - AlGaInP interface 282
    - GaInP interface 277–8
  - band-gap energies 153–5
  - deformation potential 262–3
  - effective masses 238–9, 240
  - optical properties 314–15
- AlInSb
  - band-gap energies 165–6
  - effective masses 242–3
  - low-field mobility 369–70
  - optical properties 319, 320
- alloy scattering 365
- alloys defined and described 1
- AIPAs
  - band-gap energies 174–5
  - effective masses 245
- AIPaSb
  - band-gap energies 174–5
  - effective masses 245
  - optical properties 322
- Au/GaInP rectifiers 292
- band offsets *see* heterojunction band offsets
- band-gap energies
  - background and theory
    - bowing parameter 136
    - interpolation of parameters 4–7
    - ordered/disordered alloy 136–9
    - quasi-cubic band model 133–6, 135
  - group IV alloys
    - binary 139–45
    - ternary 145–7, 149
  - III–V ternary alloys
    - Al–(V, V) 174–5
    - Ga–(V, V) 175–9
    - In–(V, V) 179–84
    - dilute-nitride III–(V, V) 166–74
    - (III, III)–As 157–63
    - (III, III)–N 149–53
    - (III, III)–P 153–7
    - (III, III)–Sb 163–6
    - summary 183–4
  - III–V quaternary alloys
    - dilute-nitride 184–93
    - (III, III, III)–V 193–5
    - III–(V, V, V) 195
    - summary 196–7
  - II–VI ternary alloys
    - Cd–(VI, VI) 210–12
    - Zn–(VI, VI) 208–10
    - (II, II)–O 197–8
    - (II, II)–S 198–201
    - (II, II)–Se 201–4
    - (II, II)–Te 204–8
    - summary 214–16
  - II–VI quaternary alloys
    - (II, II, II)–VI 213–14
    - (II, II)–(VI, VI) 212–13
    - summary 214–16
- BeCdSe
  - band-gap energies 199, 201, 202
  - optical properties 335
- BeCdTe, band-gap energies 199, 201, 202
- BeMgCdSe, band-gap energies 213–14

- BeMgZnSe  
   band offsets, ZnSe interface 289  
   band-gap energies 213, 214  
   optical properties 346  
 BeS/BeSe/BeTe, elastic properties 90–1, 93–4  
 BeZnCdSe, optical properties 346  
 BeZnO  
   band-gap energies 197, 198, 199, 215  
   optical properties 332  
 BeZnSe  
   band offsets, ZnSe interface 287–8  
   band-gap energies 199, 201–2  
   elastic properties 84–5, 86, 94  
   optical properties 335, 336  
   phonon frequencies 111, 118  
   photoelastic constant 357  
 BeZnTe  
   band-energies 199, 201–2, 215  
   band-gap energies 199, 204–5  
   optical properties 339  
   phonon frequencies 111  
 bilayer model 34–5  
 binary mixed valence compounds 2–4  
 bond distances 21  
 bowing parameters 5, 6, 7, 136  
   dilute-nitride III–V alloys 167  
   electron and hole mobilities 367  
   III–V ternaries 184  
   II–VI ternaries 215  
 Brillouin scattering 357  
  
 carrier transport properties 365–7  
   high-field mobility 376–9  
   impact ionization coefficient 382–6  
   low-field mobility 367–76  
   minority-carrier transport 379–82  
 CdHgS, band-gap energies 199, 200–1  
 CdHgSe  
   band-gap energies 199, 201, 203–4, 215  
   low-field mobility 374  
   optical properties 338–9  
 CdHgTe  
   band offsets, CdTe interface 288–9  
   band-gap energies 199, 208, 215  
   Debye temperature 58–9  
   effective masses 252, 254  
   Frank–Keldysh effect 361  
   impact ionization coefficient 386  
   low-field mobility 375  
   minority-carrier transport 382  
   nonlinear optical constant 362  
   optical properties 342  
   phonon frequencies 109, 111  
   specific heat 56  
   thermal conductivity 74–5  
   thermal expansion coefficient 63  
 CdSeTe  
   band-gap energies 211–12  
   optical properties 346  
   phase diagram 50  
 CdSSe  
   band-gap energies 210–11  
   effective masses 253  
   electro-optic constant 359–60  
   Franz–Keldysh effect 360–1  
   optical properties 344–5  
 CdSTe  
   band-gap energies 211  
   lattice parameters 31  
   optical properties 345  
   phase diagram 49–50  
 CGe  
   band-gap energies 140–1, 147, 149  
   optical properties 309  
 chalcopyrite structures 14  
 cleavage plane 41  
 coherent epitaxy  
   bilayer model 32–3  
   critical thickness 37–9  
   elastic strain and lattice deformation 33–7  
   lattice-mismatch of dilute-nitrides 167–8  
 compliance constants 81, 82–3  
 composite structures *see* coherent epitaxy  
 compound semiconductors 1, 10  
 conduction band structure 133, 134  
 critical thickness 37–9  
 crystal density  
   calculation 22  
   data 18, 19  
 crystal structure 2  
   lattice constant/parameters 15–31  
   random alloy 11  
   spontaneous ordering 11–15  
 CSi  
   band offsets  
     Si interface 276–7  
     SiGe interface 277  
   band-gap energies 139–40, 147–9  
   Debye temperature 57–8  
   effective masses 234–7  
   elastic properties 89  
   electro-optic constant 358

- CSi (*Continued*)  
 Fröhlich coupling constant 130  
 lattice mismatch in epilayers 35–6  
 low-field mobility 367  
 microhardness 92  
 optical properties 308–9  
 piezoelectric constant 125, 127  
 thermal conductivity 66, 67  
 thermal diffusivity 75–6
- CSiGe  
 band offsets, Si interface 276–7  
 band-gap energies 145–7  
 minority-carrier transport 380  
 optical properties 311  
 Schottky barrier 291
- CuAu  
 elastic properties 82  
 electrical resistivity 365, 366  
 lattice constant 15–16  
 thermal resistivity 65–6, 365, 366
- CuAu-I structure 12, 14, 15, 66
- CuPt-B structure 12, 14, 15  
 energy-band diagram 136, 137
- Debye temperature 52–3, 56–7  
 group IV alloy 57–8  
 III–V alloy 58  
 II–VI alloy 58–9
- deformation potential (intervalley)  
 group IV alloy 270–1  
 III–V alloy 271–2
- deformation potential (intravalley)  
 group IV alloy 259–61  
 high-symmetry points 267–9  
 III–V ternary alloy 261–6  
 high-symmetry points 269–70  
 III–V quaternary alloy 266  
 II–VI quaternary alloy 266–7
- deformation potential (phonon) 121–3
- density-of-state effective mass 229, 232
- diamond structure 21
- dielectric constants 308
- dispersion 307
- drift velocities 365
- effective masses  
 background and theory  
 compositional dependence 254  
 electron effective mass 229–30, 231  
 hole effective mass 230–2, 233, 234, 235, 236  
 interpolation scheme 232–4  
 temperature and pressure  
 dependence 254–6  
 group IV binary alloys 234–8  
 III–V ternary alloys  
 Al–(V, V) 245, 246  
 Ga–(V, V) 245–6  
 In–(V, V) 246–7  
 dilute-nitride III–(V, V) 243–5  
 (III, III)–As 239–42  
 (III, III)–N 238, 239  
 (III, III)–P 238–9  
 (III, III)–Sb 242–3  
 III–V quaternary alloys  
 dilute-nitride 248  
 (III, III, III)–V 250–1  
 (III, III)–(V, V) 248–50  
 II–VI ternary alloys  
 (II, II)–VI 251–3  
 II–(VI, VI) 253  
 II–VI quaternary alloys  
 (II, II)–(VI, VI) 253–4  
 elastic constants 81, 82–3  
 group IV alloy 81  
 III–V alloy 81, 83–4  
 II–VI 84–6  
 pressure effect 88  
 and sound velocity 96–7  
 temperature effect 86–8  
 third-order constant 39  
*see also* Young's modulus  
 elastic strain 33–7  
 elasto-optic effect 357–8  
 electrical resistivity 365, 366  
 electro-optic constants  
 linear 358–60  
 quadratic 360–1  
 electron mobility *See* low-field mobility;  
 minority-carrier transport  
 elemental semiconductors 1, 2  
 energy-band structure *see* band-gap energies;  
 effective masses  
 epitaxy *see* coherent epitaxy  
 Franz–Keldysh effect 360–1  
 Fröhlich coupling constant 129–31  
 GaAsIn, phase diagram 46, 47  
 GaAsInP  
 specific heat 55  
 thermal conductivity and diffusivity 75–6

- GaAsSb  
 band-gap energies 178–9  
 effective masses 246  
 impact ionization coefficient 385  
 optical properties 324  
 phonon frequencies 100, 108  
 Schottky barrier 295–6  
 thermal conductivity 73
- GaInAs  
 band offsets  
 AlGaInAs interface 283  
 AlInAs interface 280  
 GaAs interface 284–6  
 GaN interface 284  
 InP interface 279–80  
 band-gap energies 161, 163  
 deformation potential 265  
 effective masses 240, 241–2, 256  
 elastic properties 89, 90  
 impact ionization coefficient 383–4  
 low-field mobility 377–8  
 near neighbour distances 28  
 optical properties 318–19  
 phase diagram 46, 47  
 piezoelectric constant 128  
 Schottky barrier 294  
 thermal conductivity 68, 69, 70
- GaInAsSb  
 band offsets  
 AlGaAsSb interface 282  
 AlInAsSb interface 282  
 GaSb/InP/InAs interfaces 281  
 band-gap energies 196  
 effective masses 249–50  
 optical properties 328–30  
 Schottky barrier 296–7  
 thermal conductivity 70, 71, 72
- GaN  
 band offsets, GaN interface 284  
 band-gap energies 150, 151, 152–3  
 and critical thickness 38  
 deformation potential 262, 263  
 low-field mobility 368, 376, 377  
 near neighbour distances 28, 29  
 optical properties 313–14  
 phase diagram 47–8  
 phonon frequencies 105–6  
 piezoelectric constant 126–8  
 thermal conductivity 68, 69, 70
- GaNAs  
 band offsets, GaAs interface 286–7  
 band-gap energies 166–7, 168, 185  
 effective masses 248, 254, 256  
 optical properties 326
- GaInNP  
 band-gap energies 185  
 optical properties 326
- GaInP  
 band offsets  
 AlGaInP interface 282–3  
 AlInP interface 277–8  
 GaAs interface 277  
 band-gap energies 137–9, 155–7  
 deformation potential 263  
 effective masses 239, 240  
 elastic properties 89, 90  
 Franz–Keldysh effect 360  
 impact ionization coefficient 383  
 low-field mobility 369  
 nonlinear optical constant 362  
 optical properties 315–16  
 phonon frequencies 100, 108, 115  
 photoelastic constant 357  
 Schottky barrier 292  
 thermal conductivity 73
- GaInPAs  
 band offsets, InP interface 280–1  
 band-gap energies 187, 189–91, 196–7  
 and coherent epitaxy 34–5, 38  
 deformation potential 266, 267  
 effective masses 248–9, 256  
 elastic properties 81, 86, 87, 88, 96  
 Fröhlich coupling constant 131  
 impact ionization coefficient 385  
 low-field mobility 372–3, 378–9  
 microhardness 92–3, 94  
 minority-carrier transport 381–2  
 near neighbour distances 28, 29  
 phonon frequencies 108  
 piezoelectric constant 128–9  
 Schottky barrier 296  
 thermal conductivity 70, 71, 72
- GaInPSb, minority-carrier transport 381–2
- GaInSb  
 band-gap energies 166, 167, 168  
 effective masses 242–3  
 elastic properties 81, 83, 85  
 microhardness 93  
 minority-carrier transport 381  
 optical properties 319, 320  
 phase diagram 46, 47  
 phase transition 40–1

- GaInSb (*Continued*)  
 phonon frequencies 107, 108  
 Schottky barrier 294–5  
 thermal conductivity 68, 69, 70
- GaNAs  
 band offsets, GaAs interface 286  
 band-gap energies 166–7, 168, 171–2  
 and coherent epitaxy 36  
 deformation potential 265–6  
 effective masses 243–4  
 impact ionization coefficient 384  
 low-field mobility 371, 378  
 mode Grüneisen parameter 121  
 optical properties 321, 322
- GaNAsSb, band offsets, GaAs interface  
 287
- GaN<sub>P</sub>  
 effective masses 243  
 optical properties 320–1
- GaN<sub>P</sub>, band-gap energies 170–1
- GaN<sub>P</sub>As, band-gap energies 185–6
- GaN<sub>S</sub>b  
 band-gap energies 172  
 optical properties 321
- GaPAs  
 band-gap energies 175–6  
 deformation potentials 263–4, 266, 269–70  
 effective masses 245, 246  
 low-field mobility 371, 372  
 optical properties 323–4  
 phonon frequencies 108, 115, 116, 122–3
- GaP<sub>S</sub>b  
 band-gap energies 176–7  
 optical properties 324  
 Schottky barrier 295
- GaSbAs, low-field mobility 371, 372
- GeSn  
 band-gap energies 144–5, 147, 148  
 optical properties 309–10
- Grimm–Sommerfeld rule 2–4
- Grüneisen parameter 119–21  
 phonon deformation potential 121–3
- Hall mobilities 366, 367
- heterojunction band offsets 275  
 group IV systems 275–7  
 III–V lattice matched system  
 ternary alloy 277–80  
 quaternary alloy 280–3  
 III–V lattice mis-matched system 283–7  
 II–V systems 287–9
- HgSeTe, phase diagram 51
- high-field transport  
 group IV 376  
 III–V ternary alloys  
 dilute-nitride III–(V, V) 378  
 (III, III)–As 377–8  
 (III, III)–N 376  
 (III, III)–P 376–7  
 III–V quaternary alloys 378–9  
 II–IV alloys 379
- high-frequency dielectric constant 308
- hole effective mass 230–2, 233, 234,  
 235, 236
- hole mobilities 366, 367
- impact ionization coefficient  
 group IV alloys 382  
 III–V ternary alloys  
 dilute-nitride III–(V, V) 384–5  
 Ga–(V, V) 385  
 In–(V, V) 385  
 (III, III)–As 383–4  
 (III, III)–N 382–3  
 (III, III)–P 383  
 (III, III)–Sb 384  
 III–V quaternary alloys  
 (III, III, III)–V 385  
 (III, III)–(V, V) 385  
 II–VI 386
- InAsSb  
 band offsets, GaSb interface 280  
 band-gap energies 181–3  
 effective masses 247  
 impact ionization coefficient 385  
 low-field mobility 371, 372  
 optical properties 325
- InGaAs, Fröhlich coupling 129
- InNAs  
 band-gap energies 173  
 effective masses 244–5  
 low-field mobility 371
- InNP  
 band-gap energies 173  
 optical properties 322
- InNSb  
 band-gap energies 174  
 effective masses 245
- InPAs  
 band-gap energies 179, 180  
 Debye temperature 58  
 effective masses 246–7, 255, 256

- low-field mobility 371, 372
- optical properties 324–5
- specific heat 54, 55
- thermal conductivity 70, 71
- InPAsSb
  - band-gap energies 195, 196
  - effective masses 250–1
- InPSb
  - band-gap energies 179–81
  - low-field mobility 371, 372
  - optical properties 325
- interpolation schemes
  - band-gap 4–7
  - effective masses 232–4
- intravalley/intervalley deformation potential
  - see* deformation potential
- ionicity 9, 10
- isotopic abundance 9
- lattice constants/parameters
  - Cu–Au alloy 15–16
  - group IV semiconductor 19–22
  - III–V semiconductor 22–9
  - II–VI semiconductor 29–31
  - non-alloyed semiconductors 16–19
- lattice strain/deformation/mismatch
  - see* coherent epitaxy
- lattice-matching data 22, 23, 24, 30
- linear electro-optic constant 358–60
- long-wavelength phonon *see* phonon
- low-field mobility 366, 367
  - group IV binary alloys 367–8
  - III–V ternary alloys
    - dilute-nitride III–(V, V) 370
    - Ga–(V, V) 371
    - In–(V, V) 371
    - (III–III)–As 369
    - (III–III)–N 368–9
    - (III–III)–P 369
    - (III–III)–Sb 369–70
  - III–V quaternary alloys
    - dilute-nitride 371–2
    - (III, III, III)–V 373–4
    - (III, III)–(V, V) 372–3
  - II–VI ternary alloys
    - Zn–(V, V) 375
    - (II, II)–O 374
    - (II, II)–Se 374–5
    - (II, II)–Te 375
- Luttinger's parameters 231, 233, 234
- Matthews–Blakeslee theory 38
- melting points 51, 52–3
  - see also* phase diagrams
- MgCdSe
  - band-gap energies 199, 201, 202–3, 215
  - low-field mobility 374–5
  - optical properties 337
- MgCdTe
  - band-gap energies 199, 206, 215
  - optical properties 340
- MgZnCdSe
  - band offsets, ZnCdSe interface 289
  - band-gap energies 214
  - optical properties 346–7
- MgZnO
  - band offsets, CdS interface 287
  - band-gap energies 197–8, 199, 215
  - and coherent epitaxy 37
  - deformation potential 267
  - effective masses 251–2
  - low-field mobility 374
  - minority-carrier transport 382
  - optical properties 332–3
  - phase diagram 48–9
- MgZnS
  - band-gap energies 198–9, 205
  - optical properties 333–4
- MgZnSe
  - band offsets
    - ZnCdSe interface 289
    - ZnSe interface 287–8
  - band-gap energies 199, 201, 202, 215
  - low-field mobility 374–5
  - nonlinear optical constant 362
  - optical properties 335–7
  - thermal expansion coefficient 63
- MgZnSeTe
  - optical properties 346
  - phonon frequencies 112
- MgZnSSe
  - band offsets, ZnSe interface 289
  - band-gap energies 212–13
  - effective masses 253–4
  - optical properties 346
  - phonon frequencies 111–12
- MgZnSTe, band-gap energies 212, 213
- MgZnTe
  - band-gap energies 199, 205–6, 215
  - optical properties 339–40
  - Schottky barrier 299

- microhardness  
 group IV alloy 92  
 III-V alloy 92-3  
 II-VI alloy 93-6
- minority-carrier transport  
 group IV alloys  
 binary 379-80  
 ternary 380  
 III-V ternary alloys  
 (III, III)-Ga 381  
 (III, III)-N 380  
 III-V quaternary alloys  
 (III, III, III)-V 382  
 (III, III)-(V, V) 381-2  
 II-IV alloys 382
- mode Grüneisen *see* Grüneisen parameter
- molecular weight  
 calculating 9-10  
 non-alloyed semiconductor data 18, 19
- multilayer structures *see* coherent epitaxy
- nonlinear optical constant 361-2
- optical properties  
 dielectric constants 308  
 dispersion relations 307  
 group IV alloys  
 binary 308-11  
 ternary 311  
 III-V ternary alloys  
 Al-(V, V) 322-3  
 Ga-(V, V) 323-4  
 In-(V, V) 324-6  
 dilute-nitride III-(V, V) 320-2  
 (III, III)-As 316-20  
 (III, III)-N 311-14  
 (III, III)-P 314-16  
 III-V quaternary alloys  
 dilute-nitride 326  
 (III, III, III)-V 330-2  
 (III, III)-(V, V) 326-30  
 III-(V, V, V) 332  
 II-VI ternary alloys  
 Cd-(VI, VI) 344-6  
 Zn-(VI, VI) 343-4  
 (II, II)-O 332-3  
 (II, II)-S 333-5  
 (II, II)-Se 335-9  
 (II, II)-Te 339-42  
 II-VI quaternary alloys  
 (II, II, II)-VI 346-7  
 (II, II)-(VI, VI) 346  
*see also* elasto-optic; electro-optic
- ordering *see* spontaneous ordering
- periodic table 2
- phase diagrams  
 group IV alloys 45  
 III-V alloys 45-8  
 II-VI alloys 48-51
- phase transition, structural 39-41
- Phillips ionicity 9, 10
- phonon frequencies/modes 99-100, 101, 102, 104-5, 110  
 group IV alloy 100-4, 112-13  
 III-V alloy 104-9, 113-15  
 II-VI alloy 109-12, 115-19  
 mode Grüneisen parameter 119-21  
 phonon deformation potential 121-3  
 temperature and pressure dependence 112-19
- photoelastic coefficient 357-8
- piezoelectric semiconductors 97, 126  
 stress and strain constants 125-9
- pseudomorphic epitaxy 37-9
- quadratic electro-optic constant 360-1
- reflectivity 307
- refractive index 307
- resistivity  
 electrical 365, 366  
 thermal 64, 65, 67, 68, 365, 366
- Schottky barrier 289-90  
 group IV alloys 290-1  
 III-V ternary alloys  
 Ga-(V, V) 295-6  
 (III, III)-As 292-4  
 (III, III)-N 291  
 (III, III)-P 292  
 (III, III)-Sb 294-5  
 III-V quaternary alloys  
 (III, III, III)-V 297-9  
 (III, III)-(V, V) 296-7  
 II-VI ternary alloys  
 Zn-(VI, VI) 300  
 (II, II)-Te 299
- semiconductor types 1
- SiC 1, 2  
 Franz-Keldysh effect 360  
 phonon frequencies 100, 102

- SiGe  
 band offsets, Si interface 276  
 band-gap energies 148  
   relaxed alloy 141–3  
   strained alloy 143–4  
 and critical thickness 38, 39  
 crystal lattice parameters 19–22  
 deformation potential 259–61, 269  
 effective masses 237–8  
 elastic properties 81, 84, 85  
 electro-optic constant 358  
 Fröhlich coupling constant 130  
 impact ionization coefficient 382, 383  
 low-field mobility 367–8  
 minority-carrier transport 379–80  
 optical properties 309–10  
 ordered structures 12, 13–14  
 phase diagram 45, 46  
 phonon frequencies 100–4, 113, 121–2  
 Schottky barrier 290–1  
 specific heat 53–4  
 thermal conductivity 66, 68  
 SiGeSn, band gap energies 147  
 SiSn, band gap energies 148–9  
 sound velocity 96–7  
 specific heat  
   group IV alloys 51, 52–3, 53–4  
   III–V alloys 54–5  
   II–VI alloys 55  
 spontaneous ordering  
   energy-band gaps 136–9  
   group IV alloy 11, 12  
   III–V alloy 12, 14–15  
   II–VI alloy 12, 15  
 structural phase transition 39–41  
 surface energy 41  
  
 tetrahedral rule 3–4  
 thermal conductivity 52–3, 63–6, 67  
   group IV alloy 66–8  
   III–V alloy 68–74  
   II–VI alloy 74–5  
 thermal diffusivity 75–6  
 thermal expansion coefficient 52–3  
   group IV alloys 59–61  
   III–V alloys 61–3  
   II–VI alloys 63  
 thermal resistivity 64, 65, 67, 68,  
   365, 366  
 thin films *see* critical thickness  
 transport *see* carrier transport  
  
 valence band structure 133, 134  
 valence binary compounds 3–4  
 valence electrons 2–3  
 Varshni parameters 159–60, 163  
 Vegard law 20, 25–6, 28, 36, 37, 57, 141  
  
 Wiedemann–Franz law 65, 365  
 wurtxite structure 21  
  
 Young’s modulus  
   group IV alloy 89  
   III–V alloy 89–90  
   II–VI alloy 90–2  
  
 zinc blende structure 21  
   energy band diagram 136, 137  
 ZnCdO  
   band-gap energies 198, 199, 215  
   optical properties 333  
 ZnCdS  
   band offsets, ZnS interface 287  
   band-gap energies 199, 200, 215  
   deformation potential 267  
   nonlinear optical constant 362  
   optical properties 334–5  
   phase transition 40, 41  
   phonon frequencies 109, 111  
 ZnCdSe  
   band offsets  
     MgSSe interface 289  
     MgZnCdSe interface 289  
     MgZnSe interface 289  
     ZnSe interface 287–8  
   band-gap energies 199, 201, 203, 215  
   elastic properties 91–2  
   Franz–Keldysh effect 360–1  
   nonlinear optical constant 362  
   optical properties 337–8  
   phase transition 40, 41  
   phonon frequencies 109–11, 115–16, 118  
 ZnCdSSe, band offsets, ZnSSe interface 289  
 ZnCdTe  
   band offsets  
     CdTe interface 288  
     ZnTe interface 288  
   deformation potential 266–7  
   elastic properties 85, 87, 88  
   electro-optic constant 358–60  
   lattice parameters 29, 30, 31  
   phase diagram 49  
   low-field mobility 375

ZnCdTe (*Continued*)

- nonlinear optical constant 361, 362
- optical properties 340–1
- phonon frequencies 109–11
- photoelastic constant 357
- Schottky barrier 299
- structural phase transition 39, 40

## ZnHgS, band-gap energies 199, 200, 215

## ZnHgTe

- band-gap energies 199, 207–8
- effective masses 252–3
- microhardness 94–5
- minority-carrier transport 382
- optical properties 342
- phonon frequencies 109
- thermal conductivity 74
- thermal expansion coefficient 63

## ZnOS

- band-gap energies 208–9
- optical properties 343

## ZnOSe

- band-gap energies 209
- deformation potential 267

## ZnSeTe

- band-gap energies 209, 210
- elastic properties 91–2, 94
- low-field mobility 376
- optical properties 344
- phonon frequencies 118

## ZnSSe

- band offsets, ZnSe/ZnCdSe interfaces 289
- band-gap energies 209–10
- deformation potential 267
- low-field mobility 376
- optical properties 343
- Schottky barrier 300
- thermal expansion coefficient 63

## ZnSTe

- band-gap energies 209, 210
- deformation potential 267
- optical properties 343–4