

Index

- abld build 36
- abld freeze 226
- abort() 74, 400, 402
- abstract base class 46
- active objects 31, 94–99, 381
- Active Template Library (ATL) 134
- Adapter pattern 384
- Alerts API 166
- AllFiles 130, 349, 355
- Alloc() 64
- ALLOC panic 45–46, 399
- AllocL() 64
- All-Tcb 117
- Android 11, 12, 17–18, 244–253, 369–371
- ANSI C++ standard 386
- APIs 68–71, 103–131
 - applications, portable 375–396
- ARM RealView Compilation Tools (RVCT) 34, 112
- ATL See Active Template Library
- auto_ptr 85, 143, 391–392
- AVRecorder 270
- Base Class Library (BCL) 237
- battery 10, 14, 43
- Bazaar 392–393
- BCL. See Base Class Library
- Binary Runtime Environment
 - for Wireless (BREW) 253–254
- Blackberry 11, 17–18
- bld.inf 35, 36, 38, 115–116, 186, 211, 292, 293, 316
- bldmake 36, 211
- Bluetooth 127, 138
- Boost 107, 197
- BREW. See Binary Runtime Environment for Wireless
- C 21, 28, 40, 103–131, 214
- C++ 21, 28, 31, 50, 59, 61–66, 103–131, 144
 - abstract base class 46
 - with C 40
 - IDE 32
 - MFC 214
 - Mutex 388–391
 - C classes 53, 79, 85, 87
 - C Wrappers 339–340
 - CActive 95, 97
 - CActiveScheduler
 - Add() 95–96
 - Start() 141
 - CAknAppUi 155
 - calendar 186, 251
 - callbacks 147, 324, 381
 - camera 165, 185, 253
 - Cancel() 98
 - capabilities 228, 348–355
 - Android 369–371
 - trusted applications 362–363
 - untrusted applications 363–364
 - CAPABILITY 37, 355
 - capitalization guidelines 50–51
 - Carbide.c++ 32, 38, 72, 147, 211, 214, 368–369
 - CArray 58
 - CArrayFixFlat 58

- CArrayFixSeg 58
- CArrayVarSeg 58
- CArrayXSeg 58
- catch 72
- CBase 53, 54, 82, 100–101, 230
- CBluetoothSocket 138
- CCalEntry 138
- CCirBuf 59
- CCoeControl 147, 215
- CConsoleBase 144–145
- CContactDatabase 138
- CContactItem 138
- CEikConsoleScreen 144–145
- certificates 233–234, 359–366
- character size 60
- CHearbeat 142
- circular buffers 59
- classes
 - API design 382–384
 - CActive 95
 - capitalization 50
 - descriptors 61–66
 - naming 51–55
- cleanup stack 78–86, 393, 400
 - Check() 81
 - PopAndDestroy (test) 80
 - PushL(TAny*) 82–83
 - PushL(TClean-upItem) 84
- CleanupClosePushL() 85
- Close() 54, 79, 84, 85
- CLR. *See* Common Language Runtime
- CLSI. *See* Local System Interface class
- CMdaAudioInputStream 154
- Cocoa 135, 261–266, 268
- code signing 227, 359–361
- COM. *See* Component Object Model
- Common Language Runtime (CLR) 236
- compilers 34, 39–40, 318–322
- Component Object Model (COM) 230–233
- Compressed Audio API 165
- COM:X 126
- Concurrent Version System (CVS) 392
- configuration management 392–395
- configure 35, 307
- const char* 257–258
- Container 197
- CountComponent-Controls() 149
- CPeriodic 142
- _cplusplus 40
- CPolicyServer 352
- Createpackage 286
- CreateWindowEx() 208
- CSendAPPUI 138, 139
- ctime 277
- CTimer 142
- CurrentTrust() 234
- CVS. *See* Concurrent Version System
- data caging 130, 357–359
- data types 41, 386–387
- databases 205, 222–223, 253
- DBMS 205, 358
- dependencies 30, 40, 381
- DEPLOYMENT 286
- descriptors 59–60, 68–71
 - classes 61–66
 - function parameters 66–68
 - P.I.P.S. 124
- destructors 85, 90, 98–100, 143
- digital signatures 359–361
- DirectX 136, 203
- DispatchMessage() 216
- DLL. *See* dynamic link library
- Document Object Model (DOM) 184
- DOM. *See* Document Object Model
- Draw() 150
- DrawNow() 153
- DRM 349, 355
- dynamic link library (DLL) 37, 40–41, 109, 352–353
 - COM 230
 - MFC 229
 - Microsoft Windows 209
 - RVCT 112
 - Windows 226
 - Windows Mobile 234
 - WSD 99–100, 111, 343–345
- E32Main() 109, 246, 248, 334
- E32USER-CBase 46 92
- E32USER-CBase 71 77
- E32USER-CBASE 90 92
- Eclipse Public License (EPL) 27
- ECOM. *See* Epoc Component Object Model
- ELeave 73, 75–76
- EPL. *See* Eclipse Public License
- Epoc Component Object Model (ECOM) 230–233
- EPOCALLOWDLLDATA 100
- EPOCHEAPSIZE 123
- epocheapsize 42
- epocstacksize 42, 92
- errno 128, 343
- error handling 71–93, 97–98, 128, 142–144
- eshell 119–120
- EventReady() 303
- exceptions 71–78, 383
 - C++ 74

- floating points 198
- trap handler 85
- EXE. *See* executables
- exec 124, 197, 265
- executables (EXE) 109, 118, 350–352
 - trusted applications 362
 - Windows 226
- exit() 335
- Exiv2 311, 316–318, 320–322
- Expat 311, 315–316, 318–319
- EXPORT_C 40–41, 111, 112, 119
- extensions 185–186, 281–286
- extern 111, 140, 298
- extern "C" 40

- fabs() 153
- Façade pattern 384–385
- FCL. *See* Framework Class Library
- FIFOs 124, 126
- File Table 341–342
- float 56
- floating point 56, 129, 198, 386–387
- Flush() 144
- fopen() 144
- FOPEN_MAX 121
- fork 23, 124, 197
- Framework Class Library (FCL) 237
- free() 123, 402
- FreeBSD 335
- functions 41, 381–382
 - C 51
 - capitalization 50
 - L 51
- fwrite() 144

- Garden 301
- GCC-E 34, 226, 297, 298
- Geospatial Data Abstraction Library (GDAL) 289, 300
- GetUserDefaultUI-Language API 229
- Git 393
- glib 106, 334
- glue code 109, 142, 334–335
- GNOME Mobile and Embedded 12
- GNU Public License (GPL) 27, 135, 312
- Google 11, 12, 17–18, 245. *See also* Android
- GPL. *See* GNU Public License
- GPS 6, 14, 309–331
 - Net60 Mobility Framework 236
 - selective availability 8
- graphical user interface (GUI) 37, 78, 379–380
- graphics 14, 162
- GROUP 126
- GSensor 282–284
- GSM 3, 9, 166, 193, 194, 252, 366
- GStreamer 137
- GTK+ 13, 135, 146–147, 203
- GUI. *See* graphical user interface
- Guitune application 145–157

- HandleCommandL() 155
- HandleCompletionL() 97
- HandleEventL() 97
- HandleResourceChange() 154
- HBufC 64, 67, 82
- HBufC* 213, 219
- heap 75–76, 122, 340–341, 399–407
- high-speed packet access (HSPA) 14
- HOME 337
- HSPA. *See* high-speed packet access
- HTC Dream 245
- HTTP 252, 263
- hybrid code 133–157

- IAPs. *See* Internet Access Points
- IDE. *See* integrated development environment
- IDispatch 221
- IDL. *See* interface definition language
- Images API 164
- ImageView 247
- IMEI 366
- IMPORT_C 40–41, 111, 112, 119
- indirection layers 378–380
- Input API 167
- input method editors 221
- int 57
- integrated development environment (IDE)
 - Build 39
 - C++ 32
 - SIS 39
 - Windows 210–211
- Intent 246
- IntentFilter 247
- interface definition language (IDL) 221, 230
- interleaving 129, 144
- Internet Access Points (IAPs) 127, 185
- inter-process
 - communication (IPC) 198–199, 223–226
- inter-thread communication (ITC) 223–226
- I/O APIs 251, 261–262
- ioctl() 127
- IOStreams 107, 197
- IPC. *See* inter-process communication

- IPC server 338–339
- iPhone 11, 14, 18–19, 254–270, 255–256
 - security 371–372
 - UI 266–269
 - UIKit 135
- ISO 14882 386
- ITC. *See* inter-thread communication
- Iterator 197

- JSON-C 311, 316, 319–320

- KERN-EXEC 46 92
- KErrAccessDenied 352, 354
- KErrNone 77, 97
- KErrNotSupported 111
- KErrXX error 73
- Keypad Capabilities API 167
- key_t 125
- KNullDesC 65

- _L 65–66
- _LEAVE_EQUALS_THROW_ 74
- leaves 45, 71–78
 - cleanup stack 84–86
 - PushL() 80
- LeaveScan 50, 72
- Length() 62–63, 69–70
- Li, Harry 35
- LIB. *See* static library
- libc 104, 115, 121, 124, 196, 333, 335
- libcrypt 196, 333
- libcrypto 196, 333
- libdl 129, 196, 333, 336
- libglib 196
- libm 115, 129, 196, 333, 336
- libpthread 105, 114, 196, 198, 333

- libssl 196, 334
- libtiff 297, 298
- LiMo Foundation 12–13, 17–18, 193–195
- linked lists 59
- Linux 11–13, 17, 32, 195–198, 204
 - database 205
 - security 204–205
 - UI 202–203
- Linux Phone Standards (LiPS) 12
- LiPS. *See* Linux Phone Standards
- literal descriptors 65–66
- LoadString() 229
- Local System Interface class (CLSI) 340
- LocalServices 129, 349, 364, 365
- Location 349, 354, 363, 365, 367
- Location API 192
- long 386
- long int 56

- M classes 54
- MACRO 286, 300
- Maemo 12, 13, 191–192, 371
- main() 109, 264, 334, 335
- MiscBufferCopied() 149
- makekeys 368
- malloc() 122–123, 398
- Math class 55
- MaxLength() 62, 69–70
- MDI. *See* multiple document interface
- MEikCommandObserver 216
- Mem class 55
- memory management 60, 71–93
 - limitations and workarounds 122–124
- Mercurial 393
- message type modules (MTMs) 139
- messaging 139, 185, 252
- meta object compiler (MOC) 180, 183, 256
- MFC. *See* Microsoft Foundation Classes
- Microsoft Compact Framework 239
- Microsoft Foundation Classes (MFC) 134, 214, 216
- MID. *See* mobile information device
- middleware 289–307
- MiniWeb 311
- mkdir() 121
- mmap() 121, 317
- MMF 36–37
- MMP
 - bld.inf 316
 - GDAL 289, 290–300
 - GUI 37
 - libcrt0.lib 110
 - MACRO 300
 - SYSTEMINCLUDE 116
- MMP_RULES 286
- MOAP(S) 11, 33–34
- Mobile and Internet Linux Project (Moblin) 12, 192–193
- mobile information device (MID) 191
- Mobile Linux 11, 189–206, 190
- Mobile to Market 234
- Moblin. *See* Mobile and Internet Linux Project
- MOC. *See* meta object compiler
- Model–View–Controller (MVC) 268, 385
- modular code 378
- Mosaic 8
- Motorola 9, 10
- mousePressEvent() 268

- MTMs. *See* message type modules
- multimedia 136–138, 164–166, 204
- multiple document interface (MDI) 221
- munmap() 317
- Mutex 388–391
- MVC. *See* Model–View–Controller

- namespace clashes 381
- naming guidelines 51–52
- National Marine Electronics Association (NMEA) 314
- native application 133
- .NET 210, 239–240
- .NET Compact Framework 236
- Net60 Mobility Framework 236
- Netscape Communications Corporation 8
- networking 262–264
 - limitations and workarounds 126–127
 - Linux 204
 - mapping 252
- NetworkServices 129, 349, 350–353, 355, 364, 365, 367
- New File Service Client API 313
- new(LEave) 75
- NewL() 88–89
- NMEA. *See* National Marine Electronics Association
- Nokia 9–12, 21, 33–34
 - Open C 106–107
 - Sensor Plug-in 282
- NSArray 259
- NSInputStream 261, 262
- NSMutableString 257
- NSObject 257
- NSOperationQueue 265–266
- NSOutputStream 261, 262
- NSScanner 259
- NSSortDescriptor 261
- NSStream 261
- NSString 261
- NSURLCache 263
- NSURLConnection 262–263
- NSURLCredentialStorage 263
- NTT DoCoMo 11, 33–34

- Objective-C 135, 256
- OHA. *See* Open Handset Alliance
- onCreate() 247
- OOM. *See* out-of-memory
- open() 121, 126
- Open C 106–107, 120–131
 - libpthread 198
 - Linux 196–198
 - S60 106
- Open C++ 107–108
- Open C/C++ 21, 28
 - descriptors 60
 - interleaving 144
 - Linux 195–196
 - Microsoft Windows 207–209
 - plug-ins 161
 - RGA 160–161
 - STL 55
- Open Handset Alliance (OHA) 12, 244–253
- Open Signed 39, 366–368
- Open Signed Offline 367–368
- Open Signed Online 366–367
- OpenGL ES 136, 171–174, 236
- OpenKODE 169–176, 203
- OpenMAX 137, 175–176
- Openmoko 12, 13, 192, 371
- OpenGL 113–114
- OpenVG 174–175
- operator[] 58
- operator new 73, 75
- out-of-memory (OOM) 72, 123, 397–408

- paintEvent() 268
- Palm OS 11
- PAMP. *See* Personal Apache-MySQL-PHP
- Panic() 115
- panics 91–93. *See also specific panics*
- parameters 51, 381–382
- patterns 384–385
- payment systems 16
- PCM. *See* pulse code modulation
- perm 121, 126
- Personal Apache-MySQL-PHP (PAMP) 189–190, 205
- Phonon 137, 185
- PIM 138–139
 - mapping 251
 - Net60 Mobility Framework 236
- P.I.P.S. 21, 104–105, 333–346
 - heap 340–341
 - limitations and workarounds 120–131
 - S60 106
 - timers 127–128
 - UIQ 106
 - WSD 333
- PKI. *See* public key infrastructure
- Playback Rate 114
- platform independence 387–388
- Pls() 343–344
- plug-ins 33–34, 161

- poll() 141
- Pop() 81, 88–89
- PopAndDestroy() 81, 84
- popen() 124, 198
- portable code 375–396
- Portable Operating System Interface (POSIX) 21, 28, 103–131
- porting 2
 - analyzing code 28
 - applications 216–220, 271–288, 309–331
 - build files 115–118
 - build process 35–36
 - build system 34–35
 - compiling 39–41
 - complex applications 309–331
 - debugging 45–46
 - development
 - environment 31–34
 - iPhone 255–256
 - Microsoft Windows 207–241
 - middleware 289–307
 - Mobile Linux 189–206
 - .NET 239–240
 - Objective-C 256
 - packing 38–39
 - process 23–47
 - projects 24–27
 - re-architecting 29–31
 - re-integrating 46–47
 - running and testing 44–45
 - simple applications 271–288
 - system requirements 31
 - UI 266–269
- porting layer 30–31
- Position() 150
- POSIX. *See* Portable Operating System Interface
- posix_spawn() 124
- PowerMgmt 366, 367
- #pragma 40
- prefixes 51–52
- private inheritance 391
- problems 41
- process identity 356–357
- processing power 42
- PROT_EXEC 121, 122
- ProtServ 366, 367
- P&S. *See* publish and subscribe
- pthread 114, 123, 142, 144, 198, 345
- Ptr() 63, 149
- public key infrastructure (PKI) 360–361
- publish and subscribe (P&S) 248, 359
- Publisher ID 364–365
- pulse code modulation (PCM) 115, 146
- PushL() 80, 88–89
- PWD 335
- Pyramid 301
- Python 298–299, 393
- QAbstractListModel 268
- QAbstractSocket 264
- QAuthenticator 263
- QBuffer 262
- QChar 259
- QCharRef 259
- QDataStream 262
- Q_DECLARE_PRIVATE 283
- QFile 262
- QIODevice 262
- QLineEdit 328
- QListView 268
- QMainWindow 267
- qmake 292, 293, 305–306
- QMenuBar 280
- QModelIndex 268
- QNetworkAccessManager 262–263
- QObject 179, 180, 184, 257, 265
- QObjectPrivate 283
- Q_OS_MAC 280
- Q_OS_SYMBIAN 277, 304
- Q_OS_UNIX 277, 280
- QPainter 181
- QReadWriteLock 265
- QScriptEngine 183
- QSoftMenuBar 280
- QSslSocket 264
- QString 180, 257–259
- QSvgWidget 184
- Qt 13, 21, 135, 177–187, 271–286
 - Cocoa 256–266
 - descriptors 60
 - HTTP 263
 - I/O APIs 261–262
 - networking 262–264
 - S60 301–304
 - threads 264–266
 - views 267–269
 - widgets 267–269
- QtCore 178–181
- QTcpSocket 262, 264
- QTextStream 259
- QThreadPool 265
- QThread::run() 264
- QThreadStorage 265
- QToolBar 280
- QTOPIA_PHONE 278–279
- QTreeView 268
- QtScript 182–183
- QtSql 183
- QtSvg 183–184
- QtWebKit 184
- QtXml 184–185
- QValidator 328
- QWidget 181, 267–268
- Q_WS_S60 304
- R classes 53–54, 79, 85
- RAllocator 402
- RAM 42, 398
- Raptor 34
- RArray 57–58
- R_AVKON_SOFTKEYS_EXIT 155
- RBase 53
- RBuf 64–65, 67, 149

- RChunks 338–339
- RDA. *See* Remote Device Access
- RDbNamedDatabase 358
- RDF. *See* resource description framework
- ReadDeviceData 349, 366, 367
- ReadUserData 129, 349, 363, 367
- real-time graphics and audio (RGA) 60, 136, 137, 159–168
- Realview toolchain (RVCT) 226
- Receive() 201–202
- Redland 397–408
- RedrawReady() 303
- registry 221–222
- Release() 79, 84
- Remote Device Access (RDA) 246
- removable media data caging 358
- requests 96–97
- Research in Motion (RIM) Blackberry, 11, 17–18
- resource description framework (RDF) 397
- revision-control systems 392–393
- RFastLock 224
- RFCOMM 127
- RFile 54, 60, 144
- RFS::NotifyChange() 304
- RGA. *See* real-time graphics and audio
- RHandle 213
- RHashMap 59
- RHeap 122–123, 399
- RIM. *See* Research in Motion
- RMessagePtr2 92, 351
- RPointerArray 57, 58
- RProcess 234
- RProperty 248, 359
- RReadStream 216
- RSendAs 139
- RSendAsMessage 139
- RSessionBase 95
- RSockServ 340
- RSqlDatabase 359
- RThread 122, 123, 142, 144
- RTimer 127
- RunError() 97–98
- RunL() 97, 141
- runtime_error 119
- RVCT. *See* ARM RealView Compilation Tools; Realview toolchain
- RWindow 215
- RWindowGroup 303
- RWriteStream 216
- RWsSession 216, 304
- S60 60, 106, 161–162, 301–304
- Samsung GSensor 282–284
- SAX. *See* Simple API for XML
- scalable vector graphics (SVG) 183–184
- scope-resolution operator 55
- screen resolution 43–44
- SDKs 31, 33–34
 - C 214
 - Symbian Developer Library 41
 - Windows 210–214
- SDL. *See* Simple DirectMedia Layer
- Secure ID (SID) 130, 356
- security 117–118, 129–131, 347–373
 - Android 369–371
 - iPhone 371–372
 - Linux 204–205
 - Maemo 371
 - Openmoko 371
 - Windows 210
 - Windows Mobile 234, 372–373
- semget() 125
- Send() 200–201
- services 249
- SetActive() 97
- SetContainerWindowL() 215
- setDefault() 280
- setgid() 121
- SetLength() 70
- SetMax() 70
- setpgid() 121
- SetPls() 345
- setsockopt() 127
- setuid() 121
- setvbuf() 122
- shmget() 125, 339
- short int 56
- SID. *See* Secure ID
- SIGALRM 127
- SIGKILL 342
- SIGKILL/SIGQUIT 125
- signed char 56
- signing 233–236
- SIGSTOP 342
- Simple API for XML (SAX) 184
- Simple DirectMedia Layer (SDL) 168–169
- SIS 38, 39, 126, 229
 - Carbide.c++ 368–369
 - Open Signed Online 366–367
- Size() 69, 150
- SizeChanged() 149
- sizeHint() 268
- sockets 124, 127, 223
- soft input panels 221
- SoundStretch 115–120
- SoundTouch 36, 37, 115–120
- SourceForge 190
- SPARQL 397
- sparse files 122
- SQL 183, 359
- Standard Template Library (STL) 55, 107–108
- static library (LIB) 109

- st_atime 121
- std::bad_alloc 76
- stdc++ 333
- STDDL 40–41, 112–113, 117, 336
- stderr 45, 119–120, 121, 334, 338
- STDEXE 112–113, 142, 336
- stdin 121, 334, 337
- stdio 126, 335, 337–338
- stdioserver 120, 126
- STDLIB 112–113
- STDLIBS-INIT panic 123
- stdout 45, 121, 126, 334, 337
- std::runtime_error 115
- STL. *See* Standard Template Library
- STLport 110, 293, 296
- st_mtime 121
- strcpy() 343
- string handling 59–60
- StringLoader 229
- struct 52, 82, 343–345
- Subversion 392
- suffixes 51–52
- SurroundingsDD 366, 367
- Suspend() 128
- SVG. *See* scalable vector graphics
- SwEvent 161, 366, 367
- Symbian Developer Library 41, 57
- Symbian Signed 234–235
 - certificates 364–366
 - Open Signed 39
 - testing 398
 - UID 38
- _SYMBIAN32_ 46, 294
- symlink() 122
- system() 124
- SYSTEMINCLUDE 116

- T classes 52, 79
- TAny 56–57, 213
- Target-Action 268
- TBool 57, 213
- TBuf 63–64, 67, 149
- TCB. *See* Trusted Computing Base
- TCB 117, 350, 355
- TCHAR 219, 322
- TCP/IP 6, 8, 223
- TDb1Que 59
- TDb1QueLink 59
- TDD. *See* test-driven development
- TDes 61–63, 67
- TDesC::Ptr() switch, 63
- telephony 139, 185, 251
- Temple 301
- Tempo 114
- test-driven development (TDD) 44
- text editor 32
- Themes API 167
- this 382
- thread local storage (TLS) 100, 335, 403
- threads
 - active objects 94–95
 - Cocoa 264–266
 - ECOM 230
 - heaps 122
 - Qt 264–266
- timestamps 121
- TInt 56, 61, 92
- TLeave 76
- TLitC 67
- TLocale 335
- TLS. *See* thread local storage
- TMPDIR 335
- TPoint 150, 213
- TPriority 95
- TPtr 63, 67, 153
- Trac 300
- transient server 337
- TranslateMessage() 216
- trap handlers 45, 72, 73, 76–78, 85, 90, 110, 143, 285
- TReal 56
- TRect 213
- TRequestStatus 93, 96, 127, 142
- TRgb 150
- True Type fonts (TTF) 164
- trusted applications 362–366
- Trusted Computing Base (TCB) 350, 355
- TrustedUI 366, 367
- try...catch 143, 391
- TSecurityPolicy 359
- TTF. *See* True Type fonts
- TUInt 56, 61, 213
- two-phase construction 86–91
- typedef 64, 386
- TZ 335

- Ubuntu Mobile 12
- _UHEAP_MARKEND 399
- _UHEAP_SETFAIL 72
- UI. *See* user interface
- UIAccelerometer 270
- uic 305
- UID 37, 117, 228
 - EXE 118
 - Symbian Signed 38
- UID3 356
- UIImagePicker 270
- UIKit 135, 267–269
- UIQ 10, 33–34, 106
- UITableView 268
- unsigned int 56
- untrusted applications 363–364
- USER 11 panic 60, 64, 92
- USER 42 panic 82, 90
- USER 129 panic 57
- user interface (UI) 33–34, 134–136, 266–269. *See also* graphical user interface
- DLL 29
- engine 29
- fragmentation 10–12

- games 136
- Linux 202–203
- reunification 12–13
- Windows Mobile 238–239
- UserEnvironment 154, 349, 364, 365
- User::Free() 82, 84
- User::Leave() 73, 74
- User::LeaveIfError() 73
- User::Panic() 92
- User::ResetIn-activityTime() 155
- User::SetCritical() 91
- User::SwitchHeap() 123
- utility APIs 166–168

- VARIANT 230
- Vendor ID (VID) 356–357
- views 267–269

- Virtual Code API 168
- virtual memory 398
- Visual Studio 32, 211–212, 237
- vsnprintf() 319

- wait() 124, 198
- waitpid() 124, 198
- wcelibex 312
- wchar 197
- wchar_t 320
- widgets 267–269
- Win32 293, 294, 295, 297, 299, 318
- Windows 7, 207–241
- Windows Mobile 11, 18–19, 211–212, 223–226, 234
 - debugging 213–214
 - security 234, 372–373
 - UI 238–239
 - UIDs 228
- Windows Vista 31
- Windows XP 32

- WINSCW 34
- _WINSCW_ 284
- WndProc() 314
- World Wide Web Consortium (W3C) 397
- writable static data (WSD) 99–100, 111, 343–345
 - constructors 99
 - P.I.P.S. 333–334, 343–346
- WriteDeviceData 349, 366, 367
- WriteUserData 129, 349, 363, 367
- WSD. See writable static data

- XLeaveException 74, 85, 90

- zlib 294, 295, 296
- Zsh 119