

# Contents

---

<b>Preface</b>	<b>xi</b>
<b>1 Review of Power Cable Standard Rating Methods</b>	<b>1</b>
1.1 Introduction	1
1.2 Energy Conservation Equations	2
1.2.1 Heat Transfer Mechanism in Power Cable Systems	2
1.2.1.1 Conduction	2
1.2.1.2 Convection	3
1.2.1.3 Radiation	3
1.2.1.4 Energy Balance Equations	4
1.2.2 Heat Transfer Equations	5
1.2.2.1 Underground Directly Buried Cables	5
1.2.2.2 Cables in Air	6
1.2.3 Analytical Versus Numerical Methods of Solving Heat Transfer Equations	7
1.3 Thermal Network Analogs	7
1.3.1 Thermal Resistance	8
1.3.1 Thermal Capacitance	10
1.3.3 Construction of a Ladder Network of a Cable	10
1.3.3.1 Representation of Capacitances of the Dielectric	11
1.3.3.2 Reduction of a Ladder Network to a Two-Loop Circuit	15
1.4 Rating Equations—Steady-State Conditions	19
1.4.1 Buried Cables	19
1.4.1.1 Steady-State Rating Equation without Moisture Migration	19
1.4.1.2 Steady-State Rating Equation with Moisture Migration	21
1.4.2 Cables in Air	24
1.5 Rating Equations—Transient Conditions	24
1.5.1 Response to a Step Function	25
1.5.1.1 Preliminaries	25
1.5.1.2 Temperature Rise in the Internal Parts of the Cable	26
1.5.1.3 Second Part of the Thermal Circuit—Influence of the Soil	29

1.5.1.4	Groups of Equally or Unequally Loaded Cables	30
1.5.1.5	Total Temperature Rise	31
1.5.2	Transient Temperature Rise under Variable Loading	32
1.5.3	Conductor Resistance Variations during Transients	32
1.5.4	Cyclic Rating Factor	32
1.6	Evaluation of Parameters	36
1.6.1	List of Symbols	36
1.6.1.1	General Data	36
1.6.1.2	Cable Parameters	36
1.6.1.3	Installation Conditions	38
1.6.2	Conductor ac Resistance	38
1.6.3	Dielectric Losses	40
1.6.4	Sheath Loss Factor	41
1.6.4.1	Sheath Bonding Arrangements	42
1.6.4.2	Loss Factors for Single-Conductor Cables	45
1.6.4.3	Three-Conductor Cables	48
1.6.4.4	Pipe-Type Cables	49
1.6.5	Armor Loss Factor	49
1.6.5.1	Single-Conductor Cables	50
1.6.5.2	Three-Conductor Cables—Steel Wire Armor	51
1.6.5.3	Three-Conductor Cables—Steel Tape Armor or Reinforcement	52
1.6.5.4	Pipe-Type Cables in Steel Pipe—Pipe Loss Factor	52
1.6.6	Thermal Resistances	52
1.6.6.1	Thermal Resistance of the Insulation	54
1.6.6.2	Thermal Resistance between Sheath and Armor, $T_2$	58
1.6.6.3	Thermal Resistance of Outer Covering (Serving), $T_3$	58
1.6.6.4	Pipe-Type Cables	59
1.6.6.5	External Thermal Resistance	60
1.6.7	Thermal Capacitances	69
1.6.7.1	Oil in the Conductor	69
1.6.7.2	Conductor	71
1.6.7.3	Insulation	71
1.6.7.4	Metallic Sheath or Any Other Concentric Layer	72
1.6.7.5	Reinforcing Tapes	72
1.6.7.6	Armor	72
1.6.7.7	Pipe-Type Cables	72
1.7	Concluding Remarks	72
	References	73
<b>2</b>	<b>Ampacity Reduction Factors for Cables Crossing Thermally Unfavorable Regions</b>	<b>77</b>
2.1	Cables Crossing Thermally Unfavorable Regions	77
2.1.1	Introduction	77
2.1.2	Ampacity Reduction Modeling	78

2.1.3	Temperature Distribution Along the Rated Cable	78
2.1.4	Derating Factor	84
2.1.5	Cyclic Rating for Cable Crossing Unfavorable Region	90
2.1.6	Soil Dryout Caused by Moisture Migration	99
2.2	Ventilated Routes	101
2.2.1	Cable Laid in a Pipe with Air Convection	102
2.2.1.1	Self-Supporting Air Convection	102
2.2.1.2	Forced Air Convection	108
2.2.2	Numerical Example Illustrating the Cooling Pipe Concepts	108
2.2.3	Reduction of a Magnetic Field	112
2.3	Concluding Remarks	117
2.4	Chapter Summary	117
	References	119
<b>3</b>	<b>Cable Crossings—Derating Considerations</b>	<b>121</b>
3.1	Introduction	121
3.2	Utility Practices	122
3.3	Derating Factor	124
3.4	Temperature Distribution Along the Rated Cable and the Mutual Thermal Resistance	125
3.4.1	Single External Heat Source	125
3.4.2	Heating by a Steam Pipe	131
3.4.3	Multiple Crossing Heat Sources	134
3.5	Consideration of a Screen Longitudinal Heat Flow	140
3.6	Transient Temperature Rise of Cable Crossings	145
3.6.1	Transient External Thermal Resistance	145
3.6.2	Cyclic Rating	147
3.6.2.1	Cyclic Loading of the External Heat Source	147
3.6.2.2	Rated Cable with Cyclic Load	149
3.7	Soil Dryout Caused by Moisture Migration	156
3.8	Concluding Remarks	161
3.9	Chapter Summary	161
	References	164
<b>4</b>	<b>Application of Thermal Backfills for Cables Crossing Unfavorable Thermal Environments</b>	<b>165</b>
4.1	A Brief History of Soil Thermal Resistivity Measurements	166
4.2	Optimization of Power Cable and Thermal Backfill Configurations	168
4.2.1	Analysis of the Effect of Parameter Variations	169
4.2.2	Formulation of the Optimization Problem	170
4.2.3	Assessment of Sensitivities to Ambient Fluctuations	178
4.3	Parameter Uncertainty in Rating Analysis of Cables Crossing Unfavorable Thermal Environments	187
4.3.1	Sample Cable System	188

4.3.2	Statistical Variations of Cable Circuit Parameters	190
4.3.2.1	Load Probability Distribution	190
4.3.2.2	Ambient Temperature Probability Distribution	190
4.3.2.3	Native Soil and Backfill Probability Distributions	190
4.3.3	Computation of Temperature Distribution Using Monte Carlo Simulation	194
4.3.3.1	Steady-State Analysis	194
4.3.3.2	Transient Analysis	196
4.3.4	Sample Applications	197
4.4	Stochastic Optimization	202
4.5	Concluding Remarks	206
4.6	Chapter Summary	207
	References	209
<b>5</b>	<b>Special Considerations for Real-Time Rating Analysis and Deeply Buried Cables</b>	<b>211</b>
5.1	Introduction	211
5.2	Prediction of Conductor Temperature from the Conductor Current	213
5.2.1	Introduction	213
5.2.2	Mathematical Model	213
5.3	Practical Application of the Temperature Prediction Equation	222
5.4	Field Verification of the Temperature Calculations	223
5.5	Loss Factor Calculations in Rating Standards	224
5.5.1	Daily Load Cycle	224
5.5.2	Consideration of Weekly Load Variations	230
5.5.2.1	Characteristic Diameter	233
5.6	Deeply Buried Cables	237
5.6.1	Characteristic Diameter	238
5.6.2	Temperature Changes for Deeply Buried Cables	242
5.7	Concluding Remarks	242
5.8	Chapter Summary	243
	References	245
<b>6</b>	<b>Installations Involving Multiple Cables in Air</b>	<b>247</b>
6.1	Introduction	247
6.2	Current Rating of Multicore Cables	247
6.2.1	Introduction	248
6.2.2	Background	249
6.2.2.1	Evaluation of the Jacket Thermal Resistance	249
6.2.2.2	Rating Equations	250
6.2.2.3	Evaluation of the External Thermal Resistance	251
6.2.3	Heat Conduction Inside the Cable Bundle	254
6.2.3.1	Uniform Loss Density	254

6.2.3.2	Unequally Loaded Bundle	262
6.3	Examples of Derating Factors	266
6.3.1	Rating Factors	267
6.3.1.1	Laying in a Single Layer on Wall, Floors, or in Cable Trays	267
6.3.1.2	Laying in a Single Layer under Ceilings	268
6.3.1.3	Laying in a Single Layer on Ventilated Cable Trays	268
6.3.1.4	Laying in a Single Layer on Cable Ladders, Brackets, or Wire Mesh	269
6.3.1.5	Laying in Several Layers	270
6.3.1.6	Several Cables Connected in Parallel	270
6.4	Concluding Remarks	270
6.5	Chapter Summary	273
6.5.1	Cables in Free Air	273
6.5.2	Cables in Moving Air	274
6.5.3	Unequally Loaded Bundle	275
6.5.3.1	Central Part Loaded	275
6.5.3.2	Outer Part Loaded	275
	References	276
<b>7</b>	<b>Rating of Pipe-Type Cables with Slow Circulation of Dielectric Fluid</b>	<b>279</b>
7.1	Nomenclature	279
7.2	Introduction	280
7.3	Thermal Effects of Dielectric Fluid Circulation	283
7.3.1	Background Information	284
7.3.1.1	Calculation of Coolant Parameters	284
7.3.1.2	Thermal Calculations	285
7.3.2	Buller's Model	285
7.3.2.1	Effective Cooling Distance	287
7.3.3	Model for Real-Time Rating Computations	291
7.3.3.1	Oil Velocity Profile	292
7.3.3.2	Oil Temperature Distribution	293
7.3.3.3	Thermal Resistances of the Oil Film	294
7.4	Concluding Remarks	299
7.5	Chapter Summary	300
	References	302
<b>Appendix A:</b>	<b>Model Cables</b>	<b>303</b>
	Model Cable No. 1	303
	Model Cable No. 2	303
	Model Cable No. 3	305
	Model Cable No. 4	305
	Model Cable No. 5	305

**x** CONTENTS

Model Cable No. 6	308
References	312

**Appendix B: Computations of the Mean Moisture Content in Media Surrounding Underground Power Cables** 313

Introduction	313
Soil–Water Balance	314
Determination of Potential Evapotranspiration	315
Weekly Soil–Water Balance Calculations	315
References	315

**Appendix C: Estimation of Backfill Thermal Resistivity** 317

Reference	319
-----------	-----

**Appendix D: Equations for Dielectric Fluid Parameters** 321

**Index** 323