
Index

Note: Page numbers in *italics* indicate figures and those in **bold** indicate tables.

- Absorption depths 198
- Accuracy 115–116, 164, *165*
- Acousto-optic tunable filters (AOTF) *71*, **71**, 73–74, 75
- Acousto-optically switched Nd:YAG lasers 204
- Aerosols 9
- analysis of biological 211
 - breakdown 40
 - generation of 238–239
- AIO emissions, monitoring oxide removal using 130, *132*, *133*
- Aluminum
- AIO spectrum from laser plasma formed on oxidized Al metal 127
 - experimental arrangement for surface cleaning of 126–127
 - LIBS at commercial Al operation 229–230
 - mass ablated as a function of LTSD for spherical and cylindrical lenses 144, *145*
 - monitoring oxide removal using AIO emissions 130, *132*, *133*
 - monitoring oxide removal using O(I) emissions 127–130
 - rate of oxide removal 130–132
 - spectra from Al metals with different degrees of surface contamination 134, *135*
 - spectra recorded from an anodized Al metal plate 128, *129*
 - spectra recorded from an unanodized Al metal plate 127, *128*
 - surface condition after cleaning 133
- Analysis
- contaminants of nuclear fuel reprocessing plants 182
 - industrial environment samples 181
 - material sorting and type of 134–136
 - underwater 192, 213, *214*
- Analytical figures-of-merit (FOM) 99–116, 164–168
- Antarctic sediments, LIBS results 165, **167**
- Anti-reflection coatings, on lenses 64
- AOTF (Acousto-optic tunable filters) *71*, **71**, 73–74, 75
- Apparatus, LIBS 2, 3, 53–97, 126–127, 156, **157**, 173–174
- Array detectors, shutters 84–88
- Art analysis 13
- Asbestos
- comparison of spectra of building materials and *124*, **124**
 - material identification 122
 - spectra of cement, ceiling tile and *123*
- Atom counting 124–125
- Atomic optical emission spectrochemistry (OES) 1–2
- Avalanche photodiodes 83
- Backpack LIBS instruments 137, *139*
- Ba(II) signals, dependence on compound form in solid matrix 154, *155*
- Bandpass filters 71–73
- Barium, concentrations in soil 141

- Basalt
 calibration curves for Ba and Si using
 samples of 137, 139
 composition differences between
 samples **137**
 identification of the strong line in
 spectrum 121
 LIBS spectrum of 33, 34
 overlapped spectra of samples 137, 138
 spectra at 90 and 0.77 atm 219, 220
 spectrum from rock sample 100, 101,
 102, 119, 121
- Beam diffraction, smallest spot size
 175–176
- BeCu particles, LIBS analysis of different
 sized 151
- Beryllium processing plant 140
- Beryllium solutions, LIBS spectra
 99, 100
- Beryllium, aerosolization of 238–239
- Biological materials, LIBS for 211–212
- Boltzmann temperature determination 31,
 33, 34, **34**, 35, 36, 199
- Breakdown
 in gases 36–38
 in solids, aerosols and liquids 39–41
- Breakdown thresholds 40–41
 for various lasers and gases 37, **38**
 in molecular oxygen and nitrogen 37
- Bremsstrahlung process 23, 197
- Broadening
 collision 26
 Doppler 25–26
 natural 27
 pressure 69
 Stark 26, 69
 time dependent 109
- Calibration
 detection systems 88–92
 wavelength 88–90, 91
- Calibration curves 107–113, 147
 of Ca(II) in soil and clay samples
 148–149
 definition **114**
 dependence of slope on pressure
 112, 113
 as a function of laser energy 112
- LiCl solution impurity detection
 162, 163
 nonlinear and linear 110–111
- Calibration-free LIBS (CF-LIBS) 12,
 164, 201–203
- Calibration sample, definition **114**
- Calibration standards 113–114
- Carbon, internal standardization in
 detection of C in soil 152–153
- CCD, *see* Charged coupled device (CCD)
- Certified reference material,
 definition **114**
- CFCs (chlorofluorocarbons), atom counting
 124–125
- Charged coupled device (CCD) **83**, 85,
 86, **87**, 88
- Chemical matrix effects 153–155
- Chirped pulses 183–184, 186
- Chromatic aberrations, lens 62, 63, 178
- Clay, calibration curve of Ca(II)
 148–149
- Collinear laser beams 48, 49, 61, 62
- Collinear laser pulses, laser microablation
 and plasma reheating 209
- Collinear pulse configuration 61
- Collision broadening 26
- Color filters 71
- Compact lasers 56, 57, 94
- Compact LIBS instruments 137,
 139, 221
- Compact probe fiber optic LIBS 94, 95,
 137, 139, 172
- Continuous optical discharges (COD)
 8, 39
- Conventional electrode spark 1, 2, 172
- Conventional remote LIBS 173
 using femtosecond laser pulses
 182–184
- Conventional remote open path LIBS
 173–182
 analysis results 179–182
 apparatus 173–174
 cliff bank interrogation demonstration
 174, 180
 laser pulse focusing 174–178
- Cr solutions, LIBS spectra 99, 100
- Cu(I), calculated profiles at 324.7 nm as
 function of species density 202

- Cylindrical optics 63, 64
 Czerny-Turner spectrograph 74, 76, 77, 79
- Depth resolution 205
- Detection limits 115, 164
 bibliography for 117
 for impurities in LiCl solutions 158, 163
 representative 245–270
 uniform 263–265
- Detection system calibrations 88–92
 spectral response calibration 90–92
 wavelength calibration 88–90, 91
- Detectors 83–88
- Diagnostic techniques 25
- Diameters of laser pulses 64
- Diode lasers 13, 58
- Directionality, laser pulse 60
- Donut mode laser pulses 63, 64
- Doppler broadening 25–26
- Doppler widths 27, 28, 29
- Double pulse LIBS 47–49, 61–62
 geometric arrangements 48, 49, 61, 62
 reheating experiments 208, 209
 studies and applications 208–209
- Echelle grating 80
- Echelle spectrographs 80–83
 comparison of two 83
 diagram 81
 example of spectra 82
- Echelleograms 81, 82
- Edge filters 72, 80
- Electrode spark 1, 2, 172
- Electron densities, determination from spectral line widths 27–30
- Electron temperature, convergence of 31
- Elements
 identification of 119–122
 ionization stage of 120
 ionization stage of, labels 101
 signals as function of pressure 218, 219
- Emission lines
 comparison of peak heights and areas 104, 105
 determining area of 103–104
 determining intensity of 102–103
 as function of LTSD 146
 observation of multiple 121
 ratioed intensities as a function of LTSD 147
 topics to consider when identifying 119–121
- Errors in accuracy 115–116
- Femtosecond laser pulses, conventional remote LIBS using 182–184
- Femtosecond lasers 39, 40, 58, 171, 173, 182–187
- Fiber optic cables (FOCs) 65–69
 cladding materials 66
 core diameters 66
 custom configurations 68
 fused silica 65, 66
 laser pulse delivery 68, 69
 laser pulses injected into 94, 95, 189–193, 194
 spectral transmissions 66, 67
- Fiber optic coupled LIBS
 for analysis of nuclear reactor components 194
 literature relating to 193
- Fiber optic LIBS 172, 187–194
- Fiber optics 171
 applications of 192–194
 for laser pulse delivery 189–192
 for light collection 68, 187–189
- Figures-of-merit 99–116, 164–168
- Filamentation 184
- Filaments
 images produced in air 185, 186
 images produced on a target 187
- Filters
 edge 80
 single line 89
 spectral 71–73
- Flashlamp-pumped Nd:YAG lasers 54–57
- Flyby asteroid mission, LIBS for 214
- FOC, *see* Fiber optic cables (FOCs)
- Focal lengths 64
 relationship between beam diameter and 175, 176
- Free-electron bremsstrahlung 197

- Galilean telescopes 190, 191
- Gases
 analysis of 179
 breakdown in 36–38
 post-breakdown phenomena in 39
- Gate pulses, timing between laser pulse and 93–94
- Gaussian profiles 26
- Geiger photodiodes 83
- Geological samples, LIBS remote analysis of 180
- Graphite, LIBS spectrum 101
- Grating spectrographs, dispersion of 78
- Harmonic generation 60, 61
- Hazards, associated with LIBS experiments **238**
- Hg calibration spectrum 89
- High speed scanning LIBS 207
- History of LIBS
 1960–1980 6–9
 1980–1990 9–11
 1990–2000 11–15
- Hydrogen
 Doppler and Stark widths of **28**, 29
 Stark broadening of H(I) 104
- Incinerators, on-line continuous monitoring of emissions from 166, 167
- Inductively coupled plasma (ICP) 1, 2
- Industrial environment samples, analysis of 181
- Injection, seeded Nd:YAG lasers 57
- Intensified CCD (ICCD) **83**, 88
- Internal standardization 110–111, 152–153
- Ionization, multiphoton 36
- Irradiance (intensity) 59
- K9 rover 11, 12
- Kerr effect 184, 185
- Laser ablation 43–47
- Laser beams 48, 49
- Laser detonation wave (LDW) 43
- Laser Identification of Fittings and Tubes (LIFT) 231
- Laser-induced breakdown 36–43
 in gases 36–38
 post-breakdown phenomena in gases 39
 post-breakdown phenomena on solid surfaces 41–43
 solids, aerosols and liquids 39–41
- Laser-induced breakdown spectroscopy (LIBS) 2–6
 1960–1980 history 6–9
 1980–1990 history 9–11
 1990–2000 history 11–15
 ablation crater 216
 accuracy of 164, 165
 active areas of investigation (2000–2002) 15–16
 advantages for space applications 215
 apparatus 2, 3, 53–97
 applications 229–230
 at commercial aluminum operation 229–230
 backpack instruments 137, 139
 for biological materials 211–212
 combining with other analytical techniques 229
 comparison of SEM-EDX and 165, 166
 components and systems availability 231–232
 continuous monitoring of composition of liquid process stream 231
 deployment methods 94–96
 detection limits 245–270
 development milestones **6**
 factors to speed commercialization of 230–232
 field tests 221–223
 fundamental research 197–201
 future of 227–233
 high resolution spectrum 69–70
 improvements made in recent years 227–228
 instrument with sampling head mounted on mast of test rover 222, 223
 major references 271–273
 measurement basics 99–105
 multiple pulses 47–49, 61–62, 208, 209
 papers per year (1966–2005) 15
 patents per year (1979–2002) 16

- recommended methods for commencing LIBS research on a variety of samples **241–242**
- remote analysis applications 11, 179–182, 192–193, 194
- routine use in industrial applications 230–231
- space applications 214–223
- spectra 3–4, 5
- standardization and quantification 230
- time-resolved detection 93–94
- in underwater analysis 213, 214
- useful operating range 177, 178
- Laser-induced breakdown spectroscopy (LIBS) plasma 23–49
 - double or multiple pulse LIBS 47–49
 - fundamentals 23–36
 - inhomogeneities 198
 - laser ablation 43–47
 - laser-induced breakdown 36–43
 - temporal history 23, 24
 - temporal history when two laser pulses are used 47, 48
- Laser-induced plasma spectroscopy (LIPS), *see* Laser-induced breakdown spectroscopy (LIBS)
- Laser-induced Plasmas and Applications* (Radziemski and Cremers) 11
- Laser microablation and plasma reheating, with collinear laser pulses 209
- Laser optical emission spectrochemistry (OES) 1–2
- Laser plasmas
 - generation on soil 190
 - homogeneity of 199
 - information from 69
- Laser pulse transport, factors influencing fiber damage for **192**
- Laser pulses
 - diameters 64
 - directionality 60
 - donut mode 63, 64
 - fibers for delivery 189–192
 - FOC delivering 68, 69
 - focusing 62, 63, 174–178
 - induced ignition 239
 - microablation and plasma reheating with collinear 209
 - required to reach matrix 210, 211
 - timing between gate pulse and 93–94
- Laser safety 237–238
- Laser spark spectroscopy (LSS), *see* Laser-induced breakdown spectroscopy (LIBS)
- Laser sparks 1, 2, 197
 - spectra of Al surface contaminated by Ti-containing solution 149, 150
- Laser-supported combustion (LSC) waves 42
- Laser-supported detonation (LSD) waves 42
- Laser-supported radiation (LSR) waves 42
- Lasers 54–62
 - acousto-optically switched Nd:YAG 204
 - advances 203–204
 - breakdown thresholds 37, **38**
 - compact 57, 94
 - diode 13, 58
 - femtosecond 39, **40**, 58, 182–184
 - flashlamp-pumped Nd:YAG 54–55, 56
 - fundamentals of 54–55
 - generation of additional wavelengths 60–61
 - injection seeded Nd:YAG 57
 - interactions with different pulse lengths on solid surfaces 44, 45
 - microchip 58, 203–204
 - monochromaticity 60
 - nanosecond 183
 - Nd:YAG 54–57, 181, 204
 - picosecond 183
 - properties important for LIBS 59–60
 - Q-switched 55
 - spatial quality 59
 - specifications for LIBS 55, **56**
 - surface cleaning 125, 126
 - types of 55–58
- Lens systems 62, 64
- Lens-to-sample distance (LTSD) 143, 145
- Lens types 65
- Lenses 63–65
 - chromatic aberrations 62, 63, 178
 - materials 64

- LIBS, *see* Laser-induced breakdown spectroscopy (LIBS)
- LiCl solutions
 analytical lines of impurities 157, **158**
 apparatus for LIBS measurements 156, **157**
 calibration curves 157, 162
 calibration curves for the impurities Ca, Mg and Si 162
 calibration curves for the impurities Cr, Ni and C 163
 calibration curves for the impurities K, Na and Fe 163
 detection limits 158, 164
 impurity detection 155–165
 experimental procedure 157–158
 measurement precision 157–158, 161–163
 results 158–165
 results discussion 163–164
 objective of study 155–156
 preparation of 156–157
 spectrum of Cr 158, 161
 spectrum of Mg(I) line 158, 159
 spectrum of Ni 158, 160
- LIDAR (light detection and ranging) 172
- Light collection, with a fiber optic 187
- Limit of detection 115, 158, 163, **164**, 245–270
- Line filters 71, 73
- Line profiles, spectral lines and 25–27
- Line (long) sparks 9, 10, 63, 64, 126
- Linear dispersion 78
- Linear dynamic range 107
- Lines, determining area of 103–104
- LIPS, *see* Laser-induced breakdown spectroscopy (LIBS)
- Liquids
 breakdown thresholds 40–41
 generating plasmas in 8
 remote analysis 179
- Lithium solutions, detection of impurities in 155–165
- Lithium, Doppler and Stark widths of **28**, 29
- Local thermodynamic equilibrium (LTE) 31, 32
- Long wave pass edge filters 71
- Lorentz profiles 26
- LSS, *see* Laser-induced breakdown spectroscopy (LIBS)
- LTSD, *see* Lens-to-sample distance (LTSD)
- Lunokhod rover 217
- Mars
 analysis of Phobos 215
 image of berry shaped formations 216
 LIBS studies **218**
- Mars Science Laboratory rover (MSL) 222, 223, 229
- Marx bank pulse generators 61
- Materials
 identification 119, 122–125
 sorting 133–137
- Matrix effects 153–155
- Measurement repeatability 105
- MER Opportunity rover, geological features discovered by 216, 217
- Mercury calibration spectrum 89
- Metals, effect of plasma shielding on ablation rate of pure 45, **46**
- Microablation and plasma reheating, with collinear laser pulses 209
- Microchannel plates (MCPs) 87
- Microchip lasers 58, 203–204
- Mineral melt, stand-off analysis of major elements in 180
- Mirror systems 62, 63
- Mn, matrix effect example 153–154
- Molten steel, analysis of 182
- Monochromaticity, lasers 60
- MSL rover 222, 223, 229
- Multiphoton ionization 36
- Multiple pulse LIBS 47–49
- Nanosecond pulses, interaction with a copper target in vacuum 201
- Narrow bandpass filters 73
- Natural line widths 27
- Nd:YAG lasers 54–57, 181, 183, 204
- Negative chirped pulses 183
- Notch filters 71
- Nuclear fuel reprocessing plants, analysis of contaminants 182
- Nuclear reactors, LIBS applications 212–214

- O(I) emissions
- intensity after removal of anodized area surrounding ablation region 128–130, *131*
 - intensity versus shot number for an anodized Al metal plate 128, *130*
 - intensity versus shot number for an anodized Al metal plate after removal of anodized region surrounding ablation region 128–130, *131*
 - intensity versus shot number for an unanodized Al metal plate 128, *129*
 - monitoring oxide removal using 127–130
 - recorded from laser plasma formed on oxidized Al metal *127*
- On-line continuous monitoring, emissions from incinerators 166, *167*
- Open path LIBS 171–172, 173, 181
- Open path transportable LIBS 182
- Optical emission spectroscopy (OES) 1–2
- Optical systems 62–69
- fiber optic cables 65–69
 - focusing and light collection 62–63
 - lenses 63–65
- Orthogonal laser beams 48, *49*
- Orthogonal pulse configuration 61
- Oxide, removal rate from Al 130–132
- Particle size and incomplete vaporization 151
- Paschen-Runge polychromator 75, *77*
- Pb(I) signals, dependence on compound form in solid matrix 154, *155*
- Pencil lamps 89
- Photodetectors 84
- Photodiode array (PDA) **83**, 84, 85, 86, **87**
- Photomultiplier tubes (PMTs) 83, 84
- Picosecond lasers 183
- Plasma emissions, apparatus used to monitor 126
- Plasma formation *185*
- Plasma light
- collecting 178–179
 - focusing onto a spectrograph slit 188
 - plasma position change and observed signal 188, *189*
- Plasma models 199
- Plasma propagation, speed towards laser beam for air and argon sparks 198
- Plasma temperature
- as function of LTSD 144, *146*
 - parameters and energy levels for two-line determination of 33, 33
 - Saha method of determining 34, 35
- Plasmas 23
- ablation of material into 46, *47*
 - continuous laser-induced 39
 - formation on a plane surface 41, *42*
 - modeling into a vacuum 228
 - opacity 30
 - radiation processes 24, 25
 - size variation of 42, *44*
 - spectral lines and line profiles 25–27
 - temperature and thermodynamic equilibrium 31–36
- Portable soil analyzer *139*
- Positive chirped pulses 183
- Post-breakdown phenomena
- in gases 39
 - on solid surfaces 41–43
- Precision 105–107, 161–164
- Pressure broadening 69
- Process monitoring 125–133
- Pulse generators, Marx bank 61
- Pulses 183
- collinear configuration 61
 - interaction of nanosecond pulses with a copper target in vacuum 201
- Q-switched lasers 55
- Qualitative LIBS analysis 119–141
- asbestos, cement and ceiling tile 122, *123*
 - element identification 119–122
 - examples **120**
 - experimental conditions 120
 - knowledge of the sample 119
 - material identification 122–125
 - material sorting 133–137
 - process monitoring 125–133
 - site screening 137–141

- Quantitative LIBS analysis 143–169
 chemical matrix effects 153–155
 factors affecting 143, **144**, *145*, 151
 figures-of-merit 164–168
 internal standardization 110–111,
 152–153
 Li solution impurities detection
 155–165
 particle size 151
 sampling considerations 147–150
 sampling geometry 143–147
 Quasi-static Holtzmark theory 27
- Raman, combination of LIBS and
 220–221, 229
- Random errors 116
- Rayleigh range 176, 177
- Reciprocal linear dispersion 78
- Recombination process (free-bound) 23
- Reference material, definition **114**
- Refractive index, dependence on
 wavelength 62
- Remote analysis by femtosecond pulse
 produced filamentation 184–185
- Remote LIBS
 collecting the plasma light 178–179
 using femtosecond pulses 186–187
- Remote LIBS measurements 171–196
 conventional open path LIBS
 173–182
 fiber optic 187–194
 stand-off LIBS using femtosecond pulses
 182–187
- Replicate measurements 106
- Representative LIBS detection limits
 245–270
 in gases and liquids **246–250**
 in other materials **263**
 in surfaces and solids **251–262**
- Response curves 90, 92
- Rhyolite rock surface, inhomogeneities on
 149, *150*
- Rock
 ablation 121, *122*
 comparison of bulk rock, basalt and
 dolomite spectra 122, *124*
 identification of type of 122, *124*
- Safety considerations in LIBS 237–239
- Saha (Saha–Eggert) equation 34
- Saha (Saha–Eggert) plots, temperatures
 obtained from 35, 36, 199
- Saha (Saha–Eggert), method of determining
 plasma temperature 34, 35
- Sampling geometry, effects of 143–147
- Scratch and dig 65
- Sediment samples, concentration of major
 elements in 154
- Self-absorption 30, 109, *110*
- SEM-EDX, comparison of LIBS and
 165, *166*
- Sensitivity 108
 loss at high concentrations 109
- Shutters, array detectors 87
- Single lens system, minimum spot size 175
- Single line filters 89
- Site screening, using LIBS 137–141
- Slag samples, multi-elemental
 analysis 210
- Soil
 barium concentration in 141
 calibration of Ca(II) in 148–149
 generation of laser plasmas on *190*
- Soil analysis 137–141
 calibration standards 113
 use of internal standards 152–153
- Sojourner rover of Pathfinder mission 217
- Solids
 analysis of 179, 180
 breakdown 39–41
 surface post-breakdown phenomena
 41–43
- Space applications, LIBS 214–223
- Sparks
 conventional electrode 1, 2
 laser created 197
 line 126
 long 9, *10*, 63, *64*
- Spectral filters 71–73
- Spectral interferences 108–109
- Spectral lamps 89
- Spectral line widths, determining electron
 densities from 27–30
- Spectral lines and line profiles 25–27, *202*
- Spectral resolution 69–83
 devices 70–83

- Spectral response calibration 90–92
- Spectrochemical LIDAR instruments 179
- Spectrographs 74–80
 - compact 79
 - Czerny-Turner 74, 76, 77, 79
 - designs 74
 - dispersion of grating 78
 - Echelle 80–83
 - examples of spectra recorded by 74, 76
 - spectrum from compact 79
- Spectrometers
 - advances in 203–204
 - dual-grating high-resolution 204
- Spherical aberration, smallest spot size 175
- Spherical optics 63
- Spores, detection of 212
- Stainless steel
 - analysis of 181
 - LIBS analysis across an open path 210
 - mapping of inclusions 206–207
 - see also* Steel
- Stand-off analysis 180, 182
 - of soil samples 220
 - using femtosecond pulses 182–187
- Standard reference materials 164, 165
- Standard, definition **114**
- Standardization, internal 152–153
- Stark broadening 26, 69
- Stark widths 27–29, **28**, 30
- Steel
 - analysis of molten 182
 - high speed scanning for inclusion detection 207
 - LIBS analysis applications 210–211
 - monitoring spatial and temporal evolution 198–199, 200
 - see also* Stainless steel
- Surface analysis 205–208
- Surface cleaning 125, 126
- Surface condition in material sorting 134
- Surface deposits, determination of underlying bulk composition 149
- Surface detection 121
- Surfaces
 - scanning by LIBS 229
 - scanning with elongated sparks 205, 206
 - spatial distributions 205, 206
- Systematic errors 116
- TABLASER 9
- Target distances, methods of measuring **177**
- Telescopes, Galilean 190, 191
- Temperature and thermodynamic equilibrium of plasmas 31–36
- Teramobile 185–186
- Thermodynamic equilibrium, tests for existence of 32
- Ti, line intensity 102, 103
- Time-resolved detection, timing between laser pulse and gate pulse 93–94
- Titanium, gated spectra 5
- Transparent materials, breakdown in 40
- Transportable LIBS instruments 137, 139
 - soil analysis 194
- Tunable filters 73
- Underwater analysis 213, 214
 - using fiber optics 192
- Uniform detection limits 263–265
- Vaporization, minimum power density required to produce 43
- Venus, surface of 218–219
- Voigt profiles 26, 202
- Water, breakdown thresholds 40, **41**
- Wavelength calibration 88–90, 91
- Wavelength coupling 58–59
- Wavelength tables
 - compendiums 100
 - relative intensities of lines from 120
- Workplace monitoring 137

