

Index

• Symbols and Numerics •

- * (asterisk) as wildcard, 88
- \ (backslash) in Windows versus Linux, 100
- (dash)
 - in file and directory names, 100
 - in permission sets, 108–110
- \$ (dollar sign)
 - in bash prompt, 84–85
 - retrieving variable values, 93
- . (dot)
 - in file and directory names, 100
 - starting hidden files, 86, 106
- " (double quotes) for strings, 94
- = (equals sign) for assigning variable values, 92
- / (forward slash) for directories, 100
- > (greater than sign) as redirection operator, 96
- | (pipe symbol) for redirecting output, 97
- ? (question mark) as wildcard, 88
- ' (single quotes) for strings, 94
- ~ (tilde) for home directory, 86
- _ (underscore) in file and directory names, 100
- 3-D games
 - Cedega for, 259–261
 - Linux challenges for, 253–254
 - Linux video card drivers for, 254–255
 - online, 255–256
 - repositories, 255
 - Second Life, 256

• A •

- access control for printers, 293
- administration. *See* system administration
- administrivia, 1

- Amarok music player
 - adding music files, 233
 - fetching covers for albums, 232
 - filtering collections, 232
 - finding and installing, 230–231
 - First-Run Wizard, 231
 - installing, 275
 - for Internet radio, 233–234
 - loading song lyrics, 231–232
 - playing music, 233
 - playlists, 232–233
 - tabs along window, 231–233
- Apache Web Server (on the DVD), 387
- apmd service, turning off, 304
- Apple QuickTime, 241
- applets (GNOME), 73–75
- applications. *See* programs
- ApplixWare Office suite, 192
- archiving commands, 378–379
- arguments with commands, 87
- asterisk (*) as wildcard, 88
- ATI binary drivers, 254
- attributes of files, commands for, 381
- audio. *See* music CDs; sound
- Audio Configuration tool, 227–228
- autocompletion feature, 66, 89–90
- AVI (Audio Visual Interleave) format, 240–241, 243

• B •

- b in ls listings, 110
- backing up
 - /etc/profile file before experimenting, 95
 - before partitioning, 29–30
- backslash (\) in Windows versus Linux, 100
- Barkakati, Naba (*Linux All-in-One Desk Reference For Dummies*), 1
- base directories, 100–102

- Base (OpenOffice.org)
 - creating a new database file, 213–214
 - creating a table, 217–218
 - Database pane, 217
 - Database Wizard, 213–215
 - described, 212
 - menu bar, 215–216
 - opening a database file, 214–215
 - standard toolbar, 216
 - Tables/Queries/Forms/Reports pane, 217
 - Tasks pane, 217
 - bash (Bourne again shell). *See also* CLI
 - (command line interface); commands
 - autocompletion feature, 89–90
 - built-in commands, 379–380
 - clearing the screen, 98
 - customizing the prompt, 93–94
 - help commands, 378
 - logging in, 85
 - as most common shell, 83–84
 - prompt for, 84–85
 - resetting the prompt, 98
 - starting a session, 84–85
 - starting programs from, 87–88
 - Beagle search tool, 131–133
 - benevolent dictator, 15
 - BIOS (Basic Input/Output System), 38, 59
 - BitTorrent, 176–178
 - block devices in `ls` listings, 110
 - Blum, Richard (*Linux For Dummies*), 1–6
 - boot loaders
 - described, 59
 - options when installing Fedora, 47
 - removing, 64
 - troubleshooting, 60
 - boot menu, 21, 60
 - `/boot` partition setup, 47
 - booting. *See also* dual booting
 - boot-loader problems, 60
 - changing boot environment, 371–372
 - as complex process, 58
 - from DVD-ROM with this book, 389–390
 - entering rescue mode, 62–63
 - failed POST process symptoms, 58–59
 - Fedora first time, 53–56
 - getting BIOS information upon, 38
 - getting video information upon, 38
 - hang during, 373–374
 - rebooting, 63–64
 - reinstalling Linux for problems with, 60
 - in single-user mode, 374
 - standard Samba during, 343
 - step 1: POST process, 58–59
 - step 2: BIOS-to-boot loader, 59–60
 - step 3: kernel loading, 60–61
 - step 4: `init` process, 61
 - troubleshooting, 57–61, 373–374
 - `boot.log` file, 313
 - Bourne again shell. *See* bash
 - Bourne shell (`sh`), 84
 - `brctl` command, 326–328
 - bridge for wireless networking, 139, 325–329
 - broadband
 - Internet connection setup, 146–148
 - kinds of, 136, 138
 - overview, 135
 - broken links, 105
 - browsers, 157–158. *See also* Firefox browser
 - burning CDs and DVDs
 - data, with K3b, 236–238
 - data, with Nautilus, 129–131
 - with GParted program ISO, 30
 - from ISO file, 130–131, 237–238
 - Nautilus default action, 112, 125
- C •
- `c` in `ls` listings, 111
 - cable modems, 136, 139. *See also* Internet connection
 - Calc (OpenOffice.org)
 - documents in, 201
 - formats supported, 201–202
 - formatting bar, 200
 - formula bar, 200–201
 - GNOME icon for, 71
 - menu bar, 197–198
 - quick-launch icon for, 192
 - standard toolbar, 199–200
 - capturing screenshots (GIMP), 249–250
 - case
 - commands sensitive to, 66
 - for environment variable names, 91
 - file and directory names sensitive to, 100
 - for variable names, 91
 - `cat` command, 185–186
 - `cd` command, 115–116
 - CD drive designations, 114

- CD player (GNOME), 228–230
 - CDDDB Track Editor (GNOME), 229–230
 - CDs. *See also* burning CDs and DVDs
 - ejecting, 124
 - Fedora, damaged, 44
 - Fedora, getting from vendor, 42
 - Nautilus default action, 111–112
 - using in Nautilus, 124–126
 - Cedega (TransGaming), 259–261
 - Certified hardware, 34
 - character devices in `ls` listings, 111
 - `chmod` command, 354
 - `clear` command, 98
 - CLI (command line interface). *See also*
 - `bash` (Bourne again shell); commands
 - advantages of, 65, 83
 - autocompletion feature, 66, 89–90
 - booting to, 371–372
 - GUI desktops versus, 83
 - history feature, 66
 - in rescue mode, 63
 - switching to GUI environment, 370–371
 - terminal window for, 65–66
 - codecs, video, 241
 - CodeWeavers CrossOver Office,
 - 241, 258–259
 - colors
 - Firefox preferences for, 162
 - with `ls` command, 105–106
 - commands. *See also* `bash` (Bourne again shell); CLI (command line interface); *specific commands*
 - administration, 384
 - for archiving and compressing, 378–379
 - arguments with, 87
 - autocompletion feature, 89
 - `bash`, built-in, 379–380
 - as case-sensitive, 66
 - components of, 86
 - conventions in this book, 2–3
 - for file attributes, 381
 - file locators, 381–382
 - for file organization, 380–381
 - file viewers, 185–186, 382
 - filesystem, 115–116, 382–383
 - flags or options with, 86–87
 - for help, 378
 - `--help` option, 87
 - history feature, 66, 90
 - kernel module handling, 385
 - literal versus interpolated strings with, 94
 - `mttools`, 383–384
 - other terms for, 3
 - for processes, 385–386
 - redirecting output, 96–97
 - terminal window for, 65–66
 - wildcard expansion with, 88
 - Compatible hardware, 34
 - compressing files, 269–270, 378–379
 - connecting to the Internet. *See* Internet connection
 - connection types for printers, 289–290
 - cookies, 160–161
 - copying files and folders
 - `cp` command for, 116
 - in Nautilus, 121–122
 - copyleft software, 15
 - copyrights, 15–16
 - core dump files, 90
 - `cp` command, 116
 - CrossOver Office (CodeWeavers),
 - 241, 258–259
 - CUPS (Common Unix Printing System), 286
- D •
- `d` in `ls` listings, 108, 111
 - `dash` (-)
 - in file and directory names, 100
 - in permission sets, 108–110
 - Debian GNU/Linux, 16–17
 - deleting or removing
 - applets from GNOME panel, 75
 - cookies in Firefox, 160
 - directories in Nautilus, 122–123
 - directories with `rmdir`, 116
 - directory and files, 116
 - emptying trash can (GNOME), 76–77, 123
 - files in Nautilus, 122–123
 - Linux, 64
 - program from GNOME panel or desktop, 76
 - secondary panel (GNOME), 73
 - trash can for (GNOME), 72
 - unmounting floppy disks, 112
 - users, 284

- desktops. *See also* GNOME (GNU Network Object Model Environment)
 - booting to, 371–372
 - choosing when installing Fedora, 51
 - CLI versus, 83
 - GNOME as default, 67
 - GUI hung, 373
 - GUI won't start, 369
 - KDE, 51
 - switching environments in GNOME, 72
 - VT-7 as default for, 85
- /dev directory, 101, 114–115
- development of Linux, 12
- DHCP (Dynamic Host Configuration Protocol)
 - for broadband Internet connection, 148
 - for dialup Internet connection, 146
 - setup when installing Fedora, 48
 - for wireless Internet connection, 151
- dialup modems, 137, 142–146
- Digital Millennium Copyright Act (DMCA), 246
- Digital Subscriber Line (DSL), 136, 139. *See also* Internet connection
- directories. *See also* filesystem; permission sets; *specific directories*
 - for Amarok music player, 231
 - base, 100–102
 - changing with `cd`, 115–116
 - closing in Nautilus, 119
 - copying in Nautilus, 121–122
 - creating in Nautilus, 120–121
 - creating with `mkdir`, 116
 - deleting in Nautilus, 122–123
 - for file sharing, creating, 352–353
 - for log files, 311
 - moving in Nautilus, 121–122
 - naming conventions, 100
 - opening in Nautilus, 119
 - partitions versus, 113–115
 - removing with `rmdir`, 116
- DirectX, Cedega support for, 259
- disabling. *See* turning off
- Disk Druid (Red Hat), 47
- distributions of Linux, 16–18
- DivX video format, 241, 243
- DivX Web Player, 241
- DMCA (Digital Millennium Copyright Act), 246
- dollar sign (\$)
 - in bash prompt, 84–85
 - retrieving variable values, 93
- DOS, mtools commands for, 383–384
- dot (`.`)
 - in file and directory names, 100
 - starting hidden files, 86, 106
- double quotes (“) for strings, 94
- downloading software, 276–277. *See also* Internet resources
- Dr. Hardware tool, 38
- Draw (OpenOffice.org)
 - described, 208
 - documents in, 211–212
 - drawing bar, 212
 - formats supported, 212
 - line and filling bar, 211
 - menu bar, 209–210
 - ruler, 211
 - standard toolbar, 210–211
- drive designations, 114
- drivers
 - in `ls` listings, 110–111
 - for `ndiswrapper`, 323
 - for 3-D video cards, 254
- DSL (Digital Subscriber Line), 136, 139. *See also* Internet connection
- `du` command, 86–87
- dual booting
 - assessing your situation, 20–21
 - defined, 19
 - installing Windows first, 21
 - Internet connection with, 136
 - options for, 19–20
 - partitioning from scratch for, 21
 - removing Linux from system, 64
 - resizing partitions for, 27–28
 - viewing Windows partitions, 22–27
 - Windows information needed for, 22
- DVD drive designations, 114
- DVD-ROM with this book
 - booting from, 389–390
 - contents, 387

damaged, getting replacement, 44
distributions covered on, 17
Fedora on, 39, 43, 387, 390
system requirements, 388–389
troubleshooting, 391
using, 389
using without a DVD drive, 388
DVDs. *See also* burning CDs and DVDs
ejecting, 124
Nautilus default action, 111–112
problems installing from disc you
burned, 44
using in Nautilus, 124–126
watching, 246
Dynamic Host Configuration Protocol.
See DHCP
dynamic IP address, 141

● E ●

echo command, 93–94
efficiency of Linux, 12
Ekiga Internet phone program, 179–181
emacs text editor, 186
e-mail. *See also* Evolution program
checking in Evolution, 173
creating and sending in Evolution,
171–173
enabling firewall for server, 54
emptying trash can (GNOME), 76–77, 123
enabling
Java and JavaScript in Firefox, 162
servers, firewall settings for, 54
3-D video card drivers, 255
encryption, Firefox preferences for, 163
environment variables
commonly used (table), 91–92
creating and exporting, 95
in interpolated strings, 94
as part of shell environment, 87
uppercase convention for, 91
variables versus, 91
equals sign (=) for assigning variable
values, 92
equation editor. *See* Math (OpenOffice.org)

error messages
[FAILED] status for services, 61
for hardware failure when booting, 58
for Internet connection errors, 151
during kernel loading, 60–61
kernel panic, 60–61
log file for, 312–313
operating system not found, 60
printer policy for, 293
searching Google for, 61
/etc directory, 101, 102
/etc/group file, 109
/etc/passwd file, 109
/etc/profile file, 95
Ethernet cards. *See* NICs (network
interface cards)
Evanescence site, 230
Evolution program
creating and sending e-mail, 171–173
described, 165
GNOME icon for, 71
setting up, 166–171
Evolution Setup Assistant
Account Management screen, 170–171
checking for e-mail, 173
Identity screen, 166–167
Receiving E-Mail screen, 167–168
Receiving Options screen, 168–169
Sending E-Mail screen, 169–170
Time Zone screen, 171
Welcome screen, 166
execute (x) permission, 109–110
exit command, 85
export command, 95
ext2 filesystem, 113, 128
ext3 filesystem, 113, 128
extensions (Firefox), 163–164, 242–243
external modems, 139

● F ●

[FAILED] status for services, 61
FAQ for Fedora, 39, 246, 274, 276
fdisk command, 112, 127
FDISK tool (Windows 98), 25–27
fdisk/mbr command, 64

- Fedora. *See also* installing Fedora; *specific components*
 - Audio Configuration tool, 227–228
 - on the DVD-ROM, 39, 43, 387, 390
 - first boot after installing, 53–56
 - NIC detection by, 147
 - rebooting, 63
 - reference sites, 39
 - as RHEL proving ground, 18
 - shutting down, 63–64
 - as this book’s focus, 17–18, 42
 - unique groups for users in, 110
 - updating, 270–271
 - upgrading, 277
 - Fedora Documentation Project site, 39
 - Fedora Forum, 39, 276
 - Fedora News site, 39
 - Fedora Package Manager
 - adding repositories, 274–275
 - adding the software in this book, 275–276
 - finding software, 272–274
 - opening, 272
 - Fedora Printer Configuration tool
 - adding a printer, 288–291, 337–339
 - modifying printer properties, 291–295
 - opening, 286
 - overview, 286–287
 - print server settings, 288, 339–341
 - Fedora Project
 - sending hardware profile to, 55–56
 - Web site, 17, 41
 - Wiki site, 39
- file formats
 - Calc support for, 201–202
 - DOS, mtools commands for, 383–384
 - for downloaded files, 268–269
 - Draw support for, 212
 - Impress support for, 208
 - for video, 243–244
 - video players’ support for, 240–241
 - Windows, finding programs for, 257
 - Writer support for, 196–197
- file manager. *See* Nautilus file manager (GNOME)
- file server. *See* Samba file server
- File Transfer Protocol (FTP), 54, 178–179, 306
- filenames
 - autocompletion feature, 66, 89–90
 - hidden files, 86, 106
 - Linux conventions for, 100
 - wildcard expansion for, 88
- files. *See also* directories; file formats; filenames; `ls` command
 - closing in Nautilus, 119
 - commands for archiving, 378–379
 - commands for attributes, 381
 - commands for locating, 381–382
 - commands for organization, 380–381
 - commands for viewing, 185–186, 382
 - compressing, 269–270, 378–379
 - copying in Nautilus, 121–122
 - copying with `cp`, 116
 - creating in Nautilus, 120–121
 - deleting in Nautilus, 122–123
 - deleting with `rm`, 116
 - DOS, mtools commands for, 383–384
 - downloaded, opening, 267–269
 - hidden, 86, 106
 - information in `ls` long format, 107
 - links to, 105
 - moving in Nautilus, 121–122
 - moving with `mv`, 116
 - opening in Nautilus, 119, 121
 - packaging and compressing, 269–270
 - redirecting command output to, 96
 - renaming with `mv`, 116
 - SUID (SetUID) permission for, 106
 - text, 185–190
 - types, 110–111
- file-sharing programs, 184. *See also* Samba file server
- filesystem. *See also* directories; `ls` command
 - base directory standards, 100
 - commands for, 115–116, 382–383
 - defined, 47
 - monitoring, 299–300
 - naming conventions, 100
 - navigating in Fedora, 111–113
 - root directory, 47, 100–102
 - types, 113, 128
 - usage in this book, 100
 - Windows compared to Linux, 99–100

- find command, 90
- finding. *See* searching
- Firefox browser
 - adding plug-ins, 241–242
 - Advanced preferences, 163
 - based on Mozilla, 158
 - changing font size, 162
 - checking plug-ins installed, 240–241
 - Content preferences, 161–162
 - on the DVD-ROM, 387
 - extensions, 163–164, 242–243
 - General preferences, 158–159
 - GNOME icon for, 71
 - home page, 158–159
 - opening Preferences window, 158
 - plug-ins, 163, 240–242
 - Privacy preferences, 159–161
 - RSS extensions, 184
 - surfing the Web with, 164–165
 - tabbed browsing feature, 164–165
 - Web site, 158
- firewall
 - configuring for networking, 305–307
 - defined, 53
 - need for, 53–54
 - print server settings, 307, 344
 - setup on first boot, 53–55
- fixmbr command (XP), 64
- flags for commands, 3, 86–87
- Flash (Macromedia), 230, 275
- floppy drives
 - designations for, 114
 - formatting disks, 129
 - using in Nautilus, 112, 125
- folders. *See* directories; filesystem
- fonts, Firefox settings for, 162
- forgotten root password, 374
- formula editor. *See* Math (OpenOffice.org)
- forum for Fedora, 39, 276
- forward slash (/) for directories, 100
- free software
 - described, 9
 - GPL protecting, 10, 14–15
 - Linux as, 12
- FSF (Free Software Foundation), 14
- FTP (File Transfer Protocol),
 - 54, 178–179, 306
- G •
- games, 3-D. *See* 3-D games
- games on the DVD, 387
- gedit text editor, 188–190
- General Public License (GPL), 10, 14–15, 53
- gFTP program, 178–179
- GIMP graphics program
 - basic tools, 248–249
 - capturing screenshots, 249–250
 - editing image files, 250–252
 - effects, 252–253
 - opening images, 250
 - opening the program, 247
 - scripts, 252–253
 - setup routine, 247
 - sources for images, 248
 - toolboxes, 248–249
 - undoing effects, 253
- GNOME (GNU Network Object Model Environment). *See also specific components*
 - adding program to panel or desktop, 75–76
 - booting to, 371–372
 - CD player, 228–230
 - choosing when installing Fedora, 51
 - as default desktop, 67
 - desktop icons, 76–77
 - on the DVD-ROM, 387
 - further information, 67
 - GUI won't start, 369
 - hiding/restoring applications, 72
 - Lock Screen option, 70, 85
 - menus, 67–69
 - moving programs between workspaces, 72
 - panels, customizing, 73–76
 - panels, overview, 71–72
 - removing program from panel or desktop, 76
 - switching desktop environments, 72
 - switching to CLI, 370–371
 - taskbar, 72
 - themes, 77–79
- GNOME Office suite, 192
- GNU (GNU's not Unix), 14
- Google, 34, 61
- Gookin, Dan (*PCs For Dummies*), 387

GParted program
 altering partitions with, 30–33
 backing up before using, 30
 burning the ISO onto CD, 30
 downloading, 29–30
 GPL (GNU General Public License),
 10, 14–15, 53
 graphics
 capturing screenshots, 248–249
 Draw (OpenOffice.org) for, 208–212
 editing image files, 250–252
 GIMP for, 247–253
 greater than sign (>) as redirection
 operator, 96
 groups
 adding, 284–285
 for file server access, 351–352, 358–359
 in `ls` listings, 107
 modifying, 285–286
 overview, 110
 permissions for, 109–110
 GRUB (GRand Unified Boot loader),
 47, 59–60

● **H** ●

hacker, defined, 13
Hackers (Levy), 13
 halt command, 63
 hard drives
 adding second for Linux, 19, 28
 designations for, 114–115
 determining free space on, 27–28
 monitoring, 299–300
 options when installing Fedora, 46–47
 resizing partitions for dual booting, 27–28
 space needed for Linux, 22–24, 27, 29
 space needed for Windows, 28
 viewing with `fdisk`, 112, 127
 hard links, 105
 hardware. *See also specific kinds*
 Certified, Supported, or Compatible, 34
 checking compatibility with Linux, 34–39
 hardware-detect tools, 38
 Internet connection setup, 139
 laptop compatibility information, 35
 POST problems with, 58–59
 Win prefix in names, 38–39
 Helix DNA player, 240

help
 commands for, 378
 --help option for commands, 87
 man pages for, 97, 378, 380
 hidden files, 86, 106
 hiding/restoring programs in GNOME, 72
 history command, 90
 history feature, 66, 90, 92
 HISTSIZE environment variable, 91–92
 home directory, 86
 HOME environment variable, 91
 Home icon
 GNOME panel, 76
 Nautilus file manager, 117–118
 host name setup, 48
 HTTP and HTTPS services, firewall
 settings for, 306

● **I** ●

icons
 GNOME desktop, 72, 76–77
 in margins of this book, 6
 on panels (GNOME), 71
 quick-launch, for OpenOffice.org, 192
 IDE drive designations, 114–115
 IM (instant messaging), 173–176
 images. *See graphics*
 Impress (OpenOffice.org)
 documents in, 207
 drawing bar, 207–208
 formats supported, 208
 GNOME icon for, 71
 line and filling bar, 206–207
 menu bar, 204–205
 Presentation Wizard, 202–204
 quick-launch icon for, 192
 standard toolbar, 205–206
 view switchers, 207
 init program, 61
 installing. *See also installing Fedora*
 Amarok music player, 230–231, 275
 BitTorrent, 177
 bridging software, 326
 Firefox extensions, 242–243
 Firefox plug-ins, 242
 Java, 275
 kmod-ndiswrapper package, 322–323
 K3b program, 129, 275

- Mplayer, 275
- OpenOffice.org suite, 192
- RealPlayer, 275–276
- Samba, 341, 355
- Skype, 182–183
- software using Fedora Package Manager, 272–276
- themes (GNOME), 78–79
- 3-D video card drivers, 254
- Thunderbird, 275
- Windows, replacing Linux, 64
- Windows before Linux, 21
- xine video player, 242
- installing Fedora. *See also* preparing to install Linux
 - backing out before finishing, 42
 - booting first time after, 53–56
 - checking distribution burns, 367–368
 - damaged CDs or DVDs, 44
 - differences in screens for, 42
 - downloading CD images for, 41–42
 - DVD-ROM with this book for, 41, 43, 389–390
 - frozen installer, 366–367
 - getting CDs from vendor, 42
 - GUI won't start, 369
 - information erased during, 20
 - with no mouse, 43–44
 - options for, 19–20
 - reinstalling for problems with booting, 60
 - steps for, 43–53
 - text mode for, 42–44
 - troubleshooting, 366–369
 - video card fails, 368–369
- instant messaging (IM), 173–176
- Integrated Services Digital Network (ISDN), 138–139. *See also* Internet connection
- internal modems, 139
- Internet connection
 - broadband options, 135–136, 138
 - configuring for broadband, 146–148
 - configuring for dialup, 141–146
 - configuring for wireless, 148–151
 - dialup, 137
 - firewall for, 53–54
 - hardware setup, 139
 - information needed from ISP, 140–141
 - ISDN, 138
 - selecting an ISP, 140
 - troubleshooting, 151–153, 176
 - useful sites, 153–154
 - wireless, 138
- Internet phone
 - Ekiga for, 179–181
 - KPhone for, 179
 - Linphone for, 179
 - overview, 179
 - Skype for, 179, 181–183
- Internet radio, 233–234
- Internet Relay Chat (IRC) programs, 184
- Internet resources
 - Amarok music player, 230–231
 - base directory standards, 100
 - basic recommendations, 153–154
 - BitTorrent, 176–178
 - Cedega, 259
 - CodeWeavers CrossOver Office, 258
 - distributions of Linux, 17–18
 - Dr. Hardware tool, 38
 - Evanesence site, 230
 - Fedora CD images, 41–42
 - Fedora FAQ, 39, 246, 274, 276
 - Fedora Forum, 39, 276
 - Fedora installation package, 41–42
 - Fedora reference sites, 39
 - Firefox extensions, 242
 - Firefox plug-ins, 241
 - Firefox site, 158
 - GNU history, 15
 - GParted download, 29
 - hardware compatibility information, 34–35
 - Internet phone programs, 179
 - Konqueror browser, 158
 - LinModem project, 137
 - MathML format information, 224
 - music downloads, 230–233
 - ndiswrapper site, 148, 322
 - Nero Burning ROM program, 30
 - nonapproved Fedora packages, 254
 - PuTTY SSH client, 308
 - RHEL hardware compatibility list, 34
 - security reference sites, 314
 - Skype client, 179
 - software downloads, 276–277
 - themes (GNOME), 77
 - 3-D game repositories, 255
 - 3-D video card drivers, 254
 - time server, 55

Internet resources (*continued*)
 troubleshooting help, 151
 Vista support for Partition Magic, 20
 VMware products, 261
 Wikipedia, 232
 Wiley Product Technical Support, 391
 Windows/Linux programs, 257
 Wine, 262–263
 Win4Lin, 259
 wireless networking information,
 138–139, 148

Internet Service Provider (ISP), 139–141.
See also Internet connection

interoperability of Linux, 11

interpolated strings, 94

IP address, 141, 148

IP telephony. *See* Internet phone

ip6tables service, turning off, 304

iptables service, 304

IRC (Internet Relay Chat) programs, 184

ISDN (Integrated Services Digital Network),
 138–139. *See also* Internet connection

ISO files
 burning with K3b, 130–131, 237–238
 for GParted program, 30

ISP (Internet Service Provider), 139–141.
See also Internet connection

• J •

Java, 162, 275

JavaScript, enabling in Firefox, 162

job options for printers, 294–295

• K •

KDE (K Desktop Environment), 51, 387

kernel
 defined, 15
 differences among distributions, 18
 failure loading, 60–61
 loading during boot, 60
 module-handling commands, 385
 recovering from update problems, 61
 Torvalds as benevolent dictator of, 15

kernel panic message, 60–61

keyboard, installation options for, 45–46

KIRC program, 184

Knoppix distribution, 16, 17

KOffice suite, 192

Konqueror browser, 158

KPhone Internet phone program, 179

K3b program
 burning ISO file to CD or DVD, 130–131,
 236–238
 closing, 238
 installing, 129, 275
 opening, 236

kudzu service, turning off, 304

• L •

l in `ls` listings, 111

language options during installation, 44–45

laptop compatibility, checking, 35

LeBlanc, Dee-Ann (*Linux For Dummies*), 1–6

`less` command, 186

Levy, Steven (*Hackers*), 13

LILO (Linux LOader), 59–60

LimeWire file-sharing program, 184

links, 105, 111

LinModem project, 137

Linphone Internet phone program, 179

Linspire distribution, 16–17

Linux All-in-One Desk Reference For Dummies (Barkakati), 1

Linux and Windows on same machine.
See dual booting; Windows programs
 under Linux

Linux For Dummies (LeBlanc and Blum).
See also DVD-ROM with this book

assumptions about the reader, 3–4

Fedora as focus of, 17–18

icons in margins, 6

organization, 4–5

overview, 1–2

using, 2–3, 6

LinuxQuestions.org site, 39

literal text strings, 94

live distributions, 17, 20

Lock Screen option, 70, 85

log files, 311–313

logging in to `bash` shell, 85

logging out from VTs, 85

lowercase. *See* case

`ls` command
 colors displayed with, 105–106
 file size in listings, 107
 file types in listings, 110–111
 groups in listing, 107
 listing all home directory files, 86
 listing hidden files, 106
 listing only `.doc` files, 88
 long format listing, 107
 overview, 104–106
 owners in listing, 107
 permission sets in listings, 107–109
 redirecting output, 96–97

• M •

Macintosh OS X, SSH with, 311
 Macromedia Flash, 230, 275
`mahjongg` command, 88
 mail server, firewall settings for, 54, 306
`MAILCHECK` environment variable, 92
`maillog` file, 313
`man` pages, 97, 378, 380
 Mandriva distribution, 17
 mapping
 to shared folders, 362
 Windows workstation to Samba print server, 346
 Math (OpenOffice.org)
 described, 218–219
 document section, 223
 formats supported, 223–224
 menu bar, 219–220
 standard toolbar, 220–221
 MathML (MML) format, 223–224
 MBR (Master Boot Record), 59
`mdmonitor` service, turning off, 304
`/media` directory, 103
 menus. *See also* menus (GNOME)
 Base (OpenOffice.org), 215–216
 Calc (OpenOffice.org), 197–198
 Draw (OpenOffice.org), 209–210
 GIMP, 248
 Impress (OpenOffice.org), 204–205
 Math (OpenOffice.org), 219–220
 Totem, 245–246
 User Manager tool, 280
 Writer (OpenOffice.org), 193–194

menus (GNOME)
 adding buttons to panel, 75–76
 Applications, 67–68
 Places, 67–69
 shortcut or context menus, 73, 74
 submenus, 68
 System, 68–69
 messages log file, 312–313
 Microsoft Office
 CrossOver Office for, 241, 258–259
 formats supported by OpenOffice.org,
 196–197, 201–202, 208
 Minix, 12
`mkdir` command, 116
 MML (MathML) format, 223–224
`/mnt` directory, 101
 modems. *See also* Internet connection
 cable, 136, 139
 dialup, 137, 142–146
 DSL, 136, 139
 external versus internal, 139
 ISDN, 139
 LinModem project, 137
 satellite, 136, 139
 WinModems, 38–39, 137
 monitoring the system. *See* System Monitor
`more` command, 186
 mount point, 47, 113
 mouse, installing Fedora without, 43–44
 MOV video format, 241, 244
 moving files and folders
 with `mv`, 116
 in Nautilus, 121–122
 Mozilla program, 158, 241, 242
 MPG (Moving Pictures Experts Group)
 format, 240, 244
 Mplayer plug-in, 233, 275
`mtools` commands, 383–384
 multiplatform, defined, 11
 multiprocess, defined, 11
 multiuser, defined, 11
 music. *See* music CDs; sound
 music CDs. *See also* CDs
 adding to database, 229–230
 Nautilus default action, 112, 124, 126
 ripping tracks from, 234–236
 switching to GNOME CD player, 228–229
 Totem player, 228
`mv` command, 116

• **N** •

names and naming. *See also* filenames;
passwords

- drive designations, 114–115
- filesystem conventions, 100
- `mv` command for renaming files, 116
- variables versus environment variables, 91

nano text editor, 186–187

Nautilus file manager (GNOME)

- accessing local Windows drives, 127–128
- accessing network drives, 128
- burning CDs or DVDs in, 125
- changing permissions, 123–124
- closing folders, 119
- closing windows, 119
- copying files and folders, 121–122
- creating files and folders, 120–121
- default actions, 111–112
- deleting files and folders, 122–123
- emptying trash can, 123
- file browser, 118
- formatting disks, 129
- Home icon, 117–118
- mounting partitions, 112–113, 127
- moving files and folders, 121–122
- opening files, 119, 121
- opening folders, 119
- packaging and compressing files, 269–270
- preferences, 125–126
- running programs, 121
- Select Places window, 119
- Tree view, 119
- using removable media in, 124–127
- View menu commands, 119–120

ndiswrapper, 148, 322–323

Nero Burning ROM program, 30

Network Time Protocol (NTP) setup, 55

networking. *See also* NICs (network interface cards); Samba file server; Samba print server; wireless networking

- accessing drives in Nautilus, 128
- controlling services, 303–305
- firewall settings, 53–55, 305–307
- monitoring, 299

- setup when installing Fedora, 47–49
- turning off unneeded services, 304–305

news site for Fedora, 39

NFS4 (Network File Sharing), 306

NICs (network interface cards)

- configuring wireless as WAP, 324–325
- detected automatically by Fedora, 147
- device names for, 147
- installing wireless, 321–322
- Internet connection setup, 147–148
- ndiswrapper for wireless, 148, 322–323
- required for broadband connections, 146
- wireless card setup, 149–151, 320–321

nmbd service, 343

Novell SuSE distributions, 17–18, 110

`ntfs` filesystem, 113, 128

NTP (Network Time Protocol) setup, 55

NVIDIA binary drivers, 254

• **O** •

Office (Microsoft)

- CrossOver Office for, 241, 258–259
- formats supported by OpenOffice.org, 196–197, 201–202, 208

office suites, 191–192. *See also*

- OpenOffice.org suite

open source approach, 13–16

OpenDocument formats

- Calc support for, 201
- Draw support for, 212
- Impress support for, 208
- Math support for, 223
- Writer support for, 196

OpenOffice.org suite. *See also specific packages*

- accessing packages, 192

- Base package, 212–218

- Calc package, 71, 197–202

- default packages with Fedora, 192

- Draw package, 208–212

- on the DVD-ROM, 387

- GNOME icons for, 71

- Impress package, 71, 202–208

- installing, 192

- Math package, 218–224

- quick-launch icons, 192

- Writer package, 71, 193–197

operating system not found
 message, 60
 operating systems, 10–12
 options for commands, 3, 86–87
 owners, 107, 109–110. *See also* users

● p ●

package managers
 defined, 18
 differences among distributions, 18
 using Fedora's, 272–276
 Package Updater, 270–271
 packaging files, 269–270
 panels (GNOME)
 customizing, 73–76
 overview, 71–72
 parameters for commands, 3, 86–87
 Partition Magic program, 20, 29
 partitions and partitioning
 backing up first, 29–30
 commercial programs for, 20, 29
 determining hard drive free space, 27–28
 directories versus partitions, 113–115
 GParted program for, 29–34
 monitoring, 299–300
 mount point, 47, 113
 mounting partitions in Nautilus,
 112–113, 127
 noting for Windows, 21
 options when installing Fedora, 46–47
 resizing partitions for dual booting,
 27–28
 from scratch for dual boot, 21
 space needed for Linux, 22–24, 27, 29
 space needed for Windows, 29
 viewing in Vista, 22–23
 viewing in Windows 98, 25–27
 viewing in Windows 2000 and XP, 23–24
 viewing with `fdisk`, 112
 Windows information needed for, 22
 passwords
 for dialup Internet connection, 145
 forgotten root, 374
 with Lock Screen option, 70
 never giving out, 302
 root, 50, 112, 374
 secure, choosing, 302
 for VTs, 85
 PATH environment variable, 92
PCs For Dummies (Gookin), 387
 pcsd service, turning off, 305
 permission sets
 changing in Nautilus, 123–124
`chmod` command for, 354
 defined, 108
 for file sharing, 352–354
 in `ls` listings, 107–108
 SGID (Set Group ID), 106
 SUID (SetUID), 106
 triplets in, 108–109
 pictures. *See* graphics
 Pidgin IM program, 174–176
 ping command, 152–153
 pipe symbol (`|`) for redirecting output, 97
 platforms supported by Linux, 11
 playing
 downloaded music, 230–233
 DVDs, 246
 Internet radio, 233–234
 3-D games, 253–256
 Web clips, 240–241, 243
 plug-ins
 adding to Firefox, 241–242
 checking in Firefox, 240–241
`gedit` text editor, 188–189
 security problems from, 163
 policies for printers, 292–293
 popups, blocking in Firefox, 162
 portability of Linux, 12
 ported, defined, 12
 POST (Power-On Self-TEST), 58–59
 power problems, 64
 PPD (Postscript Printer Description) file,
 290–291, 293
 preemptive multitasking, 11
 preparing to install Linux. *See also* dual
 booting
 adding second hard drive, 19, 28
 bookmarking Fedora sites, 39
 checking hardware compatibility, 34–39
 working with partitions, 29–34
 presentation program. *See* Impress
 (OpenOffice.org)

print server. *See* Samba print server
printers

- adding, 288–291
 - connection types, 289–290
 - controlling state of, 292
 - CUPS for, 286
 - job options, 294–295
 - modifying properties, 291–295
 - policies for, 292–293
 - PPD files for, 290–291, 293
 - restricting access to, 293
- processes, 296–298, 385–386
- programs. *See also* commands; *specific programs*
- adding to GNOME panel or desktop, 75
 - boot-loaders, 59–60
 - choosing when installing Fedora, 51–52
 - for downloaded files, 268–269
 - DVD burners, 30
 - executable permission for, 111
 - Fedora Package Manager for installing, 272–276
 - file sharing, 184
 - finding, 272–273, 276–277
 - on GNOME taskbar, 72
 - hardware-detect tools, 38
 - hiding/restoring in GNOME, 72
 - Internet phone, 179
 - IRC, 184
 - moving between workspaces in GNOME, 72
 - mttools suite, 383–384
 - other terms for, 3
 - for partitioning, 20, 29
 - recognizing in Linux, 111
 - RSS readers, 184
 - running from Nautilus, 121
 - for running Windows software, 258–264
 - as security holes, 311
 - starting from the shell, 87–88
 - updating securely, 302–303
 - Windows-equivalents, 257

prompt

- for bash shell, 84–85
- PS1 environment variable for, 92–93
- resetting in bash, 98

proxy servers, Firefox setup for, 163

PS1 environment variable, 92–94

PuTTY SSH client, 308

• Q •

- QT video format, 241, 244
- question mark (?) as wildcard, 88
- QuickTime player (Apple), 241

• R •

- r (read) permission, 109
- RealPlayer, 233, 275–276
- reboot command, 63
- Red Hat Enterprise Linux (RHEL), 17–18, 34
- Red Hat Package Manager (RPM) on the DVD, 387
- redirecting output, 96–97
- reiserfs filesystem, 113, 128
- Remember icon, 6
- removable media. *See also specific media defined*, 124
 - formatting in Nautilus, 129
 - Nautilus preferences for, 125–126
 - using in Nautilus, 124–127
- rescue mode, 62–63
- reset command, 98
- resizing partitions for dual booting, 27–28
- resolution, changing for screen, 372–373
- restoring/hiding programs in GNOME, 72
- restricting access to printers, 293
- RHEL (Red Hat Enterprise Linux), 17–18, 34
- ripping music tracks from CDs, 234–236
- rm command, 116
- RM video format, 244
- rmdir command, 116
- root directory
 - base directories in, 101–102
 - defined, 47, 100
 - root user versus, 100
- root password setup, 50
- root user
 - file ownerships for, 109–110
 - Lock Screen option not available for, 70
 - root directory versus, 100
 - su command for, 112, 127
 - for system administration, 280
- router for wireless networking, 139
- RPM (Red Hat Package Manager) on the DVD, 387
- RSS readers, 184

• S •

- Samba file server
 - configuring Samba, 356–358
 - creating folders to share, 352–353
 - creating Linux groups, 351–352
 - creating Linux user accounts, 358–359
 - creating Samba user accounts, 359–361
 - creating shared folders in Samba, 361–362
 - installing Samba, 355
 - mapping to shared folders, 362
 - planning a sharing policy, 350–351
 - Samba on the DVD-ROM, 387
 - Samba overview, 350
 - setting folder permissions, 353–354
 - setting group permissions, 352–353
 - starting Samba, 355–356
 - troubleshooting, 362–363
- Samba print server
 - allowing guests to print, 345
 - configuring Samba, 341–342
 - connecting local printer, 337
 - firewall settings, 307, 344
 - installing Samba, 341
 - mapping Windows workstation to, 346
 - planning printer sharing, 336–337
 - Printer Configuration settings, 288, 337–341
 - Samba defined, 336
 - Samba on the DVD-ROM, 387
 - starting Samba, 342–343
 - troubleshooting, 346–347
- satellite modems, 136, 139. *See also*
 - Internet connection
- scalability of Linux, 11
- screen resolution, changing, 372–373
- screensaver, 70, 85
- screenshots, capturing with GIMP, 249–250
- scripts. *See also* programs
 - GIMP, 252–253
 - other terms for, 3
 - shell scripting defined, 95
 - as text files, 185
- SCSI drive designations, 114–115
- searching
 - computer with Beagle, 131–132
 - for error message information, 61, 151
 - file locator commands, 381–382
 - for hardware compatibility information, 34
 - for software, 272–273, 276–277
 - Second Life 3-D game, 256
 - secure log file, 313
 - Secure Shell. *See* SSH
 - security
 - importance of, 301
 - log files for, 311–313
 - networking issues, 303–307
 - password selection for, 302
 - plug-in issues, 163
 - SELinux setup on first boot, 55
 - software holes, 311
 - SSH for, 307–311
 - updating software securely, 302–303
 - Web sites, 314
 - for wireless networking, 330–331
 - SELinux (Security-Enhanced Linux) setup, 55
 - sendmail service, turning off, 305
 - services
 - boot problems from, 61
 - defined, 61
 - Fedora tool for, 303–304
 - network, firewall settings for, 306–307
 - starting Samba, 342–343
 - turning off unneeded, 304–305
 - Session Internet Protocol (SIP), 179
 - SetUID (SUID) permission, 106
 - SGID (Set Group ID) permission, 106
 - sh (Bourne shell), 84
 - shell scripting. *See* scripts
 - shells. *See also* bash (Bourne again shell)
 - built-in commands, 379–380
 - defined, 84
 - environment variables with, 87
 - help commands, 378
 - starting a session, 84–85
 - starting programs from, 87–88
 - VTs for, 85
 - shutting down Linux, 63–64
 - single quotes (') for strings, 94
 - single-user mode, 374
 - SIP (Session Internet Protocol), 179
 - Skype Internet phone program,
 - 179, 181–183
 - Slackware distribution, 17
 - smartd service, turning off, 305
 - smbd service, 343
 - soft links, 105
 - software. *See* programs

- sound. *See also* music CDs
 - Internet radio, 233–234
 - playing downloaded music, 230–233
 - troubleshooting, 225–228
 - volume control, 71, 226–227
 - sound card, 56, 225–228
 - Sound Juicer CD Extractor, 234–236
 - spamassassin service, turning on, 305
 - spreadsheet program. *See* Calc (OpenOffice.org)
 - SSH (Secure Shell)
 - firewall settings for, 54, 307
 - installed by default, 307
 - Linux-to-Linux connections, 310
 - Mac OS X-to-Linux connections, 311
 - overview, 307
 - Windows client software for, 307–308
 - Windows-to-Linux connections, 308–310
 - stability of Linux, 12
 - Stallman, Richard (GNU founder), 13–15
 - StarOffice suite, 192
 - starting Linux. *See* booting
 - static IP address, 141
 - static networking setup, 48–49
 - stderr (standard error), 95
 - stdin (standard input), 95
 - stdout (standard output), 95
 - stopping Linux, 63–64
 - Straw RSS reader, 184
 - streaming audio (Internet radio), 233–234
 - strings, literal versus interpolated, 94
 - su command, 112, 127
 - SUID (SetUID) permission, 106
 - Supported hardware, 34
 - SuSE distributions (Novell), 17–18, 110
 - swap partition setup, 47
 - switches for commands, 3, 86–87
 - switching
 - between CLI and GUI environment, 370–371
 - environments in GNOME, 72
 - to text environment, 85
 - from Totem to GNOME CD player, 228–229
 - users, GNOME applet for, 71
 - views in Impress, 207
 - between VTs, 85
 - system administration
 - commands for, 384
 - monitoring the system, 295–300
 - need for, 279
 - for printing, 286–295
 - for users and groups, 280–286
 - System Log Viewer, 312–313
 - System Monitor
 - File Systems tab, 296, 299–300
 - opening, 295
 - Process table columns, 297–298
 - Processes tab, 296–298
 - Properties options, 298
 - Resources tab, 296, 298–299
 - System tab, 296
 - system requirements for the DVD, 388–389
- T ●
- tarballs, creating in Nautilus, 269–270
 - Technical Stuff icon, 6
 - telnet program, turning off, 307
 - terminal window. *See also* VTs (virtual terminals)
 - for command-driven tasks, 65–66
 - starting a shell session, 84
 - text editors
 - emacs, 186
 - gedit, 188–190
 - nano, 186–187
 - vi, 186
 - word processors versus, 188
 - text environment, switching to, 85
 - text files
 - commands for viewing, 185–186, 382
 - editing with gedit, 188–190
 - editing with nano, 186–187
 - joining with cat, 185–186
 - Linux uses for, 185
 - 3-D games
 - Cedega for, 259–261
 - Linux challenges for, 253–254
 - Linux video card drivers for, 254–255
 - online, 255–256
 - repositories, 255
 - Second Life, 256
 - Thunderbird, installing, 275

- tilde (~) for home directory, 86
 - time server setup, 55
 - Tip icon, 6
 - toolbars
 - Base (OpenOffice.org), 216
 - Calc (OpenOffice.org), 199–201
 - Draw (OpenOffice.org), 210–212
 - Impress (OpenOffice.org), 205–208
 - Writer (OpenOffice.org), 194–196
 - tools. *See* commands; programs
 - Torvalds, Linus (Linux creator), 1, 10, 12, 15
 - Totem movie/music player
 - described, 240
 - full version, 244, 246
 - menus, 245–246
 - starting, 244
 - switching to GNOME CD player, 228–229
 - video formats supported, 240–241
 - watching DVDs with, 246
 - TransGaming Cedega, 259–261
 - trash can (GNOME)
 - desktop icon for, 76–77
 - emptying, 76–77, 123
 - panel shortcut for, 72
 - removing desktop icon using, 76
 - troubleshooting
 - basic techniques, 365–366
 - BIOS problems, 59
 - boot problems, 57–61, 373–374
 - booting into wrong environment, 370–372
 - boot-loader problems, 60
 - checking distribution burns, 367–368
 - confusion in first-time users, 369–370
 - damaged installation CDs or DVDs, 44
 - DVD-ROM with this book, 390
 - frozen Linux installer, 366–367
 - GUI hung, 373
 - GUI won't start, 369
 - hang during boot, 373–374
 - IM connections, 176
 - init program, 61
 - Internet connection, 151–153
 - kernel update problems, 61
 - kernel-loading failure, 60–61
 - Linux installation, 366–369
 - POST problems, 58–59
 - rebooting after power problems, 64
 - rescue mode for, 62–63
 - root password forgotten, 374
 - Samba file server, 362–363
 - Samba print server, 346–347
 - screen resolution, changing, 372–373
 - service [FAILED] status, 61
 - sound card, 225–228
 - video card, 368–369
 - wireless networking, 333–334
 - turning off
 - computer, 63–64
 - Lock Screen option, 70
 - services not needed, 304–305
 - telnet, 307
 - turning on. *See* enabling
 - Tux, 10
- u •
- Ubuntu distribution, 16, 17
 - underscore (_) in file and directory names, 100
 - uninstalling Linux, 64
 - UNIX, development of, 12
 - unmounting floppy disks, 112
 - Unofficial Fedora FAQ, 39, 246, 274, 276
 - updating
 - Fedora, 270–271
 - Firefox preferences for, 163
 - GNOME applet for, 71
 - kernel, recovering from problems after, 61
 - security issues for, 302–303
 - upgrading Fedora, 277
 - uppercase. *See* case
 - UPS (Uninterruptible Power Supply), 64
 - URL conventions in this book, 2–3
 - USB storage devices, 111
 - User Manager tool
 - adding new groups, 284–285
 - adding new users, 281–283
 - controlling behavior of, 281
 - deleting users, 284
 - modifying groups, 285–286
 - modifying users, 283–284
 - opening, 280
 - overview, 280

users. *See also* groups
 adding, 281–283, 358–359
 creating accounts for file sharing, 358–359
 deleting, 284
 modifying accounts, 283–284
 owners, 107, 109–110
 Samba accounts for, 358–359
 switching, GNOME applet for, 71
 User Manager tool for, 280–284
 users group, 110
 /usr directory, 101, 103–104
 utilities. *See* commands; programs

• U •

variables
 assigning values to, 92
 in `bash` shell, defined, 90
 case conventions for, 91
 environment variables versus, 91
 retrieving values from, 93
 vfat filesystem, 113, 128
 vi text editor, 186
 video. *See also* graphics; video CDs
 and DVDs
 adding plug-ins to Firefox, 241–242
 Apple formats, 241
 checking plug-ins installed in Firefox,
 240–241
 codecs, 241
 file formats, 243–244
 Firefox extensions for, 242–243
 Microsoft formats, 241
 players for, 240–241
 playing 3-D games, 253–256
 viewing movie files, 243–246
 Web clips, 239–243
 video card
 getting information at startup, 38
 3-D, Linux drivers for, 254
 troubleshooting, 368–369
 video CDs and DVDs. *See also* CDs; DVDs
 Nautilus default action, 112, 124, 126
 watching DVDs, 246
 video resolution, changing, 372–373
 virtual Linux machine, 20

virtual Windows machine, 20. *See also*
 Windows programs under Linux
 Vista. *See* Windows Vista
 VMware, 20, 261–262
 VMware Player, 261
 VMware Server, 261
 VoIP. *See* Internet phone
 volume control
 Amarok music player, 233
 GNOME icon for, 71
 using (GNOME), 226–227
 VTs (virtual terminals). *See also* terminal
 window
 clearing the screen, 98
 default for GUI, 85
 exiting, 85
 not locked by Lock Screen tool, 85
 resetting the prompt, 98
 starting a shell session, 84–85
 switching between, 85

• W •

w (write) permission, 109
 WAP (wireless access point). *See also*
 wireless networking
 configuring wireless NIC as, 324–325
 defined, 317
 as master device, 318
 purchasing, 317
 troubleshooting, 333–334
 Warning! icon, 6
 Web browsers, 157–158. *See also* Firefox
 browser
 Web clips
 adding Firefox extensions for, 242–243
 adding plug-ins for, 241–242
 checking plug-ins for, 240–241
 xine video player for, 242
 Web server, enabling firewall for, 54
 Web sites. *See* Internet resources
 wiki for Fedora Project, 39
 Wikipedia site, 232
 wildcards with commands, 88
 Wiley Product Technical Support, 391
 windows, closing in Nautilus, 119

- Windows and Linux on same machine. *See* dual booting; Windows programs under Linux
- Windows client software for SSH, 307–308
- Windows Media Video (WMV) format, 240–241, 244
- Windows 98
- determining hard drive free space, 28
 - finding hardware information, 36
 - viewing partitions, 25–27
- Windows programs under Linux
- Cedega program for, 259–261
 - CodeWeavers CrossOver Office for, 241, 258–259
 - finding Windows-equivalents, 257
 - VMware for, 261–262
 - Wine for, 262–264
 - Win4Lin program for, 259–260
- Windows 2000
- determining hard drive free space, 27–28
 - finding hardware information, 36–37
 - viewing partitions, 23–24
- Windows Vista
- determining hard drive free space, 27
 - finding hardware information, 38
 - partitioning software for, 20
 - viewing partitions, 22–23
- Windows XP
- determining hard drive free space, 27–28
 - finding hardware information, 36–37
 - `fixmbr` command, 64
 - mapping Samba print server, 346
 - removing Linux with, 64
 - viewing partitions, 23–24
- Windows-to-Linux connections with SSH, 308–310
- Wine software, 262–264
- Win4Lin program, 20, 259–260
- WinModems, 38–39, 137
- WinZip program, 269
- wireless networking. *See also* WAP (wireless access point)
- ad-hoc mode, 318
 - bridge for, 139, 325–329
 - configuring remote devices, 331–333
 - further information, 138–139, 148
 - installing your wireless NIC, 321–322
 - Internet connection challenges, 138, 148
 - Internet connection setup, 148–151
 - managed mode, 318
 - ndiswrapper for, 148, 322–323
 - NIC configuration, 149–151, 320–321
 - planning your network, 319
 - router for, 139
 - saving bridging commands, 328–329
 - security configuration, 330–331
 - testing, 329–330, 333
 - troubleshooting, 333–334
- WMV (Windows Media Video) format, 240–241, 244
- word processors
- in office suites, 191
 - text editors versus, 188
 - Writer (OpenOffice.org), 71, 193–197
- write (`w`) permission, 109
- Writer (OpenOffice.org)
- documents in, 196
 - formats supported, 196–197
 - formatting toolbar, 196
 - GNOME icon for, 71
 - menu bar, 193–194
 - quick-launch icon for, 192
 - ruler, 196
 - standard toolbar, 194–195
- X •
- x (execute) permission, 109, 110
- Xandros distribution, 16–17, 64
- X-Chat IRC program, 184
- xine video player, 242
- X.org.0.log file, 313
- XP. *See* Windows XP
- Y •
- Young, Robert (Red Hat cofounder), 16
- Yum software installer
- for Firefox plug-ins, 241
 - installing xine video player using, 242
 - nightly automatic updates using, 305
 - for 3-D video card drivers, 254