

---

# INDEX

---

- A Pattern Language: Towns, Buildings,  
Construction (Alexander), 170
- Abient
- Findability (Morville), 103
  - aesthetic emphasis, 216
  - information capacity, 217
  - notification level, 216
  - representation fidelity, 216
- Accessibility design, 73
- ActiveBadge, 138
- Adaptive path blog (Hinman), 14
- Affinity diagrams, 91
- Agent(s), 139
- marketing, 207
  - mobile, 144–145, 153
  - software, 146, 148, 154
- Agent-based system(s), 17, 153–156
- communications, 154, 156
  - developing, 155
  - FIPA protocol, 166
- A-GPS, *see* Assisted GPS
- AJAX, 93, 94, 99–100, 110, 169,  
210, 228
- Alexander, Christopher, 170
- Always on
- appearance of being, 103
  - business impact, 125–128
  - expectations, 104
  - mobile service, 112
  - system architecture considerations,  
120–123
- AmberWatch, 47
- Amdahl Law, 109
- American Telemedicine  
Association, 205
- Anderson, Chris, 19, 81
- Android, 11, 19, 21, 23, 45, 63, 91, 94,  
112, 134, 144, 154, 170, 215–216
- AndroidScan, 219
- CallaCab, 219
- CookingCapsules, 219
- notification(s), 147–148
- Rayfarla, 215, 220
- SplashPlay, 216, 220
- TuneWiki, 219
- AOS, *see* Area of service
- Application responsiveness, 58, 92, 186
- Architectural patterns, 17, 170–171
- Area of service, 121
- Assisted GPS, 53, 58, 59, 65, 66, 173
- ATA, *see* American Telemedicine  
Association
- Auction(s), 13, 136, 211–213
- Dutch, 212
  - English, 212
  - location-sensitive, 212
- Automotive telematics, *see* Telematics,  
automotive
- Availability
- equation, 107
  - high, 107–108
  - perceived, 105

- Barcodes, mobile, 224–225
- Behavioral economics, 3, 31, 137
- Bell heads, 27
- Billing, micro, 8, 30
- Bluetooth, 14, 37, 54, 56–57, 64, 119
  - positioning, 57
- BREW, 59, 77, 96–97
  - UI framework, 172
- Business ecosystem, 22, 138, 144
- Buxton, Bill, 72
  
- Calendar picker, 181
- Call detail record(s), 106
- Carousel effect, 181
- Cascading menus, 179–180
- CDN, *see* Content delivery network
- CDRs, *see* Call detail record
- Cell ID, 49, 58–59, 64
- Clock Speed (Fine), 23
- Coded messages, 202
- Collaborative Filtering, 70
- Communications
  - asynchronous, 110
  - multi-channel, 119–120
  - synchronous, 110
- Complexity
  - hiding, 77
  - issues, 84
  - mobile services, 76
- Content delivery network(s), 132
- Context-aware
  - advertisement, 163
  - computing, 161
  - mobile gaming, 229
  - service(s), 130, 138, 200
  - system(s), 61, 138
- Crackberry, 14
  
- DAL, *see* Domain abstraction layer
- Data transfer object, 185
- Data value object, 185. *See also* Data transfer object
- Design patterns, 4, 17, 88, 92, 170, 176, 183, 192, 196, 198
- Device capabilities, 58, 92, 130, 161, 174, 175, 227
- Domain abstraction layer, 124
- Downtime, 108, 154
  - planned, 108
  
- DTO, *see* Data transfer object
- DVO, *see* Data value object
- Dynamic traffic alerts, 48
  
- Ecosystem, 2, 10, 11, 14, 29, 39, 42, 100, 137, 145, 222
  - application developers, 34
  - of location services, 66
  - of mobile services, 3, 16
  - of video dating messaging, 164
  - players, 2, 3, 19
- EDA, *see* Event-driven architecture
- Elements of Reusable Object-Oriented Software, 170
- Emoticons, 96
- Enabler(s)
  - application, 5
  - killer, 44–46
  - location, 42, 164
  - services, 8, 10, 25, 41, 42
  - technology, 41
- Event dispatching, 116–117
- Event filtering, 113–114, 116
- Event notification, 113–114, 189
  - disconnected operations, 190
  - efficient multicast delivery, 190
  - mobility support, 189
- Event processing, scalability, 142
- Event-driven architecture, 113, 143
  
- Facebook, 49, 67, 80, 90
- Feeds, 67, 68, 100, 161, 195, 196
- Filtering
  - broadcast data, 204
  - collaborative, 13, 70
  - event, 113–116
  - information, 44, 151–153
- Fine, Charles, 23
- Finger suitability, 223
- Five nines, 105
- Folksonomy, 6, 157–158
- Ford SYNC, 36–37, 127, 203–204
- Form factor, 5, 74, 98
  - small, 175, 198
- Friendfeed, 68
  
- Gadget(s), 88–90, 180
- Game Boy, 90
- Gang of four, 170

- Garret, Jesse, 74  
 Gates, Bill, 199, 221  
 Geo-coding, 16, 60–62, 217  
 Geo-fencing, 47, 65, 75, 118  
 Geographic information system, 60, 61  
 Gestalt, 91–92  
 GIS, *see* Geographic information system  
   database(s), 61–63  
 Gladwell, Malcom, 20  
 Global positioning system, 51  
 GM OnStar, 127  
 Google Maps, 42, 63, 91, 99, 218  
 GPS, *see* Global positioning system  
 Grove, Andrew, 28
- Heads up display, 210–211  
 Heller, Michael, 28  
 Hierarchical representation  
   of geographic areas/regions, 114–115  
 Hierarchical representation  
   of location-based subscription, 114  
 Hierarchical representation  
   time-related information, 115  
 Hinman, Rachel, 14–15  
 HLR, *see* Home location registry  
 Home location registry, 67, 87, 121  
 Horvitz, Eric, 81  
 HUD, *see* Heads up display
- Identity management, 86–87, 101  
 IMS, *see* IP Multimedia Subsystem  
 IMSI, *see* Mobile subscriber identity,  
   international  
 IN, *see* Intelligent Network  
 Information  
   filtering, 44, 151–153  
   model, 192, 194–195  
   overload, 43, 68, 137, 151  
 Infrared, 54, 138, 188  
   Data Association, 54–55  
 Intelligent Network, 29–30  
 Interactive processing, 105–106  
 IP Multimedia Subsystem, 8–10,  
   30, 42  
 iPhone, 23, 26, 33, 45, 53, 80, 92, 98,  
   101–102, 127, 170, 223  
   3G, 59, 79  
   access the mobile Internet, 7  
   activate using iTunes, 26  
   background processes, 154  
   comparison between the Kindle  
     and the, 34  
   multi-touch, 98  
   on the effectiveness of mobile  
     ads, 208  
   SDKs, 11  
   the initial rollout, 79  
   transform the market, 19  
 iPod, 98, 53  
 IrDA, *see* Infrared Data Association
- J2ME, 63, 97, 137, 144  
 JSR 179, 63
- Keep it simple stupid, 174  
 Kindle, 23, 33–34, 38, 227  
 KISS, *see* Keep it simple stupid
- Liebhold, Mike, 42  
 Life-blogging, 70  
 Lifestreaming, 222  
 Location-based services, 16, 38, 43–46  
   architecture, 59  
   charging, 65–66  
   issues, 43, 45  
   monetizing, 45  
 LBSs, *see* Location-based services  
 Location information, 42–44, 56–57,  
   64, 70  
   accessing, 130–131  
   modeling, 129–130  
 Long tail, 2  
   attention, 80–81  
   user's preferences, 137  
 Lucky, Bob, 20
- Maeda, John, 72  
 MARA, *see* Mobile augmented reality  
   applications  
 Marketing  
   blink, 80  
   buzz, 207  
   influence, 207  
   mobile, 23, 201, 207–209  
   social, 207  
   viral, 207  
 Mashup(s), 2, 4, 88, 90  
   mobile, 99–101

- Mean time
  - between failures, 107
  - to repair, 107
- Method cards, 91
- Microkernel, *see* Minimalistic core
- Microsoft, 20, 68, 78, 81, 89, 100, 157, 201, 203, 205, 221, 223
  - Healthvault, 205
  - LucidTouch, 224
  - MSN, 63, 68, 96
  - Outlook, 188
  - Surface, 145
  - Xbox, 227
  - Zune, 145, 165, 203
- Minimalistic core, 174
- MNO, *see* Mobile network operator
- Mobile
  - augmented reality applications, 221
  - barcodes, 224–225
  - code, 144
  - search, 69, 78, 99, 101, 157
  - traffic alerts, 48
  - virtual worlds, 209–211
  - widget visual patterns, 180–181
- Mobile device
  - evolution, 222–224
  - repurposing, 213–216
- Mobile healthcare, 200
  - trends, 205–207
- Mobile network operators, 32–33, 120
- Mobile resource management, 48
- Mobile services
  - fabric of, 4, 220
  - market, 4, 14, 16, 20–22, 25, 29, 232
  - personalized, 227–229
- Mobile subscriber identity
  - international, 66
  - temporary, 66
- Mobile virtual network enabler(s), 32–33, 42
- Mobile virtual network operator(s), 26, 31–33, 42, 46–47, 112, 120, 205
- Mobile Web, 5–7, 86, 102, 155
  - best practices, 93
- Model view controller, 171–172, 179
- Morville, Peter, 103
- MSISDN, 66
- MTBF, *see* Mean time between failures
- MTTR, *see* Mean time to repair
- MUD, *see* Multi-user dungeon
- Multi-touch screens, 78
- Multi-user dungeon, 209
- MVC, *see* Model view controller
- MVNE, *see* Mobile virtual network enabler
- MVNO, *see* Mobile virtual network operator
- Navigation systems, 47
- Nintendo, Game Boy, 90
- Norman, Don, 72, 82–84
- Notification management, 147–148
- NTT DoCoMo i-Mode, 95–96, 101
- OBU, *see* On-board unit
- Occlusion problem, 223
- OMA, *see* Open mobile alliance
- OMG notification service, 190–191
- On-board unit, 118
- On-deck distribution, 26
- OnStar, *see* GM OnStar
- Ontology, 145
- Open and secure terminal initiative, 123–125
- Open geospatial consortium Inc., 60
- Open mobile alliance, 42
  - data synchronization, 188–189
- OpenLS, 61
- Openness, 143
- Opportunism, 137–138
  - example services, 139–140
  - in mobile dating, 163
  - in navigation systems, 161
  - in network selection, 158
  - risks, 137
  - service design, 141, 158
- Opportunistic computing, 136
- O'Reilly, Tim, 20
- OSTI, *see* Open and secure terminal initiative
- outside.in, 68
- Over the air deployment, 144
- Pagination, 17, 93, 178–179, 183, 196
- Partitioning, 111, 123, 129, 131
- Pelago, 70
- Personal assistant, 12–13, 15, 46, 136, 156
- Personal locator services, 46

- Personal navigation devices, 47, 53, 161, 186
  - connected, 36
  - manufacturers, 114, 204
- Pervasive Computing, 136, 138
- Pipe
  - dumb, 29
  - smart, 29
- Plain old telephone service, 29, 104
- PNDs, *see* Personal navigation devices
- Positioning, 48
  - A-GPS, 51, 173
  - Bluetooth, 56–57
  - call of origin, 49
  - cell ID, 49
  - cellular, 48
  - cellular accuracy, 49
  - GPS, 14, 51–52
  - hyperbolic, 50
  - network-based, 50–51, 63
  - RFID, 55–56
  - selecting, 58–59
  - Wi-Fi, 53, 139
- POTS, *see* Plain old telephone service
- Power aware, 149
  - computing, 150
- Powerset, 68
- Predictive traffic monitoring, 204
- Pre-fetching, 186–187
- Privacy, 43, 66
  - and security, 43, 70, 206, 209
  - concerns, 137
  - of the information collected, 45
- Prototype, Wizard of Oz, 95
- Prototyping experience, 94
- PSTN, *see* Public switched telephone network
- Public switched telephone network, 29
  
- QoS, *see* Quality of service
- Quality of service, 82, 190–191
  
- Radio data system traffic message channel, 36–37
- RDS-TMC, *see* Radio data system traffic message channel
- Reminder systems, 201–203
  - opportunistic navigation, 161–163
- Remote
  - facade, 185–186
  - proxy, 183–184
- Replication, 122, 129, 131–132
- Resource
  - contention, 109–110
  - pooling, 110
- Resource description format (RDF), 156
- Reverse geocoding, 62
- RFID, 55
  
- SaaS, *see* Software as a service
- Scalability
  - definition, 108–109
  - equation, 109
  - linear, 109, 122
- Scaleup capacity, equation, 109
- Search
  - engine(s), 43, 69, 76, 156, 183, 220
  - mobile, *see* Mobile, search
  - semantic, 69
- Semantic Web, 156
  - applications, 157
- Service customization, 85
- Service delivery platform (SDP), 30
- Service discovery application profile (SDAP), 57
- Service discovery protocol (SDP), 57, 166
- Service-oriented architecture, 5, 9
- Services charges, 44, 127
- Shneiderman, Ben, 72, 78, 82, 90
- Short range wireless communication, 54, 56
- Side-loading, 26
- Simplicity
  - definition, 72
  - reduction, 91
  - time efficiency, 91
- Skyhook Wireless, 53
- Slideshows, 177–178, 196
- SMS
  - channel, 37, 176, 201
  - message, 37, 76, 118–119, 121, 129, 151, 174, 189, 203
- SOA, *see* Service-oriented architecture
- Social networking
  - location-enabled, 9
  - mobile, 75, 229
  - network effect, 7
  - potential, 208
  - profiles, 114
- Social rules, 14–15
- Software agent, 146, 153

- Software as a service, 21
- Speech recognition, 5, 175–178, 180, 192, 194–198, 203–204
- Sprint, 7, 28, 32–34, 45, 112
  - family locator, 47
- SS7, 7, 120
- Stalkerware, 47
- Standage, Tom, 103
- Subscriber database, 122
- Subscription filter evaluation, 116–117
- Switching
  - circuit, 111–112
  - packet, 112
- Symbian, 11, 28, 63, 97, 144, 174–175
- Synchronization design pattern, 187–188
  
- TCU, *see* Telematics control unit
- Technology enablers, 41
- Telcos, 29
  - dealing with, 8
  - traditional services, 9
- Telehealth, 205
- Telematics
  - automotive, 6, 11, 187, 200, 203–204, 231
  - based insurance, 66
  - control unit, 118
  - geo-fencing, 47
  - high-availability, 118–120
  - on-board unit, 118, 119, 128, 203
  - personalized services, 162
  - service providers, 48, 203
- Telemedicine, 205–206
- The Experience Economy (Pine and Gilmore), 3, 199
- The Victorian Internet (Standage), 103
- TMSI, *see* Mobile subscriber identity, temporary
- TSPs, *see* Telematics service providers
- Twitter, 15, 68, 100, 136, 202, 222
  
- Ubiquitous computing, 5, 77, 167
- uLocate, 204
  - WHERE platform, 41
- User centered design, 82
  - control, 84
- User context, 15, 43, 69, 161–162, 226
- User expectations
  - attentional, 81
  - managing, 80
- User experience, 73
  - measuring, 74
  - mobile, 82
  - quantifying, 79
  - team, 74
- User interface
  - attentional, 81
  - organic, 223
  - reconfiguration, 223
  - voice, 181–183
- User profile, 42, 123, 146, 183
  
- Value chain, 10, 16, 22–24, 27–28, 41
  - ends with the customer, 20
  - increasing competition along the, 199
  - music delivery, 26
  - MVNO, 32–33, 42
  - wireless content delivery, 25
- Value landscape, 2–5, 11, 14, 135, 139
- Virtual worlds
  - immersive, 199
  - mobile, 209
- Virtualization, 123–125
- Visiting location register, 67
- VLR, *see* Visiting location register
- Voice authoring, 194
- Voice XML, 97
  
- W3C, 93
- Web 2.0, 4, 6, 20, 25, 78, 88, 99–101, 103, 169, 199
- Web heads, 27
- Web ontology language (OWL), 145, 156
- Web services, notification, 190
- Webdiet, 69
- Widgets, *see* Gadget(s)
- Wi-Fi positioning, *see* Positioning, Wi-Fi
- Wii, 75
- Wiki, 41
- Wizard(s), 17, 176, 195
  - of Oz, 94–95
  - multi-modal, 177
  
- Yahoo, 29, 63, 68, 100, 170, 201, 212
  - emoticons, 96
  - Fire Eagle, 43, 131
  - mobile, 100
  - OneConnect, 45
  - widgets, 88–89, 180–181