

INDEX

- A-scan, 470, 499, 500
- Abrasion-resistance thermocouples, 418
- Absolute bearing vibrations, 529, 541
- Absolute shaft vibrations, 541
- Absorptivity, 421
- Absorbed dose, 326, 327
- Accelerators, 303, 309, 323, 324, 337, 345, 359, 387, 397
- Acceleration, 555, 556
- Accelerometers, 544
- Accordion machine vision, 607
- Accumulated dose, 332
- Accumulation testing method, 194
- Acoustic filters, 555
- Acoustic focusing, 485
- Acoustic impedance, 477–479
- Acoustic pressure vs. target distance, 461, 462
- AE burst, 18–20, 25, 34
- AE Coupler, 36–38
- AE parameters, 18, 19
- AE process chain, 17
- AE measurement chain, 20
- AE preamplifier, 23
- AE sensor features, 36
- AE sensors, 21, 35, 36, 39
- AE theory, 39
- Adhesive bonding, 54, 323
- Adoptive reference subtraction, 391
- Advanced mercury analyzer, 448–450
- Advanced pan-tilt zoom camera system, 616–623
- Afocal variation system (AVS), 601
- Agreement states, 338
- Air/gas propagation transducers, 460–463
- Airport security, 9
- Alignment, 114, 170, 390, 444, 524, 530, 555
- Alignment and balance, 530
- Alkali metals and water reactions, 408
- Alloy analyzer, 10, 577
- Alloy sorting, 450–456
- Alpha particles, 313, 343–346
- Alternating current field measurement, (ACFM), 124–130, 658
- Aluminum corrosion, 321, 323
- Ambient radiance, 423, 424

- Amdata automatic pipe scanner (AMAPS), 507, 508
 American Society for Testing and Materials (ASTM), 51–53, 56, 106, 238, 246, 268, 269,
 Amplitude-distance blocks, 515, 516
 Analyzer Plus Model 1700, 567–569
 Angio-genesis therapy, AGT, 6
 Angular resolving power, 428
 Angulation, 495, 590
 Annual limit on intake (ALI), 326
 Anthrax spores, 466
 Antialiasing filters, 574
 Ariane 5 launch vehicle, 166
 ARAMIS optical system, 168–170, 172
 Arterial research, 434
 Artificial intelligence (AI), 390
 Artificial standards, 239, 514, 515, 577
 As low as reasonably achievable (ALARA), 326
 Attenuated total reflection (ATR), 446
 Attenuation domain transducers, 458
 Attenuation losses, 482, 518
 Autoclave ink, 413
 Autofocus principle, 142
 Automated comparison bridge, 596
 Automatic defect recognition (ADR), 387–393
 Automatic film processing, 375
 Automatic marking, 513
 Automotive applications, 181, 434, 587
 Autoranging sensor, 574
 Aviation analysis functions, 572, 573

 B-scan, 500, 629
 Backscatter radiation, 316
 Bandwidth (BW), 11, 42, 46, 361, 362, 413, 442, 458, 461, 468, 485, 487, 550, 553, 619
 Bandwidth center frequency (BCF), 458
 Basic modes of heat transfer, 407
 Bearcon signature (BCS), 553
 Bearing condition (Bearcon), 548, 549
 Bearing vibration/noise, 548, 549
 Beat frequency, 530, 532
 Beam collimation, 314, 315
 Beam divergence, 311, 481, 482, 489, 518

 Beam purity indicator, 316
 Becquerel, Henry, 338
 Beta particles, 345, 346, 354
 Betatrons, 345
 Bimetal dial thermometers, 416
 Biological damage, 134, 349
 Biological effects (of radiation), 348–351
 Bioterrorism, 466
 Blackbody, 421, 427, 428, 439, 653
 Bluetooth technology, 1
 Blower and fans, 550
 Boiling water reactor (BWR), 507
 Bolting, 577
 Bone density, 400
 Bottom-blown furnaces, 409
 Borescopes, 578–584
 Break squeal analysis, 565
 Breeder reactor, 340, 582
 Broad-band optical pyrometers, 424–426
 Bubble leak testing, 183, 199–202, 657
 Building vibration, 524
 Bulk polymerization, 409
 Bunsen-Roscoe reciprocity law, 368
 Butterfly plot, 127

 C-scan, 122, 458, 502, 513
 Cable reels, 623, 625
 Calculated dose rate, 333
 Calibrated leaks, 198
 Camera control unit, 619, 620
 Camera pan and tilt features, 617, 618
 Carbon composite/s, 53
 CFRP, carbon fiber reinforced plastic, 164, 165
 Castings, 226, 239, 263, 289, 338, 356, 387, 393, 576, 577, 652
 Casting defects, 398
 Celsius temperature, 410
 Cepstrum analysis, 557, 558
 Characteristic curve, 315, 366–368
 CCD camera, 132, 141, 152, 154, 160, 161, 163, 165, 168, 170, 172, 322, 387, 585
 CCD detector, 131, 146, 149, 566, 614, 629, 633, 634
 Cineradiographic work, 361
 Climate controlled chambers, 521, 555
 Closed circuit TV (CCTV), 580, 581, 583, 585

- Clustering, 27, 29, 30
- Coercive force, 91, 92, 249, 278, 279
- Cold neutrons, 316
- Cold-vapor atomic absorption spectroscopy (CVAAS), 450
- Collection phase, 450
- Color change crayons, 413
- Color change paints, 412
- Color change thermometry, 411–415
- Color contrast, 224, 227, 232, 237–239, 264, 412
- Comb liftering, 557
- Compliance, 525, 528, 575
- Composite material, 39, 53, 138, 161, 162, 164, 165, 483
- Compressed fiber, 3, 460
- Compton effect., 346
- Constant color intensity control (CCIC), 598
- Crawler and camera options, 624, 625
- Crime scene investigations (CSI), 595–599
- CT scanners, 383
- CT system components, 384–387
- Comparison microscopes, 593–600
- Computer interface dosimeter (CID), 352, 353
- Condensation polymerization, 409
- Conduction, 407, 408, 427, 429, 482
- Confocal measurement, 144
- Confocal microscopy, 145–147
- Confocal point sensor, 142
- Conoscopic holography, 143
- Constructive interference, 532
- Contact probe, 131, 180–182, 491, 550
- Contact testing, 473, 478, 485, 489, 494, 499, 512
- Contamination, 179, 187, 188, 196, 228, 238, 290, 293, 328, 329, 331, 350, 375, 458, 466
- Continuously focusable microscope, 600
- Contoured focusing, 487
- Contoured shoes, 504, 505
- Contraflow, 187–188, 196
- Control rods, 340, 583
- Convection, 407, 408, 427, 429, 434
- Conventional flow, 188, 189
- Conventional ultrasound, 471–488
- Cooled mid-wave IR detection, 434
- Corrosion, 10, 24, 33, 41, 42, 52, 108, 110, 121, 128, 130, 147, 152, 224, 228, 317, 321–324, 430, 451, 472, 506, 521, 529, 547, 550, 576–578, 584, 590, 622
- Counts per minute (CPM), 328, 355
- Coupling agents, 21, 56, 459, 474, 494, 498,
- Crack propagation, 38, 41
- Crystal mosaic, 488
- Crayons, 410, 411, 413
- Curie, Marie and Pierre, 338
- Custom periscope, 582
- Cylindrical focusing, 487
- D-scan, 629
- Damping factor, 532
- Damping ratio (z), 532
- Data acquisition with a network (DAWN), 562
- Data analyzer, 521
- Decomposition phase, 450
- Defect identification, 391
- Deformation, 15, 16, 32, 35, 38, 120, 121, 137, 141, 154–156, 158, 159, 161–163, 168, 170–172, 175, 177, 526, 527, 550, 562–564, 566
- Degradation of hybrid rocket motor insulation, 465
- Degrees of freedom (DOF), 464, 524
- Destructive interference, 532
- Detection phase, 450
- Detecting speeds, 574
- Diffraction, dispersion and attenuation, 481, 482
- Digital speckle pattern interferometry (DSPI), 155
- Digital technology, 1, 406
- Digital video recording, 622
- Digitome X-ray imaging, 393–396
- Discrete Fourier transform (DFT), 556
- Displacement measurements, 541, 555, 556
- Displacement sensors, 545–547
- Distance amplitude correction (DAC), 510
- DLATGS Pyroelectric detector, 447
- Dose rates, 309, 310, 327, 331, 332, 333, 335, 341, 342, 345, 350, 354, 356
- Double pulsed ruby laser system, 563–565

- Dry developer, 226, 228, 238
 Dry pumps, 196
 Dye penetrant, 172, 183, 222, 223, 227–230, 232, 236, 238, 578
 Dye penetrant leak testing, 183
 Dynamic absorber, 534–536
 Dynamic behavior analysis, 541
 Dynamic Tritop system, 177

 Econoscope, 585, 586
 Eddy current/s, 2, 3, 65–73, 79–82, 88–90, 96–108, 110, 111, 114, 121–123, 125, 150, 232, 507, 546, 547, 575, 576, 625, 643, 657
 Edge detection, 391
 Elastic energy, 16, 17
 Electric discharged machined (EDM), 501
 Electromagnetic radiation, 133, 343
 Electromagnetic spectrum, 132, 134, 233, 234, 345, 421
 Electron capture detection, 397
 Emissivity, 421–429, 433, 436, 438, 440
 Endothermic reaction, 408, 409
 Engine fan balancing, 569
 Engine vibration analysis, 565
 Enhanced external counterpulsation, EECp, 6
 Environmental factors, 328, 329, 426, 434, 440, 510, 525, 555, 569, 578, 624, 653, 657
 Epithermal neutrons, 303, 312, 317, 321
 Equivalent penetrometer sensitivity (EPS), 374
 Error potential in radiant measurements, 429
 ESPI interferometry, 135, 136, 154, 155, 157–159, 168, 169, 171, 172, 562–565
 Examination of damage to vessel diffuser plates, 622, 623
 Exothermic reaction, 375, 408, 409
 Explosive devices, 9, 321, 650
 Exposure factor, 362
 Exposure time, 136, 172, 308, 310–314, 327, 332, 356, 360–370, 381, 396, 466
 Extreme vibration attenuation (EVA) pad, 533, 534
 Extrusions, 576, 578

 Failure analysis, 170, 529, 543
 Fan trim balancing, 572
 Fast Fourier transform (FFT), 48, 544, 548, 550, 553, 556, 557, 560, 574
 Fatigue cracks, 42, 128, 229, 253, 256, 263, 288, 500, 501, 548
 Fault recognition, 541
 Feature extraction, 25, 43, 44, 48
 Fiberscopes and Videoscopes, 584–587
 Fiberglass reinforced plastic (FRP), 165
 Field of view (FOV), 171, 428, 433, 436, 438, 440
 Film badge, 310, 326, 327, 330, 352–354
 Film graininess, 316, 371
 Film thickness on a silicon wafer, 448
 Finite element method (FEM), 158, 168, 170, 269
 Fission fragments, 345, 346
 Fission reactor, 340
 Flash radiography, 360
 Flat panel digital imaging, 378–381
 Flaw detection, 3, 39, 76, 79, 82, 84, 94, 111, 122, 123, 459, 471–473, 502, 512
 Flaw image contrast, 371
 Flaw transducers, 509, 510
 Flexible fiberscopes, 576, 584–589
 Fluorescent penetrant, 152, 153 223–225, 227, 229, 233, 236–239, 242, 245
 Fluorescent penetrant inspection, laser-scanned (LSPI), 152, 153
 Fluoresin film coatings, 447, 448
 Fluoroscopy, 377, 378
 Focal distance (FD), 487, 488
 Focal plane array (FPA), 435, 436, 438, 440
 Forensic comparison, 596, 599, 610
 Forgings, 289, 519, 576, 578
 Forming limit curve (FLC), 143
 Fourier-transform infrared spectrometer, 444–448
 Fraunhofer zone, 482
 Frequency analysis, 541
 Frequency considerations, 512
 Frequency domain transducers, 458
 Frequency response, 529
 Frequency response function (FRF), 526, 599
 Fresnel and Fraunhofer fields, 482, 483
 Fresnel zone, 482, 487

- Fringe line/s, 140
Frisker stations, 329
Fuel rods, 340
Fuji Dynamix computed radiography, 379–381
Full field view, 132, 159
Full width half maximum (FWHM), 630
Fundamental resonant frequency, 475, 498
Fundamentals of radiation safety, 338
- Gamma density measurement, 402, 404
Gas matrix piezo (GMP) transducers, 461
Gamma level gauging, 402, 403–405
General Atomics, 308
Generation of ultrasonic waves, 483, 484
G-M survey meter, 327–329
Geometric unsharpness, 314, 324, 363, 364, 371
Geometric and mathematical TOFD model, 627, 628
GLARE, fiberglass and aluminum, 165
Glare, 171, 227, 377
Golden image technique, 390
Graininess, 314, 316, 371
Gray (Gy) Si unit of absorbed dose, 326
Graybody, 422, 428
Greenberg, E. H., 451
Ground individual field of view (GIFOV), 428
- H and D curve, 367
Half-life, 304, 342
Half-value layer, 335, 348, 360
Halogen diode, 209, 210–213, 657
Hall effect, 67, 83–87, 92, 95, 275, 276
Hall coefficient, 85
Hand-held controller, 620–622
Headphones, 180–182
Heat filters, 377
Heat flow, 407, 408, 653
Heat reactive ink, 415
Heat transfer, 210, 407, 408, 653
Helicopter main rotor vibration measurements, 570
Helium mass spectrometer leak testing, 184
High-end engine vibration analysis, 572
High-intensity illuminators, 376
High macroscopic cross section, 303
High-speed, high-resolution spectral data, 629
High-speed IR line camera, 442–444
High-speed temperature measurement of tires, 442–444
Holographic image, 136, 137, 141
Holographic interference, 138
Holographic sensor, 142
Holography, 132, 136, 137, 140, 141, 143, 644, 645, 658
Homeland security, 637
Horizontal ATR operation, 446, 447
Hydrogenous material, 303, 317, 321, 323
Hysteresis curve, 90, 277, 278
- Identification of materials (IM), 305, 316, 448, 450–456
Identification of nuclear fuel bundle serial numbers, 622, 623
Illumination manager, 598
Image domain transducers, 458
Image freeze and storage, 622
Image quality indicators (IQI), 315, 372, 374
Image unsharpness, 371
Immersion transducers, 482, 489
Impact-echo, 54–57, 59–61, 63, 64
Impact testing, 529
Improper film handling, 374
Improper film processing, 376
Increasing mass, 534–536
Index of refraction, 481
Individual field of view (IFOV), 428, 429, 433, 436, 440
Industrial computed tomography, 382–387
Industrial polymerization, 409
Industrial radiography, 325, 337, 338
Industrial videoscopes, 589–593
Inertance, 528
InFocus corrections, 608
InFocus microscope enhancement system, 607
Infrared, 2, 10, 407, 408, 420, 421, 427–429, 435, 444, 458, 653, 654, 658
Infrared imaging, 408, 420, 427–429
Inspection speed, 76, 95, 168, 264, 266, 513

- Inspection speeds for tubular elements, 513
- IC packaging, 147
- Intergranular stress corrosion cracking (IGSCC), 506, 507
- Intensifying screens, 364, 365
- Interference patterns, 138, 139, 599
- Interferogram, 161
- Instant picture analysis system (iPass), 463
- Inverse square law, 333, 348, 366
- Ion chamber, 217, 309, 310, 317, 327, 346, 352, 354, 399, 401, 402, 587
- Ionizing radiation, 309, 312, 326, 327, 339, 346, 352, 359
- Iso cubes, 533
- Isolation treatments, 536–540
- Isotope production, 338, 341
- Irrelevant moving bands of color (heat), 436
- Irreversible color change indicators, 411

- JCAMP standard, 445
- Jet engine inspection, 581, 582
- Jet engine data acquisition module (JEDA), 568
- Journal bearings, 536
- Joystick menu navigation, 620

- Kaiser effect, 16
- Kelvin scale, 410
- Kirchoff's Law, 420

- Labels, 236, 312, 313, 411–415, 620
- Lacquers, 411
- Lamb waves, 476, 477, 493, 494, 497
- Laser Methods, 562–566
- Laser profilometer, 142, 578
- Laser safety, 133, 644–646
- Laser thermometer, 423–425
- Laser-scanned penetrant inspection (LSPI), 152–154
- LP-2000 laser profilometer, 150, 151
- Leak rate/s, 180, 183, 184, 190, 192, 197–199, 207–209, 211, 214, 215, 217
- Leak testing, bubble, 183, 199–201, 657
- Leak testing, dye penetrant, 183
- Leak testing, MSLD, 184, 186, 196, 198, 213, 216
- Leak testing, pressure change, 183, 203, 205–209, 657
- Leak testing, ultrasonic, 180, 183
- L/D ratio, 307, 308, 311, 314, 316, 323, 324
- Liquid crystal inks, 414
- Liquid in glass thermometers, 415
- Liquid penetrant testing, 221–224, 228, 231, 232, 239, 244, 245, 262, 648, 657
- Linear diode array (LDA), 385–390
- Locating leaks, 180, 191, 192
- Long distance microscope (LDM), 600–607
- Longitudinal wave, 35, 476–478, 489–492, 498, 627, 629
- Looseness, 536
- Lucite shoes, 487
- Lucite wedges, 487

- Machine diagnosis, 541–543
- Machine vision systems, 601
- Macroscopic cross section, 303
- Magnetic crawlers, 575
- Magnetism, 90, 112–115, 248, 251, 263, 273, 274, 277–279, 289, 523, 643
- Man-made radiation, 326
- Manipulator bridge, 503, 504
- Mass, 36, 67, 171, 522–524, 527, 528, 534, 536, 541, 544, 545
- Mass spectrometer leak detector, 184, 186, 198, 216
- Material parameters, 514
- Measured individual field of view (MIFOV), 428
- Measuring area, 156, 158, 160, 164, 170, 172, 566
- Measuring leaks, 180, 192, 193
- Measuring sensitivity, 156, 158, 164, 165, 556, 566
- Measurement range, 142, 146, 244, 401, 432, 438
- Mechanical deformation, 137
- Mechanical shakers, 522
- Mechanical stress, 17, 113, 138, 140
- Medical marvels, 5, 6
- Medical radiography, 338, 345
- Melting point indicators, 410, 411
- Mercury in solids and solutions, 449
- Meson particles, 345

- Micro-electromechanical systems (MEMS), 3, 5, 144,
- Microcircuits, 578
- Midstage flow, 188
- Millirems per hour (mR/h), 327
- Miniature fiber optic spectrometer, 633–636
- Mixing of solutions, 409
- Modal analysis, 526, 527, 537, 562
- Mode conversion, 475, 478, 493, 495, 496, 626, 629
- Modes of vibration, 477, 497, 522–524
- Moderator, 303, 310
- Modulation transfer function (MTF), 322
- Mohr's circle, 525, 526
- Moisture gauging, 397
- Molybdenum processing, 408
- Monitoring structures, 41
- Multi-change paints, 412
- Multilayer ultrasonic thickness gauge, 470, 471
- Multiple flow, 188

- Nanobots, 4
- Nanosurf confocal microscopy, 145
- Nanotechnology, 3, 4
- Narrow-band optical pyrometers, 423, 424
- National voluntary laboratory accreditation program (NLAP), 417
- Natural background radiation, 348, 349
- Natural focus, 482
- Near field distances, 483
- Near IR, 421, 444
- Negative stiffness mechanism (NSM), 537–540
- Neutral particles, 345
- Neutron activation analysis (NAA), 304, 307, 309, 316, 317
- Neutron cross section, 301, 303
- Neutron energy, 303, 311–315
- Neutron imaging, 312, 321–324
- Neutron level gauges, 320
- Neutron porosity logging, 319
- Neutron reflections, 314
- Neutrons, 301–317, 320, 321, 326, 327, 338–341
- Noise, 3, 10, 16, 18–20
- Noise analysis, 525
- Noise vibration harshness (NVH), 159
- Nominal frequency (F), 458
- Non-agreement states, 337
- Noncontacting, 3, 136, 142, 162, 422, 458, 460, 463, 489, 545, 626
- Noncontacting pitch-catch mode, 463, 464
- Noncontacting transducers (NCU), 460–463
- Noncontacting ultrasonic testing, 458–466
- Nonlinear mechanical system, 536
- Nonrelevant indications, 71, 88, 263, 274, 297, 299
- Nuclear applications, 582–584
- Nuclear bomb fallout, 349
- Nuclear fission, 326, 340
- Nuclear reactor, 9, 41, 208, 303, 316, 321, 326, 340, 343, 346, 622
- Nuclear Regulatory Commission (NRC), 52, 128, 308, 309, 325, 330, 331, 335, 337, 338, 349, 352
- Numerical aperture (NA), 604
- Nyquist frequency plot, 557, 559

- Oak Ridge National Lab (ORNL), 316
- Objective lens, 142, 144, 146, 578, 580, 594, 605, 611
- Occupational dose limit, 349
- Ocean optics photometers, 629–638
- Operating deflection shape (ODS), 527
- Optical inspection, 168
- Optical pyrometers, 423–427
- Optimum magnification (fluoroscopy), 377
- Orbit plots, 559
- Order analysis, 527, 528
- Order frequency, 527
- Order tracking, 527

- Paint brush transducer, 488, 512
- Pair production, 347
- Pancake probe, 327, 329
- Paper mill process, 434
- Particle radiation, 303, 343
- Particle vibration, 474, 476, 477, 490
- Pass and fail testing, 531, 536
- Peak frequency (PF), 458

- Pellets, 313, 340, 410
 Penetrameter, 289, 315, 370, 372–374, 378, 491
 Penetrant materials, 224, 236–238
 Penetrant testing, 221–224, 232, 239, 244, 245, 262, 648, 657
 Percent transmittance (%T), 636
 Permeability, 72, 73, 76, 79, 84, 88–90, 96, 108, 110, 125, 126, 249, 251, 253, 262, 264, 275, 305
 Personnel monitoring, 310, 325, 337, 338, 649, 651
 PCI bus, 10, 11, 34, 39, 42–49, 444
 Phase-stepping, 162
 Photoelectric effect, 346
 Photofluorescent, 365
 Photographic density, 315, 366, 367
 Photons, 133, 341–346, 354, 355, 402, 408, 421, 428, 436, 436, 634
 Piezoelectric sensor, 21, 23, 34
 Pipe and vessel inspections, 626–629
 Pipe weld inspection, 575
 Planck's law, 423
 Pocket dosimeter, 310, 326, 327, 330, 352
 Polychromic inks, 415
 Portable accelerators, 359
 Portable noise and vibration analyzer, 560–562
 Portable ultrasonic flaw detector, 507, 509
 Position-sensing device (PSD), 149
 Post emulsification, 226, 229
 Predictive maintenance (PdM), 429–431, 521, 528, 550, 556, 562, 657
 Pressure change leak testing, 183, 202, 205
 Pressurization stress, 645
 Preventive and predictive maintenance program (PPM), 429, 431, 550
 Primary reaction control system (PRCS), 6, 7
 Probalancer Analyzer 2020, 570–572
 Probability of detection (POD), 577
 Probe manipulator, 489, 502–504
 Process Control, 1, 9, 10, 41, 101, 285, 291, 294, 393, 410, 439, 440, 455, 630
 Profilometry, 134, 135, 142, 147, 646, 658
 Projection microscopes, 593–600
 Propellar balancing kit, 571
 Proportional counter, 310, 313, 397
 Pulse dampening, 499
 Pulse generation, 475, 476
 Pulse-echo method, 55, 465, 467, 469, 473, 490, 510
 Pulse repetition rate, 463, 466, 467–469, 499, 513
 Pulse width (PW), 458, 467, 485, 500
 Pulsed 3D ESPI system, 563–566
 Pulsar, 50, 360, 463, 464, 466–468
 Pulsar/receiver, 468–470
 Pumps, 4, 6, 10, 16, 186, 187, 195, 196, 216, 218, 239, 289, 402, 521, 524, 550, 577, 583
 PXI bus, 10, 11
 Pyrometers, 10, 422–427
 Quality estimation, 391
 Radiation area, 325, 332, 335
 Radiation dose, 9, 310, 311, 326, 327, 331–336, 349, 350, 353, 354, 356
 Radiation exposure calculator, 370
 Radiation safety officer, 198, 311, 330, 336
 Radiation shielding, 347, 378
 Radiation survey, 310, 325, 327, 331, 335, 336, 337, 346, 649, 651
 Radio frequency (RF), 475, 484, 500
 Radiographic camera, 332, 335, 336
 Radiographic contrast, 314, 315, 371
 Radiographic sensitivity, 314, 370–372
 Radiographic shadow formation, 363
 Radioisotope, 198, 339, 340, 345, 358, 361, 366
 Rare earth element/s, 301, 303
 Rayleigh waves, 36, 122, 476, 493
 Real-time holography, 137, 140
 Refinery alloy comments, 453
 Reflection and refraction, 478–481
 Reflectivity, 421, 422, 427, 428
 Region of interest (ROI), 387, 391, 441, 557
 Relative shaft vibration, 541
 Relay lenses, 578
 Remote-controlled cold-light source, 599
 Remote pulsers and preamplifiers, 467–470

- Remote magnetic pipe crawlers, 575
- Remote visual inspection, 611–626
- Repeatability, 143, 387, 418, 420, 432, 471
- Research and development, 25, 39, 434, 470
- Resistance temperature devices (RTDs), 204, 417–420, 428
- Resistance temperature elements (RTEs), 420
- Resolving power, 219, 428, 485, 604
- Resonance testing, 497
- Resonant frequency, 21, 473, 475, 485, 497, 498, 521–524, 526, 536
- Restricted area, 331, 332, 335
- Retentivity, 87, 264, 274, 275, 278, 279
- Reverse flow, 186, 187
- Reverse fluorescent, 227
- Rigid borescope, 580, 584, 585
- Ring light adapter, 605
- Robotic crawler units, 623–626
- Robotic inspection, 164, 168
- Roentgen, William, 338, 347
- Rolling element bearing failures, 547
- Rotating equipment analysis, 527
- Rotor track and balance measurements, 570
- Rule base/specific algorithm method, 392

- Scanning laser profilometry, 147–149
- Self-adhesive strips and indicators, 411
- Scintillation detector, 355, 402
- Scintillation screen, 385, 389
- Search unit construction, 484–489
- Seebeck effect, 416, 451, 452
- Selective envelope detection (SED), 550, 553
- Semiautomatic defect recognition (SADR), 392
- Sensor coupling, 21, 23, 26, 47
- Shear waves, 57, 122, 123, 476, 478, 487, 490–495, 514, 515, 629
- Shearography, 132, 161–168, 644, 645, 658
- Shearography camera, 164, 644
- Shielding, 80, 88, 289, 317, 332–335, 345–348, 378, 426, 583
- Shock pulse generator, 499, 510
- Signal-to-noise ratio (SNR), 79, 80, 84, 88, 111, 162, 460, 461, 643
- SilverHawk, 5
- Single color change paints, 412
- Small-angle neutron scattering instrument (ANS), 316
- SnakeEye diagnostic tool, 587, 588
- Snell's law, 480
- Sniffer, 184, 192, 193, 195, 212–214, 219
- Sound concentrator, 182
- Sound level meter (SLM), 525
- Source locking mechanism, 336
- Source strength, 341, 342, 366, 369
- Sources of vibration, 524
- Space elevator, 60,000-mile-high, 11, 12
- Spatial resolution, 156, 177, 324, 384, 385, 436, 440, 443
- Speckle interferogram, 161
- Spectral range, 432, 443, 447, 631, 632
- Spectrometer efficiency curve, 631, 632
- Spectrometer tube, 185–188, 197, 214, 216–218
- Spectrum analyzer, 76, 111, 499, 525, 556, 557, 561
- Speed and phase signal processing, 574
- Speed change, 540
- Spherical aberration, 607
- SpyGlass lens, 439, 440
- Squirter unit, 489, 495, 497, 513
- Stability and Decay, 341
- Standard radiographic technique, 361
- Standard reference blocks, 514, 515
- Statue of Liberty, 584
- Stefan-Boltzmann constant, 422
- Stefan-Boltzmann law, 423
- Stereomicroscopes, 594–598
- Stereomicroscopes, 594, 595, 599
- Sterling-cycle cooling engine, 435, 438
- Stiffening, 540, 541
- Stiffness, 524, 527–529, 537, 539
- Strain gauges, 119, 155, 525, 543
- Stress analysis, 120, 525, 529
- Stress/strain analysis, 565
- Structural integrity, 39, 40, 50, 53, 54, 124, 208
- Surface waves, 36, 57, 457, 476, 477, 492–494, 497, 519
- Superimposed image comparison, 598
- Survey instrument/s, 327, 331, 342, 354, 649
- Survey reports, 331, 651

- Tachometer inputs, 574
 Target rods, 340
 TEC's Aviation Products, 567–574
 Technique charts, 261, 368–370
 Temperature measurement, 207, 409, 410, 420, 424, 426, 427, 438, 442, 654
 Temperature sensors with readouts, 416–420
 TV camera, 131, 356, 583
 TV holography, 136
 Tele-zoom viewing, 616
 Tenth-value layer (TVL), 348
 Testing equipment (UT), 498–518
 Test methods (UT), 489–498
 TN alloy pro, 357–359
 Thermal imager and visible light camera, 440, 441, 442
 Thermal imaging, 432, 434–436, 442
 Thermal neutron/s, 301, 303, 303, 310–314, 316, 317, 321–324
 Thermal radiation, 407, 408, 421–423, 425, 427–429, 439
 Thermal stress, 113, 138, 139, 547, 645
 Thermal video imaging, 433
 Thermochromic flex ink, 415
 Thermochromic liquid crystal indicators, 413
 Thermocouple sensors, 416, 417
 Thermoelectric alloy sorting, 450–456
 Thermoluminescent dosimeter, 326, 352–354
 Thorium reduction, 408
 3D confocal microscopy, 146
 3D deformation vector, 564
 3D ESPI, 154, 157, 158, 159, 171
 3D profiler, 149
 Through transmission, 467, 469, 490, 494, 495, 497, 518
 Time domain transducers, 457
 Time of flight, 457, 458, 463, 473, 627
 Time-of-flight diffraction (TOFD), 519, 576, 626, 627, 658
 Tool-head camera, 618
 Tokamak fusion test reactor (TFTR), 582
 Total borescope magnification, 580
 Transducers (TOFD), 576
 Track-etch neutron imaging method, 312
 Tracking analysis, 554
 Trained operators, 575
 Transducer beam spread, 481
 Transfer functions, 528
 Translation device, 464
 Transmissivity, 421, 422, 427
 Trend analysis, 560
 Tribology, 147
 TRIGA reactor, 307, 308, 323
 Tristimulus method, 636
 Twin engine propeller balancing, 570
 Ultrasonic focused transducer, 463
 Ultrasonic analyzer, 510, 511
 Ultrasonic leak detector, 180, 183
 Ultrasonic noise generator, 182
 Ultrasonic wave generation, 476, 477
 UV-A, 233, 234, 243, 244
 Ultraviolet, 152, 222, 224, 378, 578, 637
 Uncooled IR linear array, 442
 Underwater periscope, 583
 Universal format lens (UFL), 600
 Unsharpness, 314, 324, 361, 363, 366, 371, 377
 Vacuum stress, 645
 Vacuum system, 179, 185–188, 190, 191, 194, 196, 197, 216–218, 220
 Valves, 16, 41, 179, 180, 183, 190, 196, 200, 208, 217–220, 577, 587, 589
 Variable attenuator, 136, 499, 510
 Variables affecting results, 517–519
 Velocity, 555, 556
 Velocity sensors, 545
 VDI Guidance 2056, 541–543
 Vibration balancing machines, 555
 Vibration damping, 532–534
 Vibration excitation, 155, 162, 166, 645
 Vibration isolation platform, 537–540
 Vibration isolation theory, 537–540
 Vibration survey and analysis, 568
 Vibrational modes, 137, 141
 Vibrotest 60 Version 4, 550–555
 Viper 4040, 572–574
 Visible dye penetrant processes, 227–229
 Visual appearance, 576
 Visual testing, 244, 519, 576, 577, 656, 658
 Wall thickness measurement, 472
 Wall thinning, 472, 577

- Wall periscopes, 583
- Ward Center, 307–309
- Water washable, 221, 224, 226–229, 237, 238
- Waterfall analysis, 527
- Waterfall plots, 527, 528
- Weapons of mass destruction (WMD), 3
- Wear-resistance thermocouples, 418
- Welding defects, 398–400
- Wet developer, 225, 229, 230, 238
- Wheel unit (UT), 489, 495, 497, 513
- White light interferometry, 135
- Wireless technology, 1
- Working distance, 146, 147, 156, 158, 566, 594, 599, 601, 604, 605, 608, 611
- Working tools, 592
- X-ray fluorescence, 356, 358
- X-ray generator, 345, 356
- Yellow cake, 340
- Young's modulus (stress/strain), 472
- Zero-order Bessel function, 140

