

Index

A

A1 notation, cell references (table), 340

Active X controls, unsupported by Excel Services, 85

Add Users, 261, 279

Administration

- administrator group, membership and MOSS setup, 32
- Central Administration, 140–41
- ECS process, maximum size setting, 60
- Excel Services Settings, 151–59
- international deployment, 184–89
- levels of, 207
- load balancing, 62–63
- monitoring MOSS. See Monitoring
- number of sessions, configuring, 54
- and Office SharePoint Server, 20
- request timeout, configuring, 56
- Shared Services Administration settings, 140–41
- Trusted Data Connection Libraries, 159–62
- trusted data providers, 162–66
- Trusted File Locations, 139, 142–50
- User-Defined Function Assemblies, 166–69

Adventure Works

- accessing, 320–21
- KPI connection to cube, 325–26

Alerts

- Stop alert, 339
- use, steps in, 284–85

Allow Cross Domain Access, 204

Allow External Data, 95–96, 102, 116

- as security measure, 206

Always Use Connection File, 95

Anonymous users

- allow access, 193
- disadvantages of, 202

Application pools

- optimizing performance, 135–36
- process recycles, setting, 136

Application Programming Interface (API)

- A1 notation, reference calls with, 340
- capabilities of, 25
- closing session, 67
- culture settings, 338
- custom solutions. See Application Programming Interface (API) applications
- local linking to access, 343
- restricting programmatic access, 80
- session ID, 338
- SOAP Fault message, 339–40
- status, return of, 339

Application Programming Interface (API) applications

- API web reference, adding, 341
- C# console application, 340–41
- Calculate, 350–52
- CalculateA1, 349–50
- CalculateWorkbook, 352
- calling API, 341–43
- CancelRequest, 347–48
- CloseWorkbook, 346–47
- GetApiVersion, 344

GetCell, 357–58

GetCellA1, 356–57

GetRange, 354–56

GetRangeA1, 353–54

GetSessionInformation, 345–46

GetWorkbook, 364–65

OpenWorkbook, 344–45

Refresh, 348–49

requirements for, 340

SetCell, 363–64

SetCellA1, 362–63

SetRange, 360–62

SetRangeA1, 358–60

web pages, creating, 380–88

Application servers

- large server farm topology, 123
- medium server farm topology, 122

Apply Filters, 311

Approval status, content approval, 262–66

Arguments

- argument data types, 368–69
- user defined function (UDFs), 369–70

Arrays, UDF arguments, 369

Arrow keys, scrolling with, 232

ASP.NET 2.0, 10–11

- authentication system, design of, 192
- enabling, 32
- timeout setting, increasing, 137

Assembly Details, User-Defined Function Assemblies settings, 167–68

Attacks, external, 101

Attributes, user-defined function (UDF) for adding, 373

Auditing

- audit log reports, viewing, 288–89
- purpose of, 13, 202, 287
- repudiation prevention, 202
- types of events, 287
- workbook usage, 288

Authentication, 192–93

- allow anonymous access, 193
- forms, 192
- process of, 10–11
- spoofing prevention, 199
- Windows, 192, 198

Authoring, control of, 259–60

Authorization, 193–94

- process of, 11, 193

Automatic calculations, 133, 147

Automatic refresh, 148

Automatic Refresh Data Cache Lifetime, 110–11

B

Base workbooks, ECS memory use by, 130–31

BIFF12. See .xlsb (Excel Binary Workbook) file format

Boolean data type, 368, 371

Bottlenecks, problems/solutions, 135–37

Browsers

- chart differences, 88–89
- default click, changing, 226–27

navigate worksheet in, 232–33
sheet rendering differences, 87–88
viewing workbooks. See Viewing workbooks
workbook parameters, changing, 248–50

Business Data Catalog filter, 311

Business intelligence (BI) functions, 16–20

BI portal, publishing reports, 116
dashboards, 305–16
Data Connection Libraries (DCLs), 17
EWA, adding to server home page, 317–18
key performance indicators (KPIs), 18, 300–305
Report Centers, 16, 293–95
Report Libraries, 17, 296–97
SQL Server Analysis Services, 318–29

C

C# class library, creating, 372

C# console application, creating, 340–41

Cache, 57–61

and capacity planning, 132
for charts, 61, 70
disabling, 333
Excel Services Settings, 155
expiration of, 110–11
External Data settings, 148
lifetime settings, 109–11, 148
location of, 203
memory cache, settings, 154–55
and memory optimization, 58–61, 68, 70
objects, 60–61
refresh, 148
security measures, 58
size of, 57, 68
and unused objects, 59–60, 68, 70
user/server operations, 58–59
and volatile functions, 59

Calculation(s)

automatic, 133, 147
CalculateA1, 349–50
Calculate method, 350–52
CalculateWorkbook, 352
calculating on server, 26
and capacity planning, 132–33
data tables exception, 147
with EWA toolbar, 252–53
manual, 69, 133, 146, 206, 252–53
offloading to server. See Offloading workbook calculations
time factors, 8
workbook mode, 146, 206
See also Volatile functions

Calculation Behavior, Trusted File Locations settings, 146–47

Capacity planning, 126–37

calculation intensity factors, 132–33
and concurrent users, 134
defined, 126
external data factors, 132
formatting factors, 133
influencing factors, 127–28
memory factors, 128, 130–31, 136
problems/solutions, 135–37
scaling out/scaling up, 128
and update frequency, 133
and user actions, 133–34
and workbook file size, 129–29

Cells

font installation for, 88
GetCell, 357–58
GetCellA1, 356–57
SetCell, 363–64
SetCellA1, 362–63

Central Administration, 140–41

accessing, 140, 173–74
event traces, 178
Operations page, 174–75
See also Administration

Charts, 63–64

caching of, 61, 70
charting, order of operations, 63–64
display differences, 88–89
grouped, unsupported by Excel Services, 84
maximum size, 71, 145, 206
optimizing performance, 70–71
PivotCharts, 251

Check-in/check-out, 224

versioning, 273–78

Children Trusted, 144, 193, 205

Choice filter, 311–13

Clients

client/WFE connection optimization, 65–66
font installation for, 88
optimizing performance for, 71

Clip art, unsupported by Excel Services, 84

Closing sessions, 54, 338

Close Session Before Opening A New One, 67
CloseWorkbook, 346–47

Code, unsupported by Excel Services, 85

Collaboration, activities, scope of, 14–15

Columns

display of, 232
grouped, expanding/collapsing, 238–39

Command line

Excel Services Settings options, 157
Trusted Data Connection Libraries options, 160–61
trusted data providers options, 165
Trusted File Locations options, 148–50
User-Defined Function Assemblies options, 168

Comments, unsupported by Excel Services, 84

Compute Cluster Server (CCS) 2003, 70, 335

CCS head node, 125
set-up, 124–25, 127

Concurrent users

and capacity planning, 134
defined, 134

Configuration. See Installation/setup

Connecting content, with filters, 19

Connection Encryption, 201

Connections

external. See External data connections
information on. See Data Connection Libraries (DCLs)
network connections, 65–66

Content approval, 262–66

set-up/use, 263–65
workflows approval, 267–70

Content Management Server, 13

Content types

defined, 296
of Report Centers, 296

Context Editor, web page creation, 380–82

Contribute permission, 260–61

Copy and Print, user permission, 80**CPU**

- and capacity planning, 128–29, 132, 137
- performance optimization, 61, 69

Credentials, 103–9

- defining, 105
- delegation, 196–97
- and external data query, 197–98
- and impersonation, 194, 197
- integrated/database credentials, 104, 109
- Kerberos-constrained delegation, 106–7, 196
- multiple hop topologies, 104–5
- one-hop topology, 103–4, 196
- one-machine topology, 105
- opening workbook, 196–97
- and process account, 197
- single sign-on (SSO), 108–9, 198
- spoofing prevention, 199
- and trusted subsystem, 196–97
- unattended account, 107–8
- workbook embedded, 107

Cross-site scripting attack

- defined, 204
- prevention of, 204

Cultures

- data culture, 186, 338
- neutral culture, 338
- UI culture, 338

Current user filter, 311**D****Dashboards, 305–16**

- creating, steps in, 306–7
- data-bound, creating, 324–25
- edit mode, 40
- filter workbook on dashboard, 19, 312–15
- forecasts, display of, 315–16
- functions of, 18–19
- key performance indicators (KPIs), configuring, 309–10
- Report Center template, 19, 296
- spreadsheets in, 7
- with SQL Server Analysis Services, 318, 324–25
- template for, 306
- Web Parts, configuring, 308
- workbooks in, 25, 307–15

Databases, external

- connecting/querying. *See* External data connections; External data queries
- database credentials, 104, 109**
- tampering with data, prevention, 201–2

Database servers. *See* Servers**Data Connection Libraries (DCLs), 93–96**

- benefits of, 93
- connections, adding to, 94–95
- functions of, 17, 93
- linked connection path, 96
- Trusted Data Connection Libraries, 159–62

Data culture, 186

- API setting, 338

Data providers, security measures, 209**Data queries. *See* External data queries****Data validation**

- set-up, 86
- unsupported by Excel Services, 86

Date filter, 311**DateTime data type, 368, 371****Delegation**

- credentials, 196–97
- spoofing prevention, 199

Denial-of-service attacks, 204–6

- defined, 198, 204
- forms of, 204, 208, 209
- prevention of, 204–6

Deployment topologies. *See* Topologies**Diagnostic Logging, Unified Logging Service (ULS), 175****Digital signatures**

- functions of, 80
- set-up, 80
- unsupported by Excel Services, 80, 196

Display differences. *See* Browsers**Distribution**

- spreadsheet problems, 5–6
- workbooks. *See* Workbook distribution

Document encryption

- functions of, 80
- set-up, 80
- unsupported by Excel Services, 80, 196

Document libraries

- alerts, 284–85
- authorization to open workbook, 193
- check-in/check-out, 224
- default click, changing, 226–27
- downloading mechanism, 57
- functions of, 11–12
- publishing workbook to, 56
- compared to Report Libraries, 296
- RSS feed, 285–86
- security features, 12
- viewing workbooks from, 225–27
- See also* Data Connection Libraries (DCLs)

E**Edit control block (ECB) menu, trusted file locations, 143****Edit mode, dashboards, 40****Elevation of privilege attack**

- defined, 198, 207
- prevention of, 207

Embedded credentials, 107**Encryption**

- Connection Encryption, 201
- document encryption, 80, 196
- Security setting, 151
- Windows Encrypted File System (EFS), 58, 203

Evaluation servers

- hardware requirements, 30
- installing, 32, 38–39
- single-server topology, 120–21

Event rules, Microsoft Operations Manager (MOM) Pack, 182–84**Event Throttling, Unified Logging Service (ULS) settings, 176–77****Event Viewer, 177–79**

- configuration changes to, 177–79
- functions of, 177–78
- launching, 178

Excel 2007. *See* Excel Services**Excel Binary file format. *See* .xlsb (Excel Binary Workbook) file format****Excel Calculation Server (ECS)**

- cache, 58–61

- charting, 63–64
- communication with WFE, 66
- data connections, steps in, 92
- data stored, calculation for amount of, 67
- ECS process (w3wp.exe process), viewing, 129
- external database, query information from, 58
- firewall for, 203, 205
- functions of, 46–47, 53
- installation method, 30
- load balancing, 62–65
- loading workbook to server, 56–57
- memory size, 67–68
- requests, 55–56
- session state in memory, 55
- thread management, 63

Excel client (Excel.EXE)

- relationship to Excel Services, 27
- and installation, 32

Excel Services

- components of. See Excel Services components
- custom solutions, 25–26
- file formats supported by, 32, 56, 75–76, 95
- functions of, 8–9
- hardware requirements, 30
- installation methods, 29–30
- load balancing, 64–65
- main components of, 45
- multiple machines, scaling to, 61–62
- needs not serviced by, 27–28
- operations, 53–64
- optimizing performance, 64–71
- portals/dashboards, creating, 25
- running and Office SharePoint Server 2007, 29–30
- unsupported features. See Excel Services unsupported features
- users, focus of, 26–27
- workbook operations. See Workbooks

Excel Services components

- Excel Calculation Server (ECS), 46–47, 50
- Excel Web Access (EWA) Web Part, 46–47, 51–52
- Excel Web Services API, 45, 52–53
- interaction among, 46–47
- Office SharePoint Server architecture, 48–50

Excel Services Settings, 151–59

- accessing link, 151
- command-line options, 157
- External Data, 156
- Load Balancing, 152–53, 158–59
- Memory Utilization, 154–55
- Security, 151
- Session Management, 153
- Workbook Cache, 155

Excel Services unsupported features, 76–86

- code/macros, 85
- data validation, 86
- digital signatures, 80
- document encryption, 80
- graphics objects, 84
- PivotTables, 82–83
- query tables, 83
- restricted permission, 79–80
- shared workbooks, 86
- SharePoint lists, 83
- sheet protection, 81
- Show Formulas mode, 86

- Web queries, 84
- workbook protection, 81

Excel Viewer page

- viewing workbooks in, 227
- workbook URL on, 229

Excel Web Access (EWA), 112–15

- and capacity planning, 133–34
- functionality for visitors, setting, 134
- functions of, 46–47
- installation, testing, 39–42
- interactivity, 113–14, 256–57
- periodic refresh, 114–15
- refresh on open, 112
- row/column default, 133
- toolbar. See Excel Web Access (EWA) toolbar
- See also Web Parts

Excel Web Access (EWA) toolbar, 251–56

- calculate workbook, 252–53
- find data in workbook, 255–56
- open workbook, 251–52
- reload workbook, 254–55

Excel Web Services API, 45

Extensibility

- malicious user-defined functions, 207–9
- managed user-defined functions, 89

External Data Cache Lifetime, as security measure, 206

External data connections

- allowing external data options, 147
- connection, steps in, 92
- Connection Lifetime, 111, 156
- credentials, 197–98
- Data Connection Libraries (DCLs), 93–96, 147
- Excel Services Settings, 156
- External Data Cache Lifetime, 68, 148
- performance optimization, 109–12
- and PivotTables, 99
- refresh, settings, 147–48
- security solutions, 99–109
- to SQL Server Analysis Services, 319–22
- trusted data providers, 96–99
- Trusted File Locations settings, 147–48
- user defined function (UDFs) for, 99
- workbook connections, 95–96

External data queries

- business intelligence portal, 116
- cache expiration, 110–11
- connection aspects. See External data connections
- line of business data, 116
- maximum number, setting for, 63
- parallel execution of, 63
- PivotTables, 82–83
- publishing workbooks, error message, 223–24
- query tables, 83
- restricted data, reports on, 116
- SharePoint lists, 83
- sharing, 60
- unsupported features, 82–84

Extranet topology, 124

F

Farm

- hardware requirements, 30
- large server farm topology, 123
- medium server farm topology, 122

scaling, 61–62
 small server farm topology, 121

File access, Security settings, 151

File formats

compatibility pack, use of, 75
 for data connection files, 95
 and file size on disk, 129
 macro-enabled, using with Excel, 76
 supported. See .xlsb (Excel Binary Workbook) file format;
 .xlsx (Excel Workbook) file format
 unsupported by Excel Services, 56, 75–76

File Location tab, 35–36

Filters

Apply Filters requirement, 311
 capabilities of, 19
 filter part, connect KPI to workbook, 326–28
 forecasts, display on dashboard, 315–16
 hiding, 311
 limiting filtering, 81
 out-of-the-box, 19
 parameters, defining, 324
 PivotTables, 243
 tables, filtering data with, 240–42
 types of, 311

Find feature, EWA toolbar, 255–56

Firewalls

between ECS and WFE, 203, 205
 in multiple-machine topologies, 66
 speed issue, 66

Fonts, installation, scope of, 88

Forecasts, display on dashboard, 315–16

Formatting, and capacity planning, 133

Forms authentication, 192

Forms Services, capabilities of, 15–16

Forms toolbars, unsupported by Excel Services, 85

Formulas, display in worksheet, 86

G

GetApiVersion, 344

GetCell, 357–58

GetCellA1, 356–57

GetRange, 354–56

GetRangeA1, 353–54

GetSessionInformation, 345–46

GetWorkbook, 364–65

Global Assembly Cache (GAC), 167

Goals, key performance indicators (KPIs), 18

Graphics Device Interface (GDI), 64

Graphics objects, unsupported by Excel Services, 84–85

H

Hardware requirements, 30

High-end workbooks, performance optimization, 69–70

High-performance computing (HPC) solutions

Compute Cluster Server (CCS) 2003, 70, 124–26

HTML

display differences and browsers, 88
 generation for web page, 46–47
 workbooks, saving as, 23

HTTP locations

authorization methods, 194
 delegation of credentials, 197
 downloading mechanism, 57
 publishing workbook to, 56

spoofing prevention, 200
 viewing workbooks, sending link, 227–29

HTTPS locations (secure connections)

information disclosure prevention, 203
 for intranet, 201
 speed issue, 65

Hyperlinks

navigation with, 237–38
 unsupported by Excel, 237

I

IBM, trusted data providers, 97, 163

ID (identification)

data provider, 164
 session ID, 54, 338

IIS. See Microsoft Internet Information Services (IIS) 6.0

Impersonation

delegation of credentials, 194, 197
 Security setting, 151

Indexing data, and search, 15

InfoPath, and Forms Services, 15

Informat, 79–80

Information disclosure threat, 202–4

defined, 198, 202
 forms of, 202, 208
 prevention of, 203–4

Information Rights Management (IRM), permissions, 79–80

Ink annotations, unsupported by Excel Services, 84

Installation/setup, 29–42

ASPNET 2.0, enabling, 32
 configuration wizard, 37–38
 of evaluation server, 32, 38–39
 Excel 2007 client requirement, 32
 Excel Web Access (EWA) Web Parts, 39–42
 File Location tab, 35–36
 hardware/software needs, 30–31
 of IIS 6.0, 31
 installation methods, 29–30, 35
 Server Type tab, 35
 setup wizard options, 33–36

Integrated credentials, 104, 109

Interactivity

EWA settings, 256–57
 Navigation and Interactivity settings, 256–57
 PivotCharts, 251
 PivotTables, 113–14, 243–45
 unsupported by Excel, 251

International deployment, 184–89

locale settings, changing, 186–87
 SharePoint regional settings, 88
 single language packs (SLPs), 183–85
 workbook, creating/publishing, 187–89

Intranet topology, 124

I/O

optimizing performance, 70
 thread management, 63, 70

ISS. See Microsoft Internet Information Services (IIS) 6.0

J

JavaScripts

client browser caching of, 71
 EWA generation of, 46
 web page creation, 380–83

Job scheduler

- offloading workbook calculations, 334
- Windows Compute Cluster Server 2003, 335

K

Kerberos-constrained delegation, 106–7

- forms authentication, 192

Key performance indicators (KPIs), 300–305

- Adventure Works cube, connecting to, 325–26
- configuring, steps in, 309–10
- creating, 300–302
- filter part, connecting KPI and workbook, 326–29
- functions of, 18, 300
- manual update, 303–5
- SQL Server Analysis Services for, 325–29

L

Language, foreign, single language packs (SLPs), 183–85

Large farm topology, 123

Libraries. *See* Data Connection Libraries (DCLs); Report Libraries

Lifetime settings, cache, 109–11, 148

Lightweight Directory Access Protocol (LDAP), 10–11, 192

Line of business (LOB) applications

- connecting to, 116

Links, viewing workbooks, 227–29

Lists, key performance indicators (KPIs), 18

Live Communications Server, 14

Load balancing, 62–65

- default, 65
- Excel Services Settings, 152–53, 158–59
- local method, 62, 152
- offloading workbook calculations, 334
- retry interval, 153
- round robin method, 63, 152
- workbook URL method, 63, 152

Local disk, Excel Calculation Server (ECS) uses of, 70

Locale settings, changing, 186–87

Local method, load balancing, 62, 152

Location

- Trusted Data Connection Libraries settings, 160
- Trusted File Locations settings, 143–44

Locking workbooks, workbook protection, 81

Logging

- audit log reports, viewing, 288–89
- Event Viewer, 177–79
- Unified Logging Service (ULS), 170–77
- verbosity and performance, 70

Low-end workbooks, performance optimization, 69

M

Macro-enabled file formats

- unsupported by Excel Services, 75–76
- using with Excel Services, 76

Macros, unsupported by Excel Services, 85

Malicious author, stealing data, method for, 101

Malicious user-defined functions, 208

Managed-code approach, web page creation, 383–88

Manual calculations, 69, 133, 146

- with EWA toolbar, 256–57
- as security measure, 206

Manual refresh

- defined, 148
- Manual Refresh Data Cache Lifetime, 110

Maxconnection attribute, modifying, 137

Maximum Chart Size, 71, 145

- as security measure, 206

Maximum Concurrent Queries Per Session, 63, 148

- as security measure, 206

Maximum Private Bytes, 60–61, 68

Maximum Request Duration, 70, 145

Maximum Sessions Per User, 153, 205

Maximum Size of Workbook Cache, 155

Maximum Unused Object Age, 60, 68, 155

Maximum Workbook Size, 145

- as security measure, 206

MaxUserPort, registry entry for, 136

Medium server farm topology, 122

Memory

- base workbooks consumption, 130–31
- and capacity planning, 128, 130–31, 136
- of Excel Calculation Server (ECS), 67–68
- Excel Services Settings, 154–55
- fragmentation, avoiding, 136
- inactive objects in memory cache, 60, 68, 155
- Memory Cache Threshold, 60–61, 68, 154
- optimizing performance. *See* Memory optimization
- private bytes allocation, 154

Memory optimization

- and cache, 58–61, 68, 70
- hardware requirements, 68
- and session size, 68
- and sessions opened, 67

Method, user-defined function (UDF) for adding, 373

Methods in-process, 343

Microsoft Internet Information Services (IIS) 6.0

- authentication, 192–93, 205
- connection failure, solution to, 136–37
- HTTP compression, use of, 66
- installation of, 31

Microsoft .NET Framework 2.0, as installation requirement, 31

Microsoft Office 2007, and Excel Services, 8–9

Microsoft Office Compatibility Pack, 75

Microsoft Office SharePoint Server (MOSS), 9–20

- accessing, 9
- administration, 20
- administrator group membership, 32
- auditing capability, 13
- business intelligence functions, 16–20
- capabilities of, 10
- and collaboration, 14–15
- content management, 13
- document libraries, 11–12
- Forms Services, 15–16
- installation methods, 29–30
- platform requirements, 30–32
- records management policy, 13
- search, 15
- security features, 10–11
- single sign-on (SSO) store, 11
- Web Part Pages, 11
- workflows, 12–13

Microsoft OLAP Services, trusted data providers, 96–97, 163

Microsoft Operations Manager (MOM) Pack, 182–84

- rules support (table), 182–83

Microsoft SharePoint Portal Server, 10

Microsoft Software License Terms page, 33–34

Microsoft SQL Server 2005. See **SQL Server 2005**

Microsoft Windows Compute Cluster Server (CCS). See **Compute Cluster Server (CCC)**

Microsoft Windows Server 2003 with Service Pack 1, as installation requirement, **31**

Microsoft Windows SharePoint Services, **10**

Microsoft Windows SharePoint Services Tracing service, **170–71**

Microsoft Windows Workflow Foundation, as installation requirement, **31**

Models, workbook problems, **7–8**

Modify Shared Web Part, **40, 134**

Monitoring, **169–84**
Microsoft Operations Manager (MOM) Pack, **182–84**
performance counters, **179–81**

MSOLAP.2 driver, limitations of, **98**

Multiple machines
load balancing, **66**
scaling out, **61–62**

Multi-processor machines, scaling up, **61–62**

Multi-threaded recalculation (MTR), **63, 70**

My Site, for data-sharing, **15**

N

Named Item Drop-Down List, **316**

Named Item view, **234, 236–37, 316**

Navigation
grouped rows and columns, expanding/collapsing, **238–39**
with hyperlinks, **237–38**
scrolling within worksheet, **232–33**
switching between workbook items, **234–37**
switching between worksheets, **232–33**
worksheet in browser, **232–33**

Network connections, **65–66**
client/WFE connections, **65–66**
with external machines, **66**
for Office SharePoint Server machines, **66**

Networking operations, thread management, **63**

Neutral culture, API setting, **338**

New Technology File System (NTFS), as installation requirement, **31**

Nodes, Compute Cluster Server (CCS) 2003 set-up, **125, 127**

Non-repudiation, defined, **202**

Numeric data type, **368, 371**

O

Object data type, **368–69, 371**

Object Linking and Embedding Database (OLEDB), **82**

Objects, unsupported by Excel Services, **84**

ODBC, **164**

ODBC DSN, **164**

.odc (Office Data Connection) file format, **95**

Office Open XML file format. See **.xlsx (Excel Workbook) file format**

Office SharePoint Server. See **Microsoft Office SharePoint Server (MOSS)**

Offline editing, publishing workbook, error message, **224–25**

Offloading workbook calculations, **331–35**
benefits of, **331–32**
and deployment topology, **333–34**
load balancing, **333–34**
server settings, **332–33**

solutions, types of, **334–35**
Windows Compute Cluster Server 2003, **335**

OLE DB, **164**

OLE objects, unsupported by Excel Services, **85**

One-click install, single-server topology, **120–21**

One-dimensional array
returning range, **371**
UDF argument, **369**

One-hop topology, **103–4, 196**

Online Analytical Processing (OLAP)
external data connection, **99**
external data queries, **58, 81–82**
performance optimization, **111–12**
See also **PivotTables**

Open Database Connectivity (ODBC) protocols, **82**

Open permission, **195, 203**

Open workbook
authorization, **193–94**
credentials, **196–97**
EWA toolbar, **251–52**
GetWorkbook, **364–65**
OpenWorkbook, **344–45**

Operations
cancelling requests, **56**
Central Administration, **174–75**
defined, **55**
flow of requests, **55**
request settings, **56**

Oracle, trusted data providers, **97, 163**

P

Page fields
filter for, **311**
unsupported by Excel Services, **83**

Parallel queries, **111**

Parameter array argument, UDF argument, **370**

Parameters, workbooks. See **Workbook parameters**

Passwords
document encryption, **80, 196**
and embedded credentials, **107**
spoofing prevention, **199–200**
unattended account, **156**
Windows authentication, **192**

Pending status, **263–64**

Performance counters, **179–81**
adding, **179**
counter names/descriptions (table), **180–81**
Performance Object settings, **179**

Performance Monitor
launching, **179**
See also **Performance counters**

Performance optimization, **64–71**
cache lifetime settings, **109–11**
for charting, **70–71**
and client hardware, **71**
connection pooling, **111**
and CPU, **61, 69**
and high-end workbooks, **69–70**
for I/O, **70**
load balancing, **64–65**
and low-end workbooks, **69**
memory. See **Memory optimization**
network connections, **65–66**
offloading workbook calculations, **333–34**
for OLAP formulas queries, **111–12**

Periodic refresh

parallel queries, 111
and SQL Server Analysis Services 9.0, 111
and .xlsb file format, 76

Periodic refresh, 114–15

Permissions

Contribute, 260–61
Information Rights Management (IRM), 79–80
Open, 195, 203
for restricted data, 116
restricting. *See* Restricted permissions
View Only, 195–96, 203, 280–81

Pictures, unsupported by Excel Services, 84

PivotCharts, updating, 251

PivotTables, 243–45

from analysis services data, 322–23
external data connection with, 99
functions of, 82, 243
and interactivity, 113–14
similar to query table, creating, 83
sorting/filtering options, 243
supported types, 82
unsupported types, 82–83
use, steps in, 243–44

Policies, records-related. *See* Records management policy

Portal, default page, loading, 38

Private bytes, maximum, setting, 154

Process account

Security setting, 151, 194
spoofing prevention, 200

Product Key page, 33

Properties, Web Parts (table), 378–79

Provider, trusted data provider settings, 164

Publishing workbooks, 213–25

defined, 53, 56
information displayed, control of, 195–96, 217–20
locations for, 56
operations in, 215–16, 220
problems related to, 221–25
publishing, control of, 260–62
ranges of workbook, 56, 195–96
steps in, 214–15

Q

Query string (URL) filter, 311

Query tables

functions of, 83
PivotTable as substitute, 83
unsupported by Excel Services, 83

R

Random-access memory (RAM) requirements, 30

Range of data

caching of, 61
GetRange, 354–56
GetRangeA1, 353–54
PivotTables, 82–83
publishing, 56, 195–96
SetRange, 360–62
SetRangeA1, 358–60
sheet protection, 81
UDF, returning range, 371–72

Read access, user permissions, 79

Records management policy, defining, 13

Refresh

automatic, 110–11, 148
cache, 148
Excel Web Access (EWA), 112–15
External Data settings, 147–48
periodic, 114–15
Refresh All Connections, 114
Refresh Selected Connection, 113–14
Stop When Refresh On Open Fails, 100, 103, 116, 148
Warn on Data Refresh, 102, 147, 202
web service request, 348–49

Regedit.exe, connection failure, solution to, 136–37

Registry keys, WFE key value, increasing, 66

Relational database query. *See* External data queries

Reload workbook, EWA toolbar, 254–55

Report Centers, 293–95

BI portal elements of, 293–94
functions of, 16
new, creating, 294–95
templates, content types, 296

Report histories, 296–97

functions of, 296–97
working with, 296–97

Report Libraries, 296–97

compared to document libraries, 296
functions of, 16–17, 296
report histories, 296–97
Report viewer page, 296
report viewer page, 296, 299
workbooks in, 25

Reports

key performance indicators (KPIs), 18
Report Center template, 296
viewing in document library, 297

Report viewer page

features of, 299
working with, 299

Repudiation

defined, 198, 202
prevention of, 202

Requests, 55–56

canceling, 56
CancelRequest, 347–48
flow of, 55
long, failure of, 137

Request Timeout, 56

Trusted File Locations, 206

Restricted data, reports on, 116

Restricted permissions, 79–80

set-up, 79
SharePoint model, 79–80
unsupported by Excel Services, 79, 196
View Only, 195–96, 203, 279–81

Retry interval, load balancing, 153

Return data types, UDF (table), 371

Review workbooks

content approval, 262–66
workflow approval, 266–70

Round robin method, load balancing, 63, 152

Rows

display of, 232
grouped, expanding/collapsing, 238–39

RSS feed, subscribing to, 285–86

Run-time reference, user-defined function (UDF), 373

S**Saving**

Excel file formats, 32, 223
workbook to server, 220–21

Scaling of system

and capacity planning, 128
scaling out, 61–62, 128
scaling up, 61, 128

Scrolling

with arrow keys, 232
limitations of, 232

Search

activities, scope of, 15
find data in workbook, 255–56

Secure connections. See HTTPS locations (secure connections)**Security, 99–109**

Allow External Data, 102
authentication, 10–11, 192–93
authorization, 11, 193–94
breaches. See Security threats
cache directory, 58
configuration, importance of, 100
credentials, 103–9, 196–98
digital signatures, 80
document encryption, 80
and document libraries, 12
Excel Services Settings, 151
and Excel Services workbook access, 22
and external data queries, 58, 99–109
firewalls, 66, 203, 205
passwords, 80
restricted permission, 79–80
server security issue, 82
sheet protection, 81
spreadsheet sharing issue, 6
Stop When Refresh On Open Fails, 103
trusted data providers, 96–99
trusted file locations, 56, 102
unsupported features, 78–82, 196
View Only permission, 195–96
Warning on Data Refresh, 102
Windows Encrypted File System (EFS), 58
workbook protection, 81

Security threats

cross-site scripting attack, 204
denial-of-service attacks, 204–6, 209
elevation of privilege, 207
external attacks, 101
information disclosure, 202–4
malicious author, 101
repudiation, 202
spoofing, 199–200
tampering with data, 200–202
unauthorized read access, 100
and user-defined functions (UDFs), 207–9
users' data, reading of, 100

Servers

application servers, 122–23
evaluation servers, 30, 32, 38–39
EWA, adding to server home page, 317–18
large server farm topology, 123
medium server farm topology, 122
offloading workbook calculations to, 331–35

publishing workbook to. See Publishing workbooks

Server Authentication, 107

Server Type tab

small server farm topology, 121

Session(s), 53–55

administrator settings. See Session Management

closing, 54, 67, 338

defined, 53

GetSessionInformation, 345–46

length, reducing, 67

load balancing, 62–63

maximum number, configuring, 54, 67

session ID, 54, 338

sharing state, facilitating, 68

state, 54–55

timeout, setting, 144–45

Session Management

Excel Services Settings, 153

Trusted File Locations settings, 144–45

SetCell, 363–64**SetCellA1, 362–63****SetRange, 360–62****SetRangeA1, 358–60****Setup. See Installation/setup****Shapes, unsupported by Excel Services, 84****SharedServices1, 135, 140****Shared Services Administration, accessing, 140–41****Shared Services Provider (SSP)**

Shared Services Administration, 140–41

UDF assembly, deploying, 374–75

SharePoint lists

export data to spreadsheet, 83

filter for, 311

functions of, 83

unsupported by Excel Services, 83

Sharing workbooks

publishing workbook, 213–25

set-up, 86

sharing not allowed, 59

unsupported by Excel Services, 86

uploading to SharePoint, 220–21

viewing workbooks, 225–29

See also Publishing workbooks; Viewing workbooks

Sheet protection

functions of, 81

set-up, 81

unsupported by Excel Services, 81, 196

Short Session Timeout, 67

Session Management setting, 145

Trusted File Locations, 205

Show Formulas mode, unsupported by Excel Services, 86**Signature line, unsupported by Excel Services, 84****Single front-end servers, small server farm topology, 121****Single language packs (SLPs), 183–85**

installing, 185–86

removing, 186

Single-server topology, 120–21**Single sign-on (SSO)**

and authentication, 11, 192–93

cached results, sharing, 109

credentials, 108–9, 198

Excel Calculation Server (ECS) use of, 58

line of business data, connecting to, 116

memory/settings, separate, 68

- set-up, 108–9
 - to SQL Server Analysis Services, 318, 320
- Site Collection Administration, 289**
- Small server farm topology, 121**
- SmartArt, unsupported by Excel Services, 84**
- Smart tags, unsupported by Excel Services, 84**
- Snapshots, creating, 281–83**
- SOAP Fault message, 339–40**
- Software requirements, for installation/configuration, 31**

Sorting

- limiting, 81
- PivotTables, 243
- tables, use of, 240–42

Spoofing, 199–200

- defined, 198
- and information disclosure, 202
- prevention of, 199–200

Spreadsheets

- display differences, 87–88
- distribution problem, 5–7

SQL Server Analysis Services, 98, 316, 318–29

- Adventure Works, 320–21
- data-bound dashboard, creating, 324–25
- data connection file, creating, 319–21
- filter part, connecting KPI and workbook, 326–29
- KPIs connecting to Adventure Works cube, 325–26
- log-in methods, 318
- optimizing performance, 111
- PivotTable, creating, 322–24

SQL Server 2000

- medium server farm topology, 122
- small server farm topology, 121

SQL Server 2005

- filter, 311
 - installation method, 30**
- medium server farm topology, 122
- small server farm topology, 121
 - trusted data providers, 96, 162**

Stand-alone method, installation, 30

Standalone servers, single-server topology, 120–21

State of session, 54–55

- sharing state, facilitating, 68

Status, API return, 339

Stop alert, 339

Stop When Refresh On Open Fails, 100, 103, 116, 148

String data type, 368, 371

T

Tables

- to sort/filter data, 240–42
- See also PivotTables

Tampering with data, 200–202

- prevention of, 200–201
- types of attacks, 200–201

TcpTimeWaitDelay, 136–37

Templates, of Report Centers, 296

Text boxes, unsupported by Excel Services, 84

Text filter, 311

Thread management

- and high-end workbooks, 69–70
- and I/O operations, 63, 70
- maximum number, setting for, 63, 111

Three-dimensional charts, unsupported by Excel Services, 88–89

Timeouts

- cache, 132
- requests, 56
- session length, reducing, 67
- Session Management setting, 54, 144–45
- Trusted File Locations, 205–6

Title, Web Parts, 316

Toolbars

- unsupported by Excel Services, 85
- See also Excel Web Access (EWA) toolbar

Tool pane, Web Parts, 308

Topologies, 119–26

- Compute Cluster Server, high-performance computing, 124–26
- extranet, 124
- intranet, 124
- large farm topology, 123
- medium server farm topology, 122
- single-server topology, 120–21
- small server farm topology, 121

Trace logs, 170–73

- content, example of, 171–72
- directory for, 170–71
- event fields (table), 172
- Event Viewer, 177–79
- functions of, 170
- naming convention, 170
- security function, 202
- trace event levels (table), 173
- Unified Logging Service (ULS) settings, 175–76

Trends, key performance indicators (KPIs), 18

Trusted Data Connection Libraries, 159–62

- accessing link, 159
- adding, 159, 161
- command-line options, 160–61
- edit/delete, 159, 161–62
- External Data settings, 147
- Location settings, 160

Trusted data providers, 96–101, 162–66

- accessing link, 163
- adding, 163, 166
- command-line options, 165
- criteria for use, 98
- driver, installing, 97–98
- driver options, 164
- edit/delete, 163
- ID for, 164
- listing of, 96–97, 162–63
- MSOLAP2 driver limitations, 98
- Provider settings, 164

Trusted File Locations, 142–50

- accessing link, 142
- adding location, 143, 150–51
- administrator creation of, 139
- Calculation Behavior, 146–47
- command-line options, 148–49, 150
- edit/delete location, 143
- External Data, 147–48
- Location, 143–44
- planning for, 142
- publishing workbooks, error message, 222
- security factors, 56, 102
- security measures, 205–6
- Session Management, 144–45

User-Defined Functions, 148
 Workbook Properties, 145

Trusted subsystem
 delegation of credentials, 196–97
 spoofing prevention, 199

Try-catch statement, 339–40

Two-dimensional array
 returning range, 371–72
 UDF argument, 369

U

.udc (Universal Data Connection) file format, 95

UdfMethodAttribute Class, 367–68

UI culture
 API setting, 338
 See also International deployment

Unattended Account, 107–8
 elevation of privilege prevention, 207
 External Data setting, 156
 External Data settings, 198
 spoofing prevention, 200

Unified Dimension Model (UDM), 318

Unified Logging Service (ULS), 167, 170–77
 Diagnostic Logging, 175
 Event Throttling, 176–77
 trace logs, 170–73
 Trace Log settings, 175–76

Universal Naming Convention (UNC) path
 authorization methods, 194
 delegation of credentials, 197
 downloading mechanism, 57
 publishing workbook to, 56
 spoofing prevention, 200

Uploading, workbook to SharePoint, 220–21

URL, query string filter, 311

User-Defined Function Assemblies, 166–69
 accessing link, 166–67
 Assembly Details, 167–68
 command-line options, 168
 creating, steps in, 169
 deploying, 374–75

User-defined functions (UDFs)
 argument data types, 368–69
 attributes/methods, adding, 373–74
 avoiding and performance, 68, 69
 C# class library, creating, 372
 calling UDF, 375
 for external data queries, 99
 malicious, 208
 one/two dimensional array arguments, 369
 parameter array argument, 370
 personal information, 59, 68
 for PivotTable data, 82
 purpose of, 166, 207
 requirements for use, 372
 return data types, 370–71
 returning range, 371–72
 run-time reference, creating, 373
 security measures, 206, 209
 and security threats, 206, 207–9
 sharing workbooks, preventing, 68
 signature, installing on server, 89
 Trusted File Locations settings, 148
 UdfMethodAttribute Class, 367–68

for web queries, 83
 XLL support of, 375

User identification. See Authentication

Username, spoofing prevention, 200

V

#Value data type, 368–69

Versioning, 273–78
 content approval, 265
 different versions, working with, 275–78
 GetApiVersion, 344
 turning on, 274–75
 uses of, 273

Viewing workbooks, 20–23, 225–29
 from document library, 225–27
 Excel Viewer page, 227
 sending link, 227–29
 snapshots, 281–83
 View Item, 278–80
 View Only, 195–96, 203, 279–81

View Item, settings, 278–80

View Only, 195–96, 203
 settings, 279–80
 viewing workbook, steps in, 280–81

Visual Basic for Application (VBA) code, unsupported by Excel Services, 85

Visual Studio
 C# class library, creating, 372
 C# console application, creating, 340–41
 signatures for web service methods, 343

Volatile Function Cache Lifetime, 59, 68, 69, 133
 as security measure, 206

Volatile functions
 avoiding and performance, 68, 69
 and cached workbooks, 59
 Calculation Behavior settings, 146
 recalculation of, 68

W

Warn on Data Refresh, 102, 147, 202

Web access. See Excel Web Access (EWA)

Web arts, key performance indicators (KPIs), 18

Web folder, publishing workbook to, 56

Web front end (WFE) servers
 communication with ECS, 66
 denial-of-service attack prevention, 204–5
 firewall for, 203, 205
 installation method, 29
 large server farm topology, 123
 medium server farm topology, 122
 registry key value, increasing, 66
 small server farm topology, 121
 as stateless machines, 67

Web page
 file formats, unsupported, 76
 HTML, building of, 46–47

Web page creation, 380–88
 finished page, functionality, 388
 JavaScript method, 380–83
 loading application, 387
 managed-code approach, 383–88
 Web Part Page, creating, 387

Web Parts
 configuring, steps in, 308

- dashboards, building, 305–17
- filters, 19, 305, 311–15
- functions of, 11
- installation/set-up, 39–42
- key performance indicators (KPIs), 18, 300–305
- modifying, 40, 316
- Navigation and Interactivity, 256–57
- new page, creating, 387
- out-of-the-box types, 11, 311
- properties (table), 378–79
- tool pane, accessing, 308
- working with, guidelines, 316–17
- xlviewer.aspx, creating, 376–77

Web queries

- creating, 84
- unsupported by Excel Services, 84

Web service

- web service assembly, location of, 343
- WFE registry key value, 66
- See also Application Programming Interface (API); Application Programming Interface (API) applications

WFE. See Web front end (WFE) servers

Windows Authentication

- external data connection, 198
- setting options, 192

Windows Encrypted File System (EFS), 58, 203

WinFx, 31

WordArt, unsupported by Excel Services, 84

Workbook(s)

- base workbooks, 130–31
- cache, 57–61
- calculations. See Calculations; Offloading workbook calculations
- custom solutions from, 25–26
- in dashboard, 25, 308–15
- display differences, 86–89
- distribution. See Workbook distribution
- Excel Calculation Server (ECS) functions, 54–60
- file formats for loading, 32
- filtering on dashboard, 312–15
- find data in, 255–56
- high-end, 69–70
- loading to Excel Services, 26, 56–57
- loading with xlviewer.aspx, 41–42
- low-end, 69
- maximum size, 58, 145, 206
- and model development, 7–8
- navigating. See Navigation
- operations, 55–56
- parameters. See Workbook parameters, 246–50
- performance optimization, 69–70
- private copy in memory, 131
- protection, set-up, 81
- publishing. See Publishing workbooks
- range of data, 56
- in Report Libraries, 25
- saving as HTML, 23
- saving locations, 21
- security. See Workbook security
- sessions, 53–55
- shared. See Sharing workbooks
- Trusted File Locations settings, 145

- updated files, sessions for, 57
- viewing in browser. See Viewing workbooks

Workbook Calculation Mode, security measures, 206

Workbook distribution, 20–24

- alerts, 284–85
- auditing, 286–90
- authoring, control of, 259–60
- browsers to access/view workbooks, 20–23
- content approval, 262–66
- control of viewing. See Viewing workbooks
- permission to view, 23–24
- problems related to, 6–7
- publishing, control of, 260–62
- RSS feed, 285–86
- second workbook created, 24
- versioning, 273–78
- workflow approval, 266–70

Workbook parameters, 246–50

- changing in browser, 248–50
- defining, 246–48
- settings, 81

Workbook security

- authorization to open, 193–95
- credentials, 107, 196–97
- information disclosure threat, 203–4
- levels of, 22
- and opening workbooks, 193–94, 196–97
- permissions, 79–80
- to protect content, 195–96
- read-only mode, 57, 80
- tampering with data, prevention of, 201–2
- unsupported features, 80–81, 196
- View Only, 195–96

Workbook URL method, load balancing, 63, 152

Workflows

- approval process, 266–70
- of Office SharePoint Server, 12–13
- tracking progress, 270–72
- triggering, 12

Write, user permission, 80

X

.xlam file format, unsupported by Excel Services, 76

XLL, UDF support, 375

XLM (Excel macros), unsupported by Excel Services, 85

.xlsb (Excel Binary Workbook) file format

- and file size on disk, 129
- and loading workbooks, 32
- performance enhancement with, 76
- and publishing, 56

.xlsm file format, unsupported by Excel Services, 56, 75–76

.xls file format, unsupported by Excel Services, 56, 75–76

.xlsx (Excel Workbook) file format

- as default, 32, 76
- and file size on disk, 129
- and loading workbooks, 32
- and publishing, 56

.xltn file format, unsupported by Excel Services, 76

Xlviewer.aspx

- custom version, creating, 376–77
- workbooks, loading, 41–42