

INDEX

- Aggregation, 51–53, 63, 117,
119–122, 147
- Alpha cuts, 72, **73–74**
- Ambiguity, measure of, **125**
- Ambiguities, 1, 2, 10, 11, 25, 26, 99,
122, **124–127**, 147, 219,
239–240
- AND operators, 16, **30–34**, **85–86**
- AndOrNot.fps, **32–34**
- Antecedent, **3–4**, 10, 13, **16–17**
- Approximate reasoning, 36, 57,
65–69, 100, 105–109
- Arithmetic, fuzzy, **72–74**
- Artifact detection, 260, 263, 268,
269–272
- Association, prior, 61, 63, **86–88**
- Backward chaining, 24
- Bayes, 25, **92–95**
- Blackboard system, 24–25
- Certainty factor, 1, 25, 28
- Classification, 38, 117–122,
123–124, 126–128, 133, 134,
135, 136, 146–149, **220–227**,
227–235, **235–240**
- Classical logic, **29**
- CLIPS, 8
- Combs method, **132–135**
- Command mode, **19–21**
- Comparing fuzzy numbers, **74–78**, 80
- Complement: see NOT operator:
- Composition of fuzzy relations, **44–47**
- Confidence, 23, 25
- Conjunction: see OR operators
- Consequent, 3, 11, 13, 16, **17–18**
- Contradictions, 1, 2, 10, 11, 26, 99,
122, 124, **126–129**, **141–149**
- Correlation logic, 60–63, 85–88
- Data-driven, 2, **4**, 11, **18–19**
- Data smoothing, **260–265**
- Data types, **16–17**
- Debugging, 13, 20, **155–157**,
162–164, 167–168, **181–197**,
199–218, **272–273**
- Defuzzification, 5, 51–54, 68, 92, 104,
119–122
- Dempster–Shafer method, 25, 28,
94–95
- Differentiation, 260, **263–265**
- Disjunction: see AND operators
- Domain expert, 3, 7, 8, 10, 11, 13, 69
- Dual truth values, 94, **141–149**
- Echo.par, 134, **147–149**, **192–196**
- Elkan, C, 64
- Evidence theory: See Dempster–
Shafer
- Excluded Middle, 29, 60, 63, 64, 85,
86–88, 91, 96, 97, 141
- Expert Systems, **1–4**, 7–9, 11
- Extension principle, 48, 57, **71**
- FLOPS expert system shell, 11
- Forward chaining, **24**, 27
- FRIL, 8, 10, 95

- Fuzzification, 5, 6, 29, **49–51**, 54, 117, 119, 123, 130, 173–179
- Fuzziness, measure of, 122, 124–125
- Fuzzy
- arithmet, **72–74**
 - inference, 18, 29, 45, 57, 65, 67, 69, 93, **99–138**
 - control, 1, **5**, 8, 10, 43, 51, 53, 54, 65, 66, 69, 91, 118
 - logic, 34, 86
 - bounded sum/difference, 31
 - classical, 29
 - correlation, 86
 - min–max(Zadehian), 31
 - product–sum, 31
 - numbers, 40
 - propositions, 36, 78
 - reasoning, 5
 - relations, **43–47**
 - sets, **38–43**
- Hedges, 8, 13, 16, **69–72**
- IDE, 5, 12, 13, **151–157**, 181, 182,
- Implication, 30, 34–36, 45, **66–69**, 99, 105
- IMPLY operators, **34–36**
- Inference
- monotonic, 11, 100, **102–103**, 105, 106–109, 111, 137
 - monotonic downward, 100, **103–105**, 106–109, 111, 138
 - non-monotonic, 11, 100, **103**, 105, 106–109, 111, 127–129, 137
- Information theory, 125
- Integrated development environment: see IDE
- Intersection Rule Configuration, 131
- Interval arithmetic, **72–74**
- Invalidating data, 127–129
- IRC (see Intersection Rule Configuration)
- Iris classification: see iris.par
- Knowledge engineer, 3, 8, 10, 11
- Learning, 3, 6, 15, **243–255**
 - by adding rules, **243–251**, **251–255**
 - by adding to a data base of facts, **251–253**
- Linguistic terms, 5, 6, 39, 43
- Linguistic variables, 39, **42–43**
- Membership functions, 11, **38–39**, **41–43**
- Metarules, 18, 23, 25, 27, 100, **231–232**
- Min–max logic: see Zadeh operator
- Metus, 8
- Modification
 - of data, **115–117**
 - of truth values, **99–112**, **116–120**
- Modus Ponens, 35–36
- Monotonic inference: see inference, monotonic
- Moving average, **260–262**
- Multi-step reasoning, 18, 110, 117, 137, **141–146**
- Necessity, 25, 28, 30, 35, 36, 94, 99, **141–146**
- Neural Nets, 6
- Non-contradiction, law of, 29, 60, 63, 64, 85, 86, 88, 91, 96, 97
- Non-monotonic inference (see Inference, non-monotonic)
- Non-numeric data, 5, 10, 38, 39, 54, 91, 122, 123, 124, 135, 219, 220
- NOT operator, 31, 85
- Numbers.fps, 159–161
- On-line operation, **257–273**
- OR operators, **31**, 86

- Parallel mode, 21, **181–196**
 pconf, 23
 Pavlov1.par, 244–250
 Pavlov2.par, 250–253
 Possibility, 25, 28, 29, 30, 35, 36, 94,
 99, **141–149**
 Prior association: see Association,
 prior
 Production systems, 2
- Rates of change, 260, **263–265**
 Real-time, **257–273**
 Reasoning, types of, 100
 Resolving contradictions, **127–129**,
141–149
 RETE algorithm, 22
 Rule, 15–18
 Rule generation, 6, 9, 18, 229, 240,
 244–250
 Run mode, **19–23**
- Schizo.par, 22, 220, 235–240
- Sequential mode (see serial mode)
 Serial mode, 19–22
 Standard fuzzy logic: see Zadeh
 operators
 Symbolic reasoning, 7
- t-conorms, **57–65**
 t-norms, **57–65**
 truth-functional logic, 30, 34, 85
 Truth value, 25
 Time lags, 260
- Uncertainties, 25
- Variables in FLOPS, 33, 88, 89
- Zadeh operators, 31

