

# Index

## A

**<a> element, navigation, 236, 258**

**absolute URLs**

- functions of, 240
- problems with, 240

**abstract classes, 186**

**access modifiers, 187–188**

- internal, 187
- private, 187–188
- protected, 187
- public, 187–188

**Access Rules, Web Site Administration Tool (WSAT), 543, 546**

**AccessDataSource, 386**

**accounts**

- ASP.NET accounts, 652
- IIS account, 652
- new, creating, 521–525

**Active Server Pages (ASP), 1**

**ActiveStepIndex, 121**

**Add method, 166**

**Add New Item, 39–40**

- base page, 206
- master pages, 196–198
- user controls, 269
- Web Services, 338–339

**Add Style Rule**

- functions of, 82
- use, example of, 83–86

**Add Tab, 24**

**addition, 151**

**addition operator, 147–148**

**Administrator, AndAlso operator, 154**

**AdRotator server control, 111, 123**

**advertisements, AdRotator server control, 123**

**Ajax. See ASP.NET AJAX**

**alignment, styles, 478**

**allowAnonymous, 559**

**AllowCustomErrorsRedirect, 327**

**AlternateText, 270**

**AlternatingItemTemplate, 450**

**AlternatingRowStyle, 479**

**AND, SQL, 360**

**And operator, 151–152**

**AndAlso operator, 152–153, 160**

**anonymous types**

- creating, 437–443
- functions of, 437
- genres/reviews, creating list, 439–443

**anonymous users**

- allowAnonymous, 559
- anonymous identification, enabling, 583–584
- anonymous profile, deleting, 584–585

**AnonymousTemplate, 527, 529, 534**

**API (Application Programming Interface), Cache API, use of, 511–513**

**App\_Code folder, 167–171**

- AppCconfiguration in, 635–639
- calculator, optimizing, example, 168–171
- class files, adding to, 167–168
- enums in, 279
- icon for, 167
- operation of code in, 170–171

**App\_Data folder**

- creating, 6
- Modify permissions, 356
- new web site, 37–38

**App\_Themes folder, 228**

- creating, 216, 218

**AppConfiguration**

- application settings, moving to web.config, 635–639
- operation of, 638–639

**AppendAllText, 313**

**application folders, 238**

**Application Mapping, 9**

## application services

---

### **application services, 519–520**

- configure database for, 702–703
- LocalSqlServer connection, 660, 701
- providers, 520
- settings, overriding, 704–705
- types of, 519

### **application settings, moving to web.config, 635–639**

#### **Application\_Error, 603, 607**

#### **applicationName, 538**

#### **Apply Styles**

- functions of, 82
- use, example of, 94–98

### **arithmetic operators, 147–149**

#### **array(s), 142–144**

- C#, 142–143
- and collections, 144–145
- defining, 142
- generics, 143
- instantiating, 142
- role names, adding, 142–143
- size, 143
- upper bound, 142
- Visual Basic, 142–143

#### **ArrayList, 144–145**

#### **ASC, SQL, 360**

#### **ASP.NET**

- development of, 1–2
- IIS, registering in, 647
- .NET Framework, downloading installing, 647

#### **ASP.NET AJAX, 321–350**

- AJAX Extensions, 125, 323
- AJAX Master Page, 40
- AJAX Web Form, 40
- benefits of, 348
- C#, 324
- flicker-free pages, creating, 328–332
- functions of, 321, 322
- ScriptManager, 326–327
- Timer control, 332–337
- tips for use, 349
- UpdatePanel, adding to page, 324–326
- UpdateProgress, 328–332
- Visual Basic, 324
- Web Services, 342–349

#### **ASP.NET Development Server, icon for, 7–8**

#### **ASP.NET Server Controls, 103–133**

- AdRotator, 123

#### Ajax Extensions, 125

#### ASP.NET state engine, 126–132

#### C#, 114–118, 121

#### Calendar, 123

#### container, 116

#### data, 124

#### defining in page, 108

#### FileUpload, 123

#### functions of, 103–105

#### HiddenField, 123

#### HTML, 124

#### Image, 122

#### ImageButton, 122

#### ImageMap, 122

#### LinkButton, 122

#### list, adding to page, 112–116

#### Literal, 123

#### Localize, 123

#### login, 125

#### markup, 14

#### navigation, 125

#### page processing, 10

#### panel, 117–118

#### properties of, 108–110

#### runtime operation of, 107, 115–116

#### Smart Tasks menu, 113, 120

#### Standard, 111–124

#### Standard versus HTML, choosing, 124

#### Substitute, 123

#### Table, 123

#### text box, adding to page, 105–107, 109–110

#### tips for use, 132

#### in Toolbox, 110–111

#### use, example of, 105–106

#### validation, 125

#### visibility on server, 118

#### Visual Basic, 114, 116, 117, 121

#### WebParts, 125–126

#### Wizard, 118–122

#### XML, 123

#### **ASP.NET state engine, 126–132**

##### functions of, 127

##### operation of, 127–131

#### **ASP.NET Web Service template, 36**

#### **ASP.NET web site**

##### ASP.NET AJAX, 321–350

##### ASP.NET Server Controls, 103–133

##### Cascading Style Sheets (CSS), 63–100

- database, 355–380
- debugging, 607–621
- deploying, 631–662
- exception handling, 592–607
- existing files, adding to site, 43–44
- file types, 39–47
- first site, building, 5–9
- markup, 53–59
- new site, creating, 37–38
- page processing at runtime, 9–10
- pages, consistency among. *See* web page(s);  
specific types of pages
- personalizing, Profile, 558–589
- programming web pages, 135–191
- security, 517–554
- styles, 476–485
- template for, 35–36
- tracing, 621–628
- user controls, 267–290
- Web Forms, 46–53
- See also* Planet Wrox

**ASP.NET Web Site option, 37****.aspx files. *See* Web Forms****ASPX page**

- markup in, 8
- time/date in, 8–9
- See also* web page(s)

**assignment operators, 147****AssociatedControlID, 569****AsyncPostBack, 334****AsyncPostBackErrorMessage, 327****AsyncPostBackTrigger, 326****AttachDbFileName, 396****attachment, e-mail, 308****attributes**

- ASP.NET, 14
- functions of, 338
- HTML, 12
- Web Services, 338
- XHTML, 13

**authentication**

- forms-based, 525
- purpose of, 518
- setting, 521
- SQL Server, 688–689
- timeout, 525
- Windows, 688–689

**authorization, purpose of, 518–519****Auto mode, Style Application, 56****AutoEventWireup, 271****automatic properties, 180****AutoPostBack, 113, 117****Average operator, 434–435****B****background color**

- Cascading Style Sheets (CSS), 72, 75, 76–77
- choosing, 72, 76–77
- server control for, 108
- styles BackColor, 478

**backing variables, 178–179****banner(s)**

- enums for user controls, 279–282
- properties, adding to, 277–283
- user control, adding to master page, 272–274
- user control, creating, 269–271
- user control, registering in web.config, 274–275

**base page**

- C#, 206–210
- creating, 206–210
- functions of, 203
- inheritance, 204, 208–209
- inheritance from, 204
- Visual Basic, 206–210

**BETWEEN, SQL, 360****Block Format, 54, 55****Block Selection, 90****BodyFileName, 532, 533****boldface, adding, 56, 58****bookmark window, contents of, 22****Boolean, Convert.ToBoolean, 639****border(s)**

- images, 274
- Cascading Style Sheets (CSS), 72, 74–75
- color, BorderColor, 478
- padding, 89–90
- server controls for, 108
- styles, BorderStyles, 478
- width, BorderWidth, 478

**BoundField, 403****breadcrumbs**

- creating, 257–259
- functions of, 22
- SiteMapPath server control, 125

## breakpoints

---

### breakpoints

- Breakpoints window, 613
- debugging, example of, 607–610

### browser(s)

- alternate, opening page in, 88
- ASPX page processing, 9–10
- default documents, 240–241
- DOCTYPE and page rendering, 14
- finding unlisted browsers, 88
- history, deleting, 88
- HTTP, 9
- server controls, actions of, 107
- web page, opening, 7–8

### Build Style, 76, 85

### built-in web servers, accounts/permissions, 652

### bulleted lists

- BulletedList server control, 111, 112, 439–440
- bullets, adding to list, 58–59
- ordered and unordered, 59

### button(s)

- ButtonField, 403
- ButtonType, 531
- CreateUserWizard properties, 531
- send button, on contact form, 295–296
- server controls for, 111, 114, 122
- server controls, use of, 105–107
- skins, 228–232
- Timer control, 333–334

### By Genre, 252

### ByRef keyword, 166

### ByVal keyword, 166

## C

### caching, 502–513

- C#, 505, 507–513
- cache dependency, 504
- with data source controls, 509–510
- events of, 502–503
- file contents, inserting in cache, 511–513
- functions of, 502
- invalidating cache, 504
- operation of, 508–509
- output caching, 505–509
- pitfalls related to, 503–505
- programmatic caching, 510–511
- retrieval from cache, example of, 504–505

- Substitute server control, 123

- Visual Basic, 504, 506–513

### calculator

- App\_Code folder to optimize, 168–171
- creating, programming example, 157–161
- debugging, 608–611, 615–618
- namespaces, use of, 172–173
- object-oriented programming, 177, 182

### calendar

- calendar server control, 111, 123
- Set Date, 128–129
- state engine, use of, 127–128

### Call Stack window, 614

### CancelButtonText, 531

### Cascading Style Sheets (CSS), 63–100

- ASPX page, writing, 65–69
- cached copy, use of, 65
- cascading, meaning of, 82
- classes, 69
- color, 72, 74, 92
- control adapters, 264
- Css Class property, 244, 249, 253, 478, 482
- declarations, 68, 70, 77, 85
- embedded style sheets, 81–82
- external style sheets, benefits of, 81
- file extension (.css), 41
- formatting, benefits over HTML, 65
- Friendly Control Adapters, 245
- and HTML attributes, 12
- ID selectors, 276
- images, referring to, 219–221
- inline style sheets, 82
- IntelliSense, use with, 75
- operation at run-time, 68–69, 79–80
- page, viewing in browser, 68
- pixel size and screen, 79
- Planet Wrox exercise, 65–69, 75–79
- properties, 68, 72–73
- Properties Grid. See Cascading Style Sheets (CSS)
  - Properties Grid
- rules, 68–69, 69, 77–78, 85, 99
- saving, 78–79, 87
- selectors, 68–69, 70–72, 82–85
- server controls for, 108, 110
- shorthand version, 74–75
- style sheets, 69–80

- styles, adding to page, 80–83
- syntax, 66–67
- for themes, 214
- values, 68, 73–74
- versions of, 65
- Visual Web Developer (VWD), use of. *See* Cascading Style Sheets (CSS) in VWD
- Cascading Style Sheets (CSS) in VWD, 82–100**
  - embedded style sheets, 89–94
  - inline style sheets, 89–94
  - managing styles, 96–98
  - new styles in existing style sheet, 83–86
  - Planet Wrox exercise, 83–98
  - style sheet, attaching to document, 86–88
  - styles, applying to page, 94–96
  - tips for use, 99
  - tools, 82
- Cascading Style Sheets (CSS) Properties Grid**
  - categorized/alphabetical mode, switching, 93
  - clear styles, 95
  - color, choosing, 92–93
  - functions of, 82, 99
  - use, example of, 92–93
- case sensitivity, passwords, 522**
- case statements, 160**
- casting, data type conversion, 140–141**
- Catch block, 595–596, 600**
- CausesValidation, 461**
- ChangePassword, 534–536**
- CheckBox, server controls, 117, 121, 131**
- CheckBoxField, 403**
- CheckBoxList**
  - Profiles, 570–574
  - server controls, 111, 112, 114, 115
- ChildrenAsTriggers, 326**
- class(es)**
  - abstract, 186
  - Cascading Style Sheets (CSS), 69
  - inheritance, 185–186
  - in object-oriented programming, 177–178
- class files**
  - file extension (.cs/.vb), 41
  - functions of, 42
  - warning when adding, 46
- Class selector, Cascading Style Sheets (CSS), 71**
- ClearStyles, 95**
- Click handler, 334**
- client ID**
  - master page problems, 202–203
  - user controls and modification of, 275–276
- client-side script, debugging, 618–621**
- client-side validation, 294**
  - creating, 302–307
- code**
  - App\_Code folder, 167–171
  - bookmark, adding to files, 22
  - breadcrumb in, 22
  - Code Behind files, 10, 48–52
  - comments, 173–176
  - formatting symbols, 7
  - functions, 165–167
  - inline code, 48–52
  - IntelliSense, 50–51
  - namespaces, 171–173
  - object oriented. *See* object-oriented programming
  - placeholders, 158
  - runtime, 10
  - special characters, automatic replacement of, 56
  - subroutines, 165–167
  - Visual Basic compared to C#, 52
  - See also* programming web pages
- Code Behind files, 48–52**
  - calculator example, 160, 169–170
  - file extension (.aspx), 42, 48
  - compared to inline code, 49–53
  - master pages, 194, 196–197
  - namespaces, viewing, 171
  - NavigateUrl property, creating, 283–285
  - new web site, 37–38
  - templates, creating, 210–213
  - TreeView, 255–256
  - types of, 37
  - user controls, adding logic to, 277, 279–280
  - Web Services, 339–340
- code snippets, dragging to Toolbox, 23–24**
- Code View. *See* Markup View**
- Code Window, 51**
- CollapsibleImageToolTip, 254**
- CollapsibleImageUrl, 253**
- collections, 144–145**
  - C#, 144–145
  - functions of, 144
  - limitations of, 144–145
  - Visual Basic, 144

## color

---

### color

- borders, 478
- Cascading Style Sheets (CSS), 72, 74, 92
- choosing, 92–93
- styles, 478
- See also background color; font color; foreground color

### columns

- GridView columns, customizing, 404–409
- identity columns, 371, 373–376

### Command(s), 26

### CommandField, 391, 403

### comments, 173–176

- inline comments, 173–174
- syntax for, 173–174
- XML comments, 175–176

### Common Type System (CTS), data types, listing of, 138–140

### CompareValidator, 298–299, 300, 302, 567, 569, 601

### comparison operators, 149–151

### comparison operators, of WHERE clause, 359

### compile errors, 592–593

- display of, 593

### compiler(s), functions of, 592

### concatenation operators, 151–152

### configuration file

- file extension (.config), 41
- functions of, 41
- machine.config, 539–541
- new web site, 37–38
- See also web.config

### configuration settings, 537–541

- attributes, 537–538
- membership member, modifying, 539–541
- operation of, 540–541
- System.Configuration, 634–635

### ConfigurationManager, values, retrieving from, 634–635

### ConfigureDataSource, 415–417

### confirmation e-mail, 532–533

### connection strings

- ConnectionString, 390
- ConnectionStringName, 537
- default, 537
- functions of, 358
- LocalSqlServer, overriding, 703–704
- new account, creating, 523–524

- SQL Server as target, 524
- storing, 395–396
- web site resource on, 660, 688

### constructors

- default, 182–183
- object-oriented programming, 182–184
- overloaded, 183

### contact forms

- client/server-side validation, creating, 302–307
- creating, 294–296
- extending operations on, 299–302
- UpdateProgress, 328–332
- See also validation controls

### container(s)

- naming container, 276
- server controls for, 116

### content pages, 198–201

- adding to web site, 198–201
- contents of, 198
- placeholders to master page, 194–198, 201–202
- user controls, adding to, 271–271

### ContentPlaceHolders, master pages, 195–197, 201–203

### ContentTemplate, 326

### ContextTypeName, 444

### ContinueDestinationPageUrl, 531

### control(s)

- data source controls, 386
- data-bound controls, 384–386
- event handler, writing for, 490–494
- ID, setting, 158
- login controls, 520–533
- properties, binding to resources, 633–634
- server. See ASP.NET Server Controls
- validation controls, 293–307
- See also user controls

### control adapters

- Cascading Style Sheets (CSS), 264
- Friendly Control Adapters, 245

### ControlParameter, 397

### ControlToCompare, 298

### ControlToValidate, 297, 414

### Convert, data type conversion, 140

### Convert to Hyperlink, 60, 86

### Convert.ToBoolean, 639

### cookies

- CookieParameter, 397
- expiration, 225

safety factors, 222  
 themes, storing in, 222, 225–228  
 Value property, 225

**Copy property, 313****copying web site, 639–642**

Copy Web Site, use of, 640–641  
 operation of, 642

**Count operator, 434****Create Custom Content, 202****Create User, 523, 544****CreateUserButtonImageUrl, 531****CreateUserText, 521, 526****CreateUserUrl, 521, 526****CreateUserWizard, 531–532**

confirmation e-mail, sending with, 532–533  
 new account, creating, 521–524  
 operation of, 533  
 properties of, 531

**CssClass property, 244, 249, 253**

styles option, 478, 482

**CType, 141****Current Page, 98****custom error pages, 601–602, 604****Customize, 26****CustomValidator, client/server-side validation, creating, 302–307****D****data controls**

data server controls, 124  
 data source controls, 386  
 data-bound controls, 384–386

**data source controls**

caching with, 509–510  
 error handling, 498–502  
 types of, 386

**data store, web applications, 519–520****data tips, 611****data types, 136**

Common Type System (CTS), 138–140  
 converting, 140–142  
 enumeration, creating with, 277–283  
 and variables, 136–140

**database(s), 353–381, 388–392**

accessing within VWD, 356–358  
 application services, configure for, 702–703  
 with ASP.NET. See SQL Server

cache dependency, 504

connecting to, 356–358

connection strings, 358

connection strings, storing, 395–396

data, creating, 368

data server controls, 124

data source controls, 386

Database Explorer, 17, 356–358

Database Publishing Wizard, 658–660

data-bound controls, 384–386

deleting data, 368

DetailsView, creating/customizing, 410–422

DetailsView, inserting data, 392–395

exceptions related to, 600

exporting, 658–660

fields, types of, 403

filtering data, 359–360, 397–403

functions of, 354

GridView, data-driven web page, creating, 387–392

GridView columns, customizing, 403–409

identity columns, 373–376

joining data, 364–368

LINQ to SQL. See LINQ

ordering data, 360–361

parameters, 390–391, 397

primary keys, 373

queries, creating, 361–364

Query Designer, 361–364

reading data, 358–359

records, creating/using, 369–371

recreating, 660–661

registration of, 357

relational, 354–355

SQL Server, attaching to, 691–693

SqlDataSource controls, 387–392

Table Designer, use of, 373–377

tables, creating, 373–377

tables, relationship between, 377–380

tips for use, 380, 422

updating data, 368, 409–422

**DataBind, 442****data-bound controls, 384–386**

columns/fields, configuring, 403–409

list controls, 384–385

paging controls, 386

single item controls, 385

styles, 478–485

**DataContext, 431–432**

## DataList

---

**DataList, styles for, 478–479**

**DataNavigateUrlFields, 405, 408**

**DataNavigateUrlFormatString, 405, 408**

**DataPager control, 466–471**

functions of, 443, 466

ListView, hook up with, 466

photo album, front-end page, creating, 466–471

**DataSource, 440, 442**

**DataSourceID, 245, 391, 394, 451**

**DataTextField, 405, 440**

**date. See time/date**

**date-binding syntax, 395**

**debugging, 607–621**

Autos window, 613

breakpoints, 607–610

Breakpoints window, 613

calculator, example of, 608–611

Call Stack window, 614

Debug menu, 16

disabling in web.config, 661

extensive, example of, 615–618

Immediate window, 614

JavaScript in Internet Explorer, 619–621

keyboard shortcuts, 610–612

Locals window, 613

operation of, 610–611, 617–618

tips for, 628–629

Watch window, 612–613

**decision making, logical constructions, 154–156**

**declarations, Cascading Style Sheets (CSS), 68, 70, 77, 85**

**default constructors, 182–183**

**default documents, 240–241**

**Default.aspx**

code-behind file, 37–38

creating, 6

default document, 240–241

link to Login.aspx, 236–237

opening, 24, 78

**defaultValue, 559**

**delete**

Delete property, 313

on GridView, 495–497

rows, error handling, 498–502

users, 544

**DELETE, SQL, 368**

**deploying web site, 631–662**

C#, 632, 634–638

copying site, 639–642

database, recreating, 660–661

deployment targets, options, 639

hardcoded settings, moving to web.config, 632–639

IIS, 643–652

NTFS settings, 652–656

publishing web site, 642–643

remote server, transfer data to, 658–660

retail attribute, true setting, 662

server errors, types of, 656–657

tips for, 661–662

Visual Basic, 632, 634–637

**DESC, SQL, 360**

**Design View**

Cascading Style Sheets (CSS), 67–68, 78–79, 86

content pages, 199–200

functions of, 47–48

markup, adding to page, 53–56

master pages in, 197–198

menu creation, 246–247

opening, 17, 19

updating, 19

user controls, creating, 272–273

viewing with Markup View, 48

**DestinationPageUrl, 526, 527**

**DetailsView**

creating, 410–413

customizing, 413–420

inserting data with, 392–395

operation of, 420–422

settings, 392

**DirectCast, 141**

**DisableCreatedUser, 531**

**DisappearAfter, 244**

**Display property**

Cascading Style Sheets (CSS), 73

validation control, 296

**DisplayAfter, 328**

**DisplayDirection, 279–286**

**DisplayMode, 440**

**DisplayRememberMe, 526**

**DivideByZeroException, 601**

**division operator, 147–149**

**Do While loop, 164**

**docking windows**

changing to floating, 23–24

process of, 22–23

## ErrorMessage property

### **DOCTYPE, functions of, 14**

#### **Document Window**

- documents, switching between, 18
- functions of, 17–18
- modifying, 25
- tab size, changing, 25

#### **Documents folder, 6**

#### **DropDownList server control, 111, 112, 115–116, 120, 131**

- filtering data, 397–402

#### **dynamic files, 621**

#### **DynamicEnableDefaultPopOutImage, 244**

#### **DynamicHoverStyle, 251**

#### **DynamicLayout, 328**

#### **DynamicMenuItemStyle, 251**

## E

#### **EditItemTemplate, 450**

#### **EditRowStyle, 479**

#### **elements**

- ElementID, 70–71
- HTML, 10–11
- ID, 83–84
- XHTML, 13

#### **Elseif statement, 156**

#### **e-mail, 307–320**

- C#, 309–317
- confirmation e-mail, sending, 532–533
- contact form validation, 299–302
- CreateUserWizard, use of, 531–533
- exceptions related to, 600
- hardcoded settings, 632
- MailAddress, 308, 310–312
- MailDefinition, 531, 534
- MailMessage, 308–312
- operation of, 311–312, 316–317
- RequireMail, 531
- RequiresUniqueEmail, 538
- sending, code for, 309–312
- sending from contact form, code for, 314–317
- SendMailOnError, 636–639
- text files, working with, 313–314
- Visual Basic, 309–317
- web site, configuring for, 308–309

#### **embedded style sheets**

- creating, 89–94

- elements of, 81–82

- moving between files, 98

#### **empty web site template, 36**

#### **EmptyDataRowStyle, 479**

#### **EmptyDataTemplate, 450**

#### **EmptyItemTemplate, 450**

#### **Enable**

- Timer control, 332
- trace, 623

#### **Enable AutoPostBack, 223**

#### **Enable Intranet Settings, 7**

#### **EnableClientScript, 297**

#### **EnableDelete, 444**

#### **EnableInsert, 444**

#### **EnablePageMethods, 327**

#### **EnablePasswordReset, 537**

#### **EnablePasswordRetrieval, 537**

#### **EnableTheming, 215**

#### **EnableUpdate, 444**

#### **EnableViewState, 131, 332**

#### **encapsulation, object-oriented programming, 187**

#### **encrypted format, passwords, 538**

#### **EndRequest, 565**

#### **enumeration (enum)**

- C#, 277–282
- example of, 277–278
- smart user controls with, 277–283
- Visual Basic, 277–282

#### **equivalence, operators for, 149–151**

#### **error(s)**

- catching. See error handling; exception handling
- error messages, 594
- logic errors, 593–594
- server errors, 656–657
- syntax errors, 592–593

#### **error handling, 498–502**

- C#, 499–502
- error logging, enabling, 662
- GridView, deleting rows, 498–502
- operation of, 501–502
- Visual Basic, 499–502

#### **Error List, 593, 640**

- contents of, 21
- docking, 24

#### **ErrorCallback, 347**

#### **ErrorMessage property, compared to Text property, 297–298**

## event(s)

---

### event(s)

argument class, 188  
 object-oriented programming, 188–189  
 page life cycle, events of, 205–206, 486–489

### event handling, 490–502

C#, 491–497  
 delete, enable on GridView, 495–497  
 error handling, 498–502  
 object-oriented programming, 188–189  
 operation of, 492–494  
 RowDataBound, writing for, 490–494  
 with strongly typed objects, 494–497  
 Visual Basic, 491–497

### Exception, 498, 501

### exception handling, 592–607

C#, 593, 595–601, 603, 606–607  
 catching exceptions, 594–596  
 custom error pages, 601–602  
 global, 602–607  
 programming errors, types of, 592–594  
 Try Catch, use of, 596–601  
 Visual Basic, 592–593, 595–601, 603, 606–607

### ExceptionHandled, 498, 500

### Exists property, 313

### ExpandDepth, 254

### ExpandImageToolTip, 254

### ExpandImageUrl, 253

### Expired, 225

### exporting

Import and Export Settings, functions of, 27  
 templates, 211, 213

### expression binding syntax

Expression Editor, 633–634  
 functions of, 395, 633  
 use of, 633–634

### external style sheets

benefits of, 81  
 moving between files, 98

## F

### favorites

FavoriteGenres, Profile, using, 564, 566,  
 570–576, 578  
 genre preferences, storing, 570–574

### fields, types of, 403

### file(s)

automatic copy, 44  
 class, 42  
 data files, 42–43  
 existing, adding to site, 43  
 Global Application Class, 42  
 new, adding to site, 39–41  
 organizing, 44–46  
 project file, 34  
 Solution Explorer, 16–17  
 storing in folders, 16–17  
 Web files, 39–42  
 Web Forms, 46–53  
 Web Services, 42

### File class, properties of, 313–314

### file extensions

file types/extensions, listing of, 40–42  
 hidden, exposing, 43

### File System, 6, 37, 39

deployment option, 639

### FileUpload server control, 111, 123

### filtering data, 359–360, 397–403

applying filter, 400–402  
 filter, setting up, 397–400  
 operation of, 400, 402–403  
 values, listing of, 397  
 WHERE clause, 359–360

### Finally, 594–595

### Find and replace, base page creation, 208

### Find in Files, starting, 22

### Find Results, window, 22

### FindByValue, 226

### FinishButtonClick, 121

### First query operator, 436–437

### FirstOrDefault query operator, 436–437

### flicker-free pages. See ASP.NET AJAX

### float

Cascading Style Sheets (CSS), 78–80  
 restoring window, 24  
 sidebar, 79  
 windows, creating, 22–24

### folders

App\_Code folder, 167–171  
 App\_Data folder, 37–38  
 App\_Themes folder, 214, 216, 218, 228  
 application folders, 238

- creating, 37
- Documents folder, 6
- Management folder, 236–237, 542–550
- New Folder, 49
- organizing site files, 44–46
- settings folder, location of, 28
- special files, warning, 46
- for themes, 214, 216, 218
- font(s)**
  - Cascading Style Sheets (CSS), 67, 70, 73, 75, 77
  - choosing, 54, 70, 73, 77
  - Font Name, 54
  - Font Size, 54
  - server controls for, 108
  - styles, 91, 478
- font color**
  - Cascading Style Sheets (CSS), 72
  - Cascading Style Sheets (CSS) in VWD, 84–85
  - choosing, 72, 76, 84–85
- footers**
  - floating, 80
  - styles, FooterStyle, 479
- For Each/foreach loops, 115–116, 162–163**
- For loop, 161–162**
- foreground color**
  - choosing, 55
  - server control for, 108
  - styles, ForeColor, 478
- foreign keys, 377–378**
- form(s). See contact forms; Web Forms**
- formatting**
  - Block Format, 54, 55
  - controls, with styles, 476–485
  - HTML, problems of, 64
  - tags, adding, 56
  - text, 56
  - See also Cascading Style Sheets (CSS)
- Formatting toolbar**
  - Cascading Style Sheets (CSS), 67, 86
  - Convert to Hyperlink, 86
- FormParameter, 397**
- FROM, SQL, 358**
- From query operator, 433–434**
- Front Page Extensions, 37**
- FTP**
  - deployment option, 639
  - open site from, 37
- functions, 165–167**
  - parameterize, 165–167
  - uses of, 165, 171
- G**
- GeneralFailureText, 533**
- generics, 143, 145–146**
  - C#, 145–146
  - functions of, 145
  - use, example of, 145–146
  - Visual Basic, 145–146
- genre(s)**
  - database table, 358, 360–364, 377
  - FavoriteGenres
  - Genre property, 432
  - preferences, storing in Profile, 570–574
  - type interference, 432
- GET**
  - data acquisition by, 292, 634
  - forms, submitting, 129
- GetProfile, 588**
- Global Application Class**
  - file extension (.asax), 41
  - functions of, 42
- global error handling, 602–607**
- Go to Homepage, 60**
- greater than, operators for, 149–151**
- GridView, 388–392**
  - columns, customizing, 404–409
  - control event handler, writing for, 490–494
  - controls, styles applied to, 478–481
  - data-driven web page, creating, 387–392
  - delete on, 495–497
  - page life cycle, events of, 486–489
  - RowDataBound, event handler, 490–494
  - styles combined with skins/themes, 482–485
- grouping, selectors, 72**
- GroupSeparatorTemplate, 450**
- GroupTemplate, 450**
- H**
- Handler Mapping, 9**
- hardcoded settings, moving to web.config, 632–639**
- hashed format, passwords, 536, 538**

## headers

### headers

- choosing headings, 55
- HeaderText, 405
- styles, HeaderStyle, 479

### height of elements

- Cascading Style Sheets (CSS), 73, 77–78
- server controls for, 109
- styles, 478

### help

- help files, installing, 4
- Help menus, 16
- Start Page topics, 18

### HiddenField server control, 111, 123

### history, deleting, 88

### homepage

- go to, 60
- styling, 75–80

### HorizontalAlign, 478

### hotspots, on images, 122

### hovers

- Cascading Style Sheets (CSS), 85
- creating, 85
- DynamicHoverStyle, 251
- StaticHoverStyle, 249–251, 253
- tooltips, displaying, 254

### HTML, 10–14

- adding to site. See markup
- ASPX page markup, 9
- attributes, 12
- code equivalents, auto insert, 56
- elements, 10–11
- file extension (.htm/.html), 41
- formatting, limitations of, 64
- HTML page, 41
- server controls, 124
- with server-side code, avoiding, 104
- tags, 10–12
- viewing with View Source, 20–21, 129
- compared to XHTML, 12–14

### HTTP

- functions of, 9
- page moved, status code, 261

### Hungarian notation, avoiding, 138

### Hyperlink

- server control, 111
- server-side, 236
- See also linking pages

**HyperText Markup Language (HTML).** See **HTML**  
**HyperText Transfer Protocol (HTTP).** See **HTTP**

## I

### ID

- client ID, 202–203, 275–276
- controls, setting, 158
- DataSourceID, 245, 391, 394, 451
- ElementID, 70–71
- ItemPlaceholderID, 451
- selector, Cascading Style Sheets (CSS), 70–71
- SkinID, 231

### identity

- elements of, 518
- security aspects, 518–519

### identity columns, SQL Server, 3, 371, 373–376

### If Else statement, 155–156

### If statement, 154–156, 160

### IIS (Internet Information Services), 643–652

- ASP.NET registering, 647
- deployment option, 639
- functions of, 36
- installing/configuring, 644–646
- permissions to account, 652
- release site to, 657
- Windows Server 2008, 645–646
- Windows Server 2008 configuration, 649–651
- Windows Vista configuration, 649–651
- Windows Vista install, 645
- Windows XP/Server 2003 configuration, 647–649
- Windows XP/Windows Server 2003 install, 644–645

### image(s)

- adding to themes, 220–222
- AlternateText, 270
- banners, user controls, 269–283
- borders around, 274
- Cascading Style Sheets (CSS), 72, 219–221
- ImageButton, 111, 122
- ImageField, 403
- ImageMap, 111, 122
- server controls for, 111, 122

### Immediate window, 614

### importing

- Import and Export Settings, functions of, 27
- namespaces, 173

### Indent Size, 25

**Index.aspx, default document, 240–241**

**inheritance, 184–187**  
 from base page, 204, 208–209  
 creating, 186–187  
 hierarchy of classes with, 185–186  
 Inherits keyword, 171–172, 186

**initialization, web pages, 205**

**inline code, 48–52**  
 compared to code behind files, 49–53  
 file extension (.aspx), 48  
 inline comments, 173–174  
 operation at run-time, 52–53

**inline style sheets**  
 creating, 89–94  
 elements of, 82  
 Inline Style, 97–98  
 moving, 98

**INSERT, SQL, 359, 368**

**InsertItemPosition, 451**

**InsertItemTemplate, 414–420, 450**

**InsertTable, 57–58**

**instance**  
 of calculator, 170–171  
 constructors, 182–184  
 instance name, 396  
 named and unnamed, SQL Server, 688

**instantiation, arrays, 142**

**integrated development environment (IDE)**  
 functions of, 15  
 See also Visual Web Developer (VWD)

**IntelliSense**  
 with enums, 278, 281  
 functions of, 50  
 with UpdatePanel, 326  
 use, example of, 50–51, 75, 108  
 and Web Services, 346–347

**internal access modifiers, 187**

**Internet Explorer, JavaScript, debugging in, 619–621**

**Internet Information Services (IIS). See IIS (Internet Information Services)**

**Interval, Timer control, 332**

**Intranet settings, enabling, 7**

**invalidating cache, 504**

**Is keyword, 151**

**IsUserInRole, Roles, checking with, 552–554**

**IsValid property, 297, 306–307**

**italics, adding, 54, 56, 58, 91**

**Item Template, 211**

**ItemDeleted, 409**

**ItemDeleting, 409**

**ItemInserted, 409**

**ItemInserting, 409**

**ItemPlaceholderID, 451**

**ItemSeparatorTemplate, 450**

**ItemTemplate, 450**

**ItemUpdated, 409**

**iteration**  
 collections, 144  
 See also loops

## J

**JavaScript**  
 client-side validation, 293, 304–306  
 debugging in Internet Explorer, 619–621  
 file extension (.js), 41  
 JScript File, 41  
 menu items, visibility of, 248  
 and Web Services, 338, 343–344, 346–348

**joining**  
 database data, 364–368  
 JOIN, SQL, 364–368

## K

**key(s)**  
 access key, setting, 108  
 primary keys, database, 373

**keyboard shortcuts**  
 customizing, 26  
 debugging, 610, 611–612  
 displaying, 26

**keywords**  
 ByRef, 166  
 ByVal, 166  
 inherits, 171–172, 186  
 New, 182  
 Public, 165, 187  
 Return, 166  
 With, 183

## L

**Label server controls, 105–107, 111**

**Language, 6, 37**

**language translation, Localize server control, 123**

## language-integrated query

**language-integrated query.** See **LINQ**

**Last query operator, 436–437**

**LastName, 565**

**LastOrDefault query operator, 436–437**

**LayoutTemplate, 450**

**less than, operators for, 149–151**

**life cycle of page, events of, 205–206, 485–490**

**LIKE, SQL, 360**

**LINC to SQL**

anonymous types, creating, 437–443

C#, 461–466

genres/reviews, creating list, 439–443

query operators, 433–437

Visual Basic, 433–439, 461–466

**line continuation character, 52**

**LinkButton server control, 111, 122, 531**

**linking pages, 59–61**

Convert to Hyperlink, 60, 86

Hyperlink, 236

Hyperlink server control, 111

HyperLinkField, 403, 405, 408

link to external pages, 60

link within site, 60

links, adding to page, 60

methods for, 59

visited links, styling, 87–88

**LINQ**

functions of, 425–426

LINQ to ADO.NET, 427

LINQ to Objects, 427

LINQ to XML, 427

query, syntax/structure of, 426

**LINQ to SQL, 427–473**

data source control. See **LinqDataSource control**

DataPager control, 466–471

dragging and dropping, 427–428

ListView control, 449–466

operation of, 431–433

query, execution of, 431–432

to SQL Classes. See **LINC to SQL Classes**

tips for use, 472

**LINQ to SQL Classes**

adding, 428–433

file extension (.dbml), 42

functions of, 42

**LinqDataSource control, 444–449**

functions of, 443

operation of, 448–449

photo album, creating, 444–448

in Profiles, 570–572

properties of, 444

**list(s)**

bulleted. See **bulleted lists**

creating in LINC to SQL, 439–443

list controls, 384–385

ListBox, 111, 112

ListItems, 115–116

server controls for, 112–116

**ListView control, 449–466**

DataPager, use of, 466–471

functions of, 443, 449

operation of, 458–460

photo album, inserting/deleting items, 452–460

photo album, uploading images by user, 460–466

properties of, 451

templates, 450

templates, customizing, 460–466

**Literal server control, 111, 123, 633**

**loading page**

events of, 205

Page\_Load, 309–310, 568

**Localize server control, 111, 123**

**LocalOnly, 624**

**LocalSqlServer, 537, 660**

connection string, overriding, 703–704

connection to application services, 660, 701

**Location, 6, 37**

**logic errors, 593–594**

**logical operators, 152–154**

If/If Else/Elseif, 154–156

SQL, 360

**login control(s), 520–533**

confirmation e-mail, 532–533

CreateUserWizard, 531–532

first time log in, 523–524

Login control, 520–523, 526–527

and Master Page, modifying, 528–530

operation of, 523–525

password recovery, 533–535

Remember Me Next Time, 525

server controls, 125

sign up pages, 520–525, 522–525

styles, 526–527

**Login control, 520–523, 526–527**

adding to page, 520–523

functions of, 526–527  
 LoginCreatedUser, 523, 531

**LoggedIn, 527**

LoginName, 528–530  
 LoginStatus, 520, 528, 530

**LoggedInTemplate, 527, 529**

LoginText, 528  
 LoginView, 527–528  
 operation of, 530  
 properties of, 526

**Login.aspx**

controls. See login control(s)  
 creating page, 200  
 link to Default.aspx, 236–237

**LoginView**

login page, modifying, 528–530  
 templates, 527, 529

**logout**

Logout link, 530  
 LogoutAction, 528

**LoggedOut, 528****LoggingOut, 528**

LogoutText, 528

**“look around” link, 87–88****loops, 161–164**

Do While, 164  
 For Each/foreach, 162–163  
 For, 161–162  
 Until, 163–164  
 While, 163–164

**M****machine.config**

membership element, modifying, 539–541  
 membership services, settings, 537

**mail. See e-mail****main menu, Visual Web Developer (VWD), 16****Manage Styles**

functions of, 82, 88  
 use, example of, 86–88, 96–98

**Management folder**

allowing access, Managers role, 542–546  
 blocking access, 546–550  
 Login.aspx, link to Default.aspx, 236–237  
 root-based relative URLs, 237

**Manager(s)**

photo album, management of, 578–583  
 role, creating/assigning, 542–546

**Manual mode, Style Application, 56****margins, Cascading Style Sheets (CSS), 73, 75 markup, 53–59**

ASP.NET Server Controls, 14  
 in ASPX page, 8  
 Design View, adding in, 53–56  
 formatting text, 56  
 inserting text, 54–56  
 Markup View, adding in. See Markup View  
 tables, adding, 56–59

**Markup View**

Cascading Style Sheets (CSS), 66, 75–78, 86  
 markup, adding to page, 53  
 markup, updating, 20  
 master pages in, 201–202  
 menu creation, 245–246  
 opening, 17, 47  
 Properties Grid in, 108  
 user controls, creating, 273  
 utility of, 47  
 viewing with Design View, 48

**master pages, 194–198**

adding to site, 196  
 C#, 193–195  
 Code Behind files, 194, 196–197  
 content of, 194  
 with content placeholder, 194–198, 201–202  
 creating, 196–198  
 with default content, 201–202  
 file extension (.master), 40  
 functions of, 40, 194  
 Login control, modifying, 528–530  
 in Markup View, 201–202  
 nesting, 202  
 operation at run-time, 195–196  
 user controls, adding to, 271–274  
 Visual Basic, 193–195  
 warning about, 202–203

**Max operator, 434****MaximumDynamicDisplayLevels, 244****MaximumValue, 298****maxInvalidPasswordAttempt, 538****membership**

Database Role Membership, 696  
 element, modifying, 539–541  
 functions of, 519  
 provider, SQL Server, 520  
 services, settings for, 537

## menu(s)

---

### menu(s)

creating, 245–249  
 MenuWrapper, 79, 245–246  
 operation of, 248–249  
 server controls for, 125  
 style properties, applying, 249–253  
 submenu visibility, 248

### Menu control, 244–253

functions of, 241  
 properties of, 244–245  
 shortcomings of, 245  
 Static properties, 245  
 styling, 249–253

### Messages, error list, 21

### methods

functions, 165–167  
 method signature, 165  
 object-oriented programming, 140, 181–182  
 subroutines, 165–167

### Min operator, 434

### MinimumValue, 298

### MinRequiredPasswordLength, 538, 539–540

### Modify permissions, 356

### Modify Style, 76–78, 85

### modulus operator, 149

### mostRecent, 624

### Move property, 313

### MSDN Library, installing, 4

### multiplication operator, 147–148

### MultiView server control, 111, 116

### My Templates, 35

### MyBasePage.zip, 212

## N

**name attribute, 559**

**name collisions, avoiding, 171**

**named instance, 688**

**named skins, 231–232**

**NameService, 340**

**namespaces, 171–173**

creating, 172–173  
 functions of, 171–172  
 importing, 173  
 viewing, 171

**naming container, 276**

**NavigateUrl, 236**

creating, 283–288

### navigation

<a> element, 236, 258  
 CSS Control Adapters, use of, 264  
 Menu control, 241, 244–253  
 redirection to other page, 259–261  
 server controls for, 125  
 server-side redirects, 261–263  
 site map, role in, 242–244  
 SiteMapPath, 241, 257–259  
 tips for, 264  
 TreeView, 241–242, 253–256  
 Uniform Resource Locator (URLs), 236–241

**.NET Framework, downloading/installing, 647**

**New Folder, 49**

**New Keyword, 182**

**New Project, 6, 35**

**New Style, 90–91, 97**

**New Web Site, 6, 34, 37**

**Not operator, 152**

**NTFS file system, configuring for site deployment, 652–656**

**number(s), storing, data types for, 138–139**

**numbering, adding to list, 58**

## O

### object(s)

constructors, 182–184  
 methods, 181–182  
 object initializers, 183  
 in object-oriented programming, 176–177

**Object Browser, 692**

**Object Relational Designer Toolbox, 429**

**ObjectDataSource, 386**

**object-oriented programming, 176–189**

access modifiers, 187–188  
 classes, 177–178  
 constructors, 182–184  
 encapsulation, 187  
 events, 188–189  
 inheritance, 184–187  
 methods, 140, 181–182  
 objects in, 176–177  
 properties, 178–181, 183

**one-way data binding expression, 408**

**opening web sites, existing sites, 36, 38–39**

**Operator property, 298–299**

validation control, 298

**operators, 146–154**

- arithmetic, 147–149
- assignment, 147
- C#, 147–153
- comparison, 149–151
- concatenation, 151–152
- functions of, 146
- logical, 152–154
- Visual Basic, 147–153

**OR, SQL, 360****Or operator, 151–152****Order By query operator, 434****ORDER BY, SQL, 360, 361, 371, 415****ordering data, database, 360–361****OrElse operator, 153–154****organization**

- folders, use of, 44–46
- reorganizing site, 46

**orientation, Menu control, 245, 247****output caching, 505–509****output window, contents of, 21****overloaded constructors, 183****P****padding**

- Cascading Style Sheets (CSS), 73, 75, 89–90
- settings, 90

**page(s), Web. See Web page(s)****Page Directive, 131****Page\_Load, 309–310, 568****Page.IsPostBack, 285–286****pageOutput, 624****PagerStyle, 479****PageWrapper, 79, 98****paging controls**

- data-bound, 386
- DataPager control, 443
- PagerStyle, 479

**Panel server control, 111, 116**

- use, example of, 117–118

**paragraphs, new, 55****parameters**

- database, 390–391, 397
- functions/subroutines, 165–167

**Passport, 525****password(s), 533–537**

- case sensitivity, 522

change password, 534–536

changing, 534–536

characters in, 522

controls, adding to page, 534–536, 534–537

encrypted format, 538

hashed format, 536, 538

login server controls, 125

password recovery, 533–534

passwordAttemptWindow, 538

passwordFormat, 538

PasswordRecovery, 533–536

PasswordRecoveryText, 526

PasswordRecoveryUrl, 526

passwordStrengthRegularExpression, 538

placeholders, 532

provider configuration attributes, 537–538

**PathDirection, 257****PathSeparator, 257, 258****permissions**

- elements of, 518
- IIS/built-in web server, 652
- ListView template customization, 460–461
- Modify permissions, 356
- NTFS file system configuration, 653–656

**personalization. See Profile(s)****photo album**

- creating, 444–449
- deleting photos, 452–460, 553
- front-end page, creating, 466–471
- inserting photos, 452–460
- management by users, 578–583
- uploading images by user, 460–466

**Pick URL, 60****pixels, CSS screen size, 79****Place Code in Separate File, 40****placeholders**

- auto placement, 158
- content, on master pages, 194–198, 201–202
- mail message, 317
- menu creation, 245
- Placeholder server control, 111, 116
- Repeater, 578
- username/passwords, 532

**Plain PostBack, 128–130****Planet Wrox**

- anonymous identification, enabling, 583–584
- anonymous profile, deleting, 584–585
- application, connecting to SQL Server, 693–701

## Planet Wrox (*continued*)

---

### Planet Wrox (*continued*)

base page, creating, 206–210  
 breadcrumb, creating, 257–259  
 buttons, 105–107  
 caching, 506–508, 510–513  
 Cascading Style Sheets (CSS), 65–69, 75–79  
 Cascading Style Sheets (CSS) in VWD, 83–98  
 configuration settings, changing, 539–541  
 confirmation e-mail, sending, 532–533  
 contact forms, 294–296, 299–302  
 content pages, adding to site, 198–201  
 controls, enhancing with styles, 479–484  
 copying web site, 640–641  
 database, attaching to SQL Server, 691–693  
 database, exporting, 658–660  
 data-driven web page, GridView, 387–392  
 delete, enable on GridView, 494–497  
 delete rows, error handling, 498–502  
 e-mail, 309–312, 314–316  
 embedded/inline styles, creating, 89–94  
 exception handling, 596–600, 602–607  
 features of, 28  
 files, adding to site, 41  
 flicker-free pages, creating, 328–332  
 folder for, creating, 37  
 folders, organizing files, 44–46  
 formatted text, adding, 54–56  
 forms, breaking into pages, 118–122  
 functionality of, 28  
 genre preferences, storing in Profile, 570–574  
 genres/reviews list with LINC to SQL, 439–443  
 homepage, styling, 75–80  
 images, adding to theme, 220–221  
 labels, 105–107  
 LINC to SQL Classes, 428–433  
 links, adding to page, 60  
 list server controls, adding to page, 112–115  
 login controls, 520–525  
 login page, 200, 520–521  
 management folder, blocking access, 546–550  
 Managers role, creating/assigning, 542–546  
 master pages, creating, 196–198  
 membership element, modifying, 539–541  
 menu control, styling, 249–253  
 menus, adding to site, 245–249  
 My Profile page, 29  
 NavigateUrl property, creating, 283–288  
 navigation, TreeView, 254–256

new account, creating, 521–525  
 as new site, creating, 37–38  
 NTFS file system settings, 652–656  
 online example, web site for, 30  
 opening, 41  
 password controls, adding to page, 534–536,  
 534–537  
 photo album, creating, 444–449  
 photo album, delete photos, 553  
 photo album, front-end page, creating, 466–471  
 photo album, inserting/deleting items, 452–460  
 photo album, management by users, 578–583  
 photo album, uploading images by user, 460–466  
 Profile, filling in text box, 565–566  
 reviews, limit list of, 574–578  
 Roles, checking, 552–554  
 server controls, use of, 105–107  
 sign up pages, 522–525  
 site wide exception handling, 602–607  
 skins, creating for button control, 228–232  
 state engine, use of, 127–130  
 style sheets, attaching to document, 86–88  
 styles, managing, 96–98  
 tables, 56–59  
 tables, database, 373–376  
 tables, relationship between, 377–380  
 templates, creating, 210–213  
 text box, adding to page, 105–107  
 themes, creating, 216–218  
 Timer control, 332–337  
 tracing, 624–628  
 UpdatePanel, adding to page, 324–326  
 user controls, adding to master page, 272–274  
 user controls, creating, 269–271  
 user controls, enums for, 279–282  
 user controls, registering in web.config, 274–275  
 users' profiles, viewing, 585–588  
 user-selected theme, 222–228  
 Web Forms, adding to site, 49–52  
 Web Service, calling from client code, 344–349  
 Web Service, creating, 342–344  
 Web.sitemap file, creating, 243–244  
 Welcome Page, 29  
 Wizard server control, use of, 118–122

**Pointer server control, 111**

**Position**

Cascading Style Sheets (CSS), 73, 77–78  
 height/width of element, 73, 77

**POST**

- data acquisition by, 292
- forms, submitting, 129

**PostalAddress, 560, 564****postback**

- AutoPostBack, 113, 117
- avoiding. *See* ASP.NET AJAX
- defined, 21
- page life cycle, events of, 205, 486–489
- Page.IsPostBack, 285–286
- Plain PostBack, 128–130
- PostBackTrigger, 326

**power operator, 147–149****prefix, tagname, 272****PreRenderComplete, 488****primary keys, database, 373****private access modifiers, 187–188****Profile(s)**

- anonymous identification, enabling, 583–584
- anonymous profile, deleting, 584–585
- attributes, functions of, 559
- C#, 560–562, 564–566, 568–569, 571–575, 577–582, 584–588
- changes, saving, 565
- configuring, 558
- creating, 562–564
- data, storage in, 566–569
- enabling, 558
- functions of, 519, 558
- genre preferences, storing in, 570–574
- non-standard data, use of, 560–561
- operation of, 564–565, 569–570, 573–574, 577–578
- of other users, viewing, 585–588
- profile groups, 559–560
- ProfileBase, 564
- ProfileCommon, 564, 585, 588
- ProfileManager, 585
- ProfileParameter, 397
- reviews, limit list of, 574–578
- simple properties, 559
- text box, filling in name from, 565–566
- tips for use, 589
- type attribute, 559
- Visual Basic, 560–562, 564–566, 568–569, 571–573, 575, 577–582, 584–588

**programmatically caching, 510–511****programming languages**

- ASP.NET support, 138
- Common Type System (CTS), 138–140
- interoperability, 138
- Language option, 6, 37
- primitive types, 138

**programming web pages, 135–191**

- App\_Code folder, 167–171
- arrays, 142–144
- C#, 137–189
- calculator, programming example, 157–161
- collections, 144–145
- comments, 173–176
- data type conversion, 140–142
- data types, 136
- debugging, 607–621
- errors, types of, 592–594
- exception handling, 592–607
- functions, 165–167
- generics, 145–146
- hardcoded settings, avoiding, 632–639
- logical constructions, 154–156
- loops, 161–164
- namespaces, 171–173
- object oriented. *See* object-oriented programming
- operators, 146–154
- statements, 146
- subroutines, 165–167
- switches, 156–157
- tips for, 189–190
- tracing, 621–628
- variables, 136–140
- Visual Basic, 137–189

**property(ies)**

- adding to user controls, 277–283
- automatic, 180
- Cascading Style Sheets (CSS), 68, 72–73
- object-oriented programming, 178–181, 183
- read-only/write-only, 180–181

**Properties Grid**

- banners, user controls, 270
- buttons, 105–106
- functions of, 17
- in Markup View, 108
- menu creation, 247
- Text property, changing, 20

**Property Pages, 53**

## PropertyValuesBinary

**PropertyValuesBinary, 565**

**PropertyValuesString, 565**

**protected access modifier, 187**

**providers**

application services, 520

ProviderName, 390

**public access modifiers, 187–188**

**Public keyword, 165, 187**

**publishing web site, 642–643**

## Q

**query(ies), database**

creating, 361–364

Query Designer, 361–364

query string, 259

QueryStringParameter, 397

See also LINQ

**query operators, 435–437**

First, 436–437

FirstOrDefault, 436–437

From, 433–434

Last, 436–437

FirstOrDefault, 436–437

LINC to SQL, 433–437

Order By query, 434

Select, 433

Single, 436

SingleOrDefault, 436

Skip, 435

SkipWhile, 435

Take, 435

TakeWhile, 435

Where, 434

## R

**RadioButton server control, 111, 131**

**RadioButtonList server control, 111, 112**

**RangeValidator, 298**

**ReadAllText, 314**

**read-only**

properties, 180–181

ReadOnly, 559

**Redirect**

C#, 260–261

operation of, 261

to other page, 259–261

Visual Basic, 260

**ref keyword, 167**

**Refactoring, 270**

**registration**

ASP.NET in IIS, 647

database, 357

Register directive attributes, 272

of user controls, 271–272, 274–275

Web Services, 344, 347

**RegularExpressionValidator, 298, 300, 302**

**relational databases**

functions/uses of, 354–355

types of, 355

See also SQL Server 2005 Express Edition

**relative URLs, 236–240**

benefits of, 237

root-based, 237

in server-side controls, 238

**RememberMeSet, 525, 526**

**remote server**

deployment option, 639

transfer data to, 658–660

**Rename Item, 23**

**rendering**

page life cycle, events of, 205, 486–489

PreRenderComplete, 488

RenderCurrentNodeAsLink, 257

RenderMode, 326

**Repeater control, 439, 441–442, 575, 577–578**

**Replace in Files, starting, 22**

**Replace property, 317**

**RequestLimit, 624**

**RequiredFieldValidator, 300, 414, 567, 569**

contact form, creating, 294–296, 300–302

**RequireMail, 531**

**RequiresQuestionAndAnswer, 538**

**RequiresUniqueEmail, 538**

**Reset, Visual Web Developer (VWD) settings, 27–28**

**Restore Down, 43**

**Return keyword, 166**

**Reviews, 431–432**

limit list of, Profile, 574–578

**Role(s)**

assigning, 541–542

checking programmatically, 551–554

Database Role Membership, 696

functions of, 519

Web Site Administration Tool (WSAT), 543–545

**Role Manager, 541–542**

- assignments, methods for, 541–542
- configuring, 541
- functions of, 541

**RoleGroup, 527, 547, 550****row(s)**

- adding to tables, 58
- deleting, error handling, 498–502
- GridView, creating, 489–490
- RowDataBound, event handler, writing for, 490–494
- RowStyle, 479, 482–483
- SelectedRowStyle, 479

**rules, Cascading Style Sheets (CSS), 68–69, 69, 77–78, 85, 99****runtime**

- page processing, 9–10
- run-time files, 621

**S****saving**

- to all open documents, 51, 87
- Cascading Style Sheets (CSS), 78–79, 87
- Save All, 51
- Visual Web Developer (VWD), 20

**screen, pixel size, Cascading Style Sheets, 79****ScriptManager, 326–327**

- functions of, 325–326
- placement of, 326–327
- properties of, 327
- ScriptManagerProxy, and Web Services, 343–345
- UpdatePanel, use with, 325
- and Web Services, 343, 346

**Scripts property, 327****ScriptService, 344–346****security, 517–554**

- application services for, 519–520
- authentication, 518
- authorization, 518–519
- configuration settings, 537–541
- cookies, 222, 225–228
- identity, 518
- IIS/built-in web server permissions, 652
- login controls, 520–533
- login server controls, 125
- management folder, blocking access, 546–550
- NTFS file system configuration, 653–656

passwords, 533–537

permissions, 518

questions, 522

Role Manager, 541–542

Roles, checking programmatically, 551–554

tips for, 554

and tracing, 628

user input, validating. See validation controls

Web Site Administration Tool (WSAT), 542–546

**SELECT, SQL, 358, 361–363, 365, 370–371****Select Case/switch statements, 156–157****Select Item References, 211–212****Select Master Page, 198–199, 202****Select query operator, 433****Select Template Options, 212****SelectCommand, 407****SelectedIndex server control, 112****SelectedIndexChanged, 223, 225****SelectedItem server control, 112****SelectedItemTemplate, 450****SelectedRowStyle, 479****SelectedValue server control, 112****selector(s)**

Cascading Style Sheets (CSS), 68–69, 70–72, 82–85

Class selector, 71

grouping/combining selectors, 71–72

ID selector, 70–71

pseudo class selectors, 85

syntax, 90

syntax for, 70–71

Type selector, 70

Universal selector, 70

**SendMailOnError, 636–639****server(s)**

accounts/permissions, 652

configure for deployment, common errors, 656–657

controls. See ASP.NET Server Controls

IIS, 643–652

remote, transfer data to, 658–660

remote server deployment option, 639

Server Explorer, functions of, 17

server-side redirects, 261–263

SQL Server. See SQL Server 2005 Express Edition

validation, creating, 302–307

**Services property, 327**

## SessionParameter

---

**SessionParameter**, 397

**Set As Start Page**, 53

**Set Date**, 128–129

**SetFocusOnError**, 297

**settings**

folder, location of, 28

resetting Visual Web Developer (VWD), 27–28

**shortcut keys. See keyboard shortcuts**

**ShowExpandCollapse**, 254

**ShowLines**, 254

**ShowStartingNode**, 247

**ShowToolTips**, 257

**sidebars, floating**, 79

**sign up pages, creating**, 522–525

**SignUpConfirmation**, 532

**simple properties, Profile**, 559

**single item controls**, 385

**Single query operator**, 436

**SingleOrDefault query operator**, 436

**site map**, 242–244

elements of file, 242–243

file extension (.sitemap), 41

functions of, 41

SiteMapDataSource, 244, 247, 248, 386

SiteMapDataSource1, 254

Web.sitemap file, creating, 243–244

**SiteMapPath**, 257–259

breadcrumb, creating, 257–259

functions of, 125, 241

properties of, 257

server controls for, 125

**skins**

combined with styles/themes, 482–485

creating for button control, 229–231

defined, 228

disabling, 232

file extension (.skin), 41, 228

functions of, 41

named skins, 231–232

SkinID, 231

**Skip query operator**, 435

**SkipWhile query operator**, 435

**Smart Tasks menu**, 113, 120, 201–202, 388

**SmtpClient**, 308–312, 316, 599

**SmtpException**, 596

**Solution Explorer**

accessing, 17

Database Explorer, 356–357

functions of, 16–17, 19

new web site, 38

start page, assigning, 52–53

**sorting**

database, 360, 363

Sort Items Alphabetically, 23, 24

SortByCategory, 622

SORTORDER, 360–361, 363, 371

**Source View. See Markup View**

**Split View**

Cascading Style Sheets (CSS), 66

functions of, 48

**SQL (Structured Query Language)**

functions of, 355

logical operators, 360

*See also* SQL Server 2005 Express Edition

**SQL Server 2005 Express Edition**

access, methods of, 660

application, connecting to, 693–701

authentication, 688–689

Configuration Manager, 690

connection error, 690

connection strings, 395–396

data types in, 371–373

database, attaching to, 691–693

file extension (.mdf), 42

functions of, 42, 355–356

identity columns, 371, 373–376

installing, 3–4

and LINC. *See* LINC to SQL

Management Studio, 660, 689–690

named and unnamed instance, installing by, 688

Object Browser, 692

Object Explorer, 691, 693–696

primary keys, 373

remote connections, enabling, 690–691

restarting, 691

Setup Wizard, 702–703

SqlMembershipProvider, 520

SqlRoleProvider, 520

*See also* database(s)

**SqlDataSource, data-driven web page, creating**, 386–393

**SqlException**, 502

**src**, 272, 275

**stale data, and caching**, 504

**Standard server controls**, 111–124

*See also* ASP.NET Server Controls

**Start Options, 53****start page**

- assigning for site, 52–53
- events of, 205
- functions of, 18, 19

**Start Without Debugging, 7****statements, operators, 146****state/stateless**

- ASP.NET state engine, 126–132
- meaning of, 126–127

**static text, page processing, 10****StaticEnableDefaultPopOutImage, 244, 247****StaticHoverStyle, 249–251, 253****StaticMenuItemStyle, 247, 249, 250–251, 253****StaticSelectedStyle, 251****StepType, 120, 122****Street, 565****strings**

- data types converted to, 140–141
- DataNavigateUrlFormatString, 405, 408
- PropertyValuesString, 565
- query strings, 259, 397
- String.Format, 341–342
- See also connection strings

**strongly typed objects**

- defined, 144
- event handling with, 494–497
- LinqDataSource control, 449

**style(s), 482–485**

- combined with skins/themes, 482–485
- GridView controls, enhancing with styles, 480–485
- login controls, 526–527
- operation of, 481, 484–485
- properties of, 477–478
- Style Application, 56
- Style Builder, 79, 82
- types of, 479
- VWD Auto Format, 478, 480–481
- See also style sheet(s)

**Style Application**

- Auto mode, 56
- functions of, 56
- Manual mode, 56
- toolbar, accessing, 54, 56

**Style Builder**

- Cascading Style Sheets (CSS), 75–80
- functions of, 79, 82

**style sheet(s)**

- Cascading Style Sheets (CSS), 63–100
- StyleSheetTheme, 215, 273
- toolbar, 82–83
- Web files, 41

**Style Sheet toolbar**

- functions of, 82
- use, example of, 83

**submenus, visibility of, 248****subroutines, 165–167**

- functions of, 165, 171

**Substitute server control, 111, 123****subtraction operator, 147–148****SuccessText, 534****Sum operator, 434****switches, 156–157****Synchronize Selected Files, 641****syntax errors, 592–593****System.Configuration, 634–635****System.Net.Mail, 307–308****T****tab**

- key navigation, server controls for, 109
- setting tab, 25
- Tab Size, 25

**table(s), 56–59**

- bullets/numbers, adding to lines, 58–59
- calculator, creating, 158
- creating, 56–59
- database. See database(s)
- inserting in site, 57–59
- for page layout, avoiding, 57
- in Profiles, 566–568
- rows/columns, adding, 58
- server controls, 111
- Table Designer, 373–377
- Table server control, 123
- TableName, 444

**tag(s)**

- ASP.NET, 14
- formatting, adding, 56
- HTML, 10–12
- nesting, 13–14
- Tag Selector, 90, 94
- tagname, 272
- tagprefix, 272
- XHTML, 13–14

## Take query operator

---

**Take query operator, 435**

**TakeWhile query operator, 435**

**Task List, 24**

**templates**

ListView control, 450, 460–466

LoginView, 527

TemplateField, 403

See also web site templates

**text**

e-mail, 313–314

File class, properties of, 313

foreground color, adding, 55

formatting, 56

inserting text, 54–56

text-decoration, 84

themes, 223–228

**text box**

ASP.NET state engine maintenance of, 126–130

C#, 106–107

in HTML, 104

profile, filling in name from, 565–566

in Profiles, 566–568

server controls for, 111, 131

server controls, use of, 104–107, 109–110

Visual Basic, 106

**Text property**

compared to ErrorMessage, 297–298

Login control, 526

**themes, 214–228**

applying to site, 215–216

combined with styles/skins, 482–485

creating, 216–218

defined, 214

disabling, 215

folders for, 214, 216, 218

images added to, 220–222

skins, 228–232

StyleSheetTheme, 215

switching, 222–228

Theme property, 215

user selection of, 222–228

Visual Basic, 223–228

**Tick, 332**

**time/date**

in ASPX page, 8–9

calendar server control, 123, 127–128

columns, database, 407

Set Date, 128–129

tables, database, 376

XML date file, 42

**Timer control, 332–337**

in ASPX page, using, 332–337

C#, 334, 336

operation of, 336–337

Visual Basic, 334, 336

**toolbars**

creating, 26

editing, 25–26

enabling/disabling, 16, 26

Formatting, CSS, 67, 86

Style Application, 54, 56

Style Sheet, 82–83

Visual Web Developer (VWD), 16, 25–26

**Toolbox**

code snippets, adding to, 23–24

functions of, 16

modifying, 23–24

Object Relational Designer Toolbox, 429

opening, 16, 19, 110

pinning to keep open, 16, 19

resetting, 23, 27

server controls in, 110–111

Visual Web Developer (VWD), 16, 23–24

**tooltips**

displaying, 254

server controls for, 109

**tracing**

attributes of trace element, 623–624

C#, 621, 626–627

disabling, 627, 628, 661

functions of, 622

operation of, 625–626, 628

page-level, 622–623

and performance, 628

security issue, 628

site-wide, 623–626

trace data, adding to page, 626–627

traceMode, 622, 624

Visual Basic, 621, 626

**TreeView, 253–256**

C#, 255

functions of, 241, 253

navigation system, building, 254–256

operation of, 256

properties of, 253–254

server controls for, 125

submenus, location of, 244  
 Visual Basic, 255

**Triggers, 326**  
 Timer control, 332, 334, 334–335

**troubleshooting**  
 and error list, 21  
 and Output window, 21  
 See *also* debugging; error(s); error handling

**Try Catch**  
 exception handling, 596–601  
 Try Catch Finally, 594, 600

**TryCast, 141**

**Type property**  
 compared to ErrorMessage property, 297  
 validation controls, 298, 299

**Type selector, selectors, 70**

**TypeOf operator, 151**

## U

**underline, 54, 84**

**Uniform Resource Locator (URLs), 236–241**  
 absolute URLs, 240  
 default documents, 240–241  
 functions of, 236  
 relative URLs, 236–240  
 server-side redirects, 261–263  
 Virtual Path property, 238–240

**Universal selector, selectors, 70**

**unload, events of, 205**

**unnamed instance, 688**

**Until loop, 163–164**

**UPDATE, SQL, 359, 368, 371**

**UpdateMode, 326**

**UpdatePanel, 324–326**  
 adding to page, 324–326  
 functions of, 323  
 operation of, 325  
 properties of, 326  
 ScriptManager, use with, 325  
 and Timer control, 332–336

**UpdateProgress, 328–332**  
 flicker-free pages, creating, 328–332  
 operation of, 331–332  
 properties of, 328

**updating, database data, 368, 409–422**

**uploading**  
 exceptions related to, 600  
 FileUpload server control, 123

**upper bound, arrays, 142**

**URLs. See Uniform Resource Locator (URLs)**

**user(s)**  
 edit/delete, 544  
 enable/disable, 544  
 user input, validating. See validation controls

**User(s), Web Site Administration Tool (WSAT), 543–545**

**user controls, 267–290**  
 adding to master page, 272–274  
 C#, 276–288  
 creating, 269–271  
 enumeration, creating for, 277–283  
 file extension (.ascx), 268  
 formatting of, 477–485  
 functions of, 40  
 NavigateUrl, creating, 283–288  
 opening, automatic, 268  
 operation at run-time, 273–274, 275  
 properties, adding to, 277–283  
 registration of, 271–272, 274–275  
 tips for use, 289  
 utility of, 268  
 Visual Basic, 276–288

**user feedback**  
 contact form, creating, 294–296  
 UpdateProgress, 328–332

**UserName, placeholders, 532**

## V

**validation**  
 client-side, warning about, 294  
 page, events of, 205  
 server controls, 125

**validation controls, 293–307**  
 C#, 303, 306–307  
 client/server-side validation, creating, 302–307  
 CompareValidator, 298–299  
 contact form, extending operations on, 299–302  
 ControlToValidate, 297  
 CssClass property, 296  
 CustomValidator, 302–307  
 Display property, 296  
 EnableClientScript, 297  
 ErrorMessage, 296  
 functions of, 293

## validation controls (*continued*)

### validation controls (*continued*)

- IsValid property, 297
- operation at run-time, 296, 302
- Operator, 299
- RangeValidator, 298
- RegularExpressionValidator, 298
- RequiredFieldValidator, use of, 294–296
- SetFocusOnError, 297
- Text property, 297
- Text versus ErrorMessage, 297
- Type, 299
- ValidationExpression, 301–302
- ValidationGroup, 297
- ValidationSummary, 296–297, 302–305
- ValueToCompare, 299
- Visual Basic, 303, 306–307

### values

- assigning to variables, 137, 147
- Cascading Style Sheets (CSS), 68, 73–74
- ValueToCompare, 299

### VALUES, SQL, 369

### variables

- assignment operators, 147
- backing variables, 178–179
- declaring, 136–140
- naming, 138
- values, assigning to, 137, 147

### VerticalAlign, 478

### View server control, 111

### View Source

- content pages, 200
- HTML, viewing, 20–21, 129

### ViewState

- cautions in use of, 288–289
- control independence from, 131
- disabling, 131
- NavigateUrl property, creating, 283–288
- and performance, 131
- values assigned, storage of, 287, 289

### virtual path

- behavior, example of, 238–240
- mail message, 317
- setting for, 238, 240

### visibility, Cascading Style Sheets (CSS), 73

### visible server control, 109, 117–118

### VisibleWhenLoggedIn, 526, 530

### VisitAddress, 560

### visited selector, 85

### Visual Studio 2008, 2–3

- settings folder, 28
- trial version, 3

### Visual Web Developer (VWD), 15–30

- Auto Format, 478, 480–481
- bookmark window, 22
- customizing, 22–27
- databases, working with. *See* database(s)
- Document Window, 17–18, 25
- downloading, 3
- error list, 21
- find and replace, 22
- full screen, shrinking, 43
- functions of, 2
- help files, 4
- installing, 3–4
- as integrated development environment (IDE), 15
- IntelliSense, 50–51
- interface, parts of, 15
- keyboard shortcuts, 26
- main menu, 16
- opening existing sites, 36, 38–39
- output window, 21
- Properties Grid, 17
- resetting, 27–28
- saving, 20
- Solution Explorer, 16–17
- SQL Server with, 3–4
- Start Page, 18
- tips for use, 30
- toolbar area, 16
- toolbars, modifying, 25–26
- Toolbox, 16, 23–24
- using, building first site, 5–9
- using, developing single web page, 19–20
- versions of, 2
- Web Site Projects, 34
- web site templates, 35–36
- windows, rearranging, 22–23

### void method, 166

## W

### Warn, 626

### Warning, error list, 21

### WCF Service template, 36

### Web Application Projects

- creating project, 35
- functions of, 34–35

**Web Development Settings, 5****Web files, 39–42**

- functions of, 40
- HTML page, 41
- JScript File, 41
- Master Page, 40
- Site Map, 41
- skin file, 41
- style sheets, 41
- user controls, 40
- web configuration file, 41
- Web Forms, 40

**Web Forms, 46–53**

- adding to site, 49–52
- AJAX Web Form, 40
- breaking into pages, Wizard server control for, 118–122
- C#, 49–51
- Code Behind files, 48–52
- creating, 49–52
- Design View, 47–48
- file extension (.aspx), 40
- inline code, 48–52
- Markup View (Source View), 47
- new web site, 37–38
- POST for submitting, 129
- Split View, 48
- tips for use, 61
- user input, validating. *See* validation controls
- views, changing, 48–49
- Visual Basic, 49, 51–52

**web page(s)**

- base page, 203–204, 206–210
- consistency, tips for, 232
- content pages, 198–201
- initialization, 205
- life cycle of, 204–206, 485–490
- linking pages, 59–61
- master page, 194–198
- opening in browser, 7–8
- Page Directive, functions of, 131
- page request, events of, 205
- Page\_Load, 309–310, 568
- page-level tracing, 622–623
- PageWrapper, 79, 98
- postback, 128–130, 205, 486–489
- processing, steps in, 9–10
- programming. *See* programming web pages
- skins, 228–232

- start page, assigning, 52–53
- templates, reusable, 210–214
- themes, 214–228

**web servers. *See* server(s)****Web Services, 338–349**

- in Ajax web site, 342–349
- C#, 340–344
- calling from client code, 344–349
- configuring, 342
- creating, 338–342
- file extension (.asmx), 41, 339
- functions of, 36, 42, 337
- operation of, 341–342, 346–348
- registration of, 344, 347
- and ScriptManager, 343, 346
- and ScriptManagerProxy, 343–345
- ScriptManagerProxy, 343–346
- ScriptService in, 344–346
- service class, adding attribute, 342
- Services property, 327
- Visual Basic, 338, 340–344
- WebMethod attribute, 338, 341

**Web site(s)**

- use of term, 34
- See also* ASP.NET web site; Planet Wrox

**Web Site Administration Tool (WSAT), 542–546**

- functions of, 542
- Manager's role, creating/assigning, 542–546
- operation of, 546

**Web Site Projects**

- creating, 34
- functions of, 34

**web site templates, 35–36, 210–214**

- ASP.NET Web Service template, 36
- ASP.NET web site, 35–36
- C#, 211–212
- code, generics for, 145–146
- creating, 210–213
- empty web site template, 36
- exporting, 211, 213
- My Templates, 35
- operation of, 213
- Templates box, 6
- Visual Basic, 210
- WCF Service template, 36
- zip files, 212–213

**Web User Control, 269**

- file extension (.ascx), 40
- functions of, 40

## web.config

---

### **web.config**

- application settings, moving to, 635–639
- connection strings, storing, 395–396
- creating, 6
- debugging, disabling, 661
- hardcoded settings, moving to, 632–639
- management folder, blocking access, 546–550
- user controls, registering in, 274–275

### **WebMethod attribute, 338, 341**

### **WebParts, functions of, 125–126**

### **WebResource.axd, 248–249**

### **WHERE, filtering data, 359, 359–360, 368**

### **Where query operator, 434**

### **While loop, 163–164**

### **white space, 90, 478**

### **width of elements**

- border width, 478
- Cascading Style Sheets (CSS), 73, 77–78
- server controls for, 109
- styles, 478

### **windows**

- docking, 22–23
- dragging and dropping, 22–24, 24
- floating, 22–24

### **Windows, authentication, 688–689**

### **Windows 2003, IIS install, 644–645**

### **Windows Server 2003, IIS configuration, 647–649**

### **Windows Server 2008**

- IIS configuration, 649–651
- IIS install, 645–646

### **Windows Vista**

- IIS configuration, 649–651
- IIS install, 645

### **Windows XP**

- IIS configuration, 647–649
- IIS install, 644–645

### **With keyword, 183**

### **Wizard server control, 111, 116**

- use, example of, 118–122

### **wrap, styles, 478**

### **Write, 626**

### **WriteAllText, 313**

### **write-only properties, 180–181**

## X

### **XHTML, compared to HTML, 12–14**

### **XML**

- comments, 175–176
- file extension (.xml), 42
- LINQ to XML, 427
- XML File, functions of, 42
- XML server control, 111, 123
- XmlDataSource, 386

## Z

### **zip files, templates, 212–213**