

Index

- acclimation, ammonia toxicity, 157
- acidity
 existing recommendations, 167
 water quality, 166–7
- adrenocorticotrophic hormone (ACTH), stress, 13
- aeration, transport to slaughter, 228–9
- aetiology
 fin erosion, 141
 skeletal system deformities, 210–12
 soft tissue deformities, 206
- Agriculture (Miscellaneous Provisions) Act 1968, 94
- AH&WS *see* Animal Health & Welfare Strategy
- air freight, 187
- air lift pumps, harvest, 227
- alarm behaviours, fear, 63–6
- analgesics/analgesics studies, pain, 60–1, 83
- alkalinity
 recommended level, 167
 water quality, 167
- allostasis, stress response, 33
- ameliorating stress, 41–2
- ammonia
 chemistry, 153–4
 chronic effects, 155–6
 factors affecting toxicity, 156–8
 feed withdrawal, 220
 positive effect, 159
 recommended levels, 159
 sources, 153
 terminology, 153–4
 toxicity, 154–8
 water quality, 153–9
- anaesthesia, defining, 230
- analgesia, defining, 230
- animal-based parameters, water quality, 173–5
- Animal Health & Welfare Strategy (AH&WS), 9
- animal welfare, 7–18
 attitudes, 8–9
 legislation, 9–10
 long view, 7–10
 moral philosophy, 8–9
 religions, 7–8
 research, 15
 science application, 10–15
 scientific philosophies, 11–15
- Animal Welfare Act (2006), 9
- anti-anxiety drugs, fear, 66–7
- anti-predator response, 64–5
- assessing fin erosion, 124–6
- assessing welfare
 farmed salmonids, 111–12
 indicators, 243–67
 on-farm trout welfare, 243–67
 stakeholder focus groups, 243–67
 uses, 265
- assessment indices, welfare improvement strategies, 28
- associative learning, suffering, 82
- attitudes, animal welfare, 8–9
- autopsy-based sampling, indicators, 256, 264
- avoidance studies
 fear, 64
 pain, 61
- awareness indicators, sedation/stunning/slaughter, 230–1, 232
- bacteria, gut, feed withdrawal, 220–1
- bacterial gill disease, water quality, 174–5
- bacterial kidney disease (BKD), water quality, 175
- behaviour
 alarm, 63–6
 assessing consciousness and sentience, 50–2
 cod (*Gadus morhua*), 26
 communication, 129–30
 indicators, 248, 255
 schooling behaviour, 114, 115
 stocking density, 113–14, 115
- behaviour indicator, water quality, 174
- behavioural changes
 brain lesions, 84–6
 noxious stimuli response, 60–1, 83–6
 stress response, 35, 60–1, 83–6
- behavioural effects, fin erosion, 129–30
- behavioural responses, fear, 63–6
- behavioural status, measuring fish welfare, 23–5

292 Index

- behavioural variation, 26–7
 coping strategies, 26
 risk-taking, 27
 salmonids, 26–7
- benzodiazepines, 66–7
- best practice, fish farmer's perspective, 108–9
- bicarbonate, nitrite, 161
- biologists, role, 28–9
- BKD *see* bacterial kidney disease
- bleed out, 238–9
 defining, 230
- brain
 fish, 22, 80–1
 organisation of, 80–1
- brain lesions, behavioural changes, 84–6
- brain structures, 80–1
 forebrain, 81
 pain, 56–9
- branding, indicators, 261
- British Trout Association Code of Practice, 105
- bromide, nitrite, 161
- buffering
 calcium and magnesium carbonate, 168
 water quality, 168
- cages, stocking density, 112
- calcium and magnesium carbonate
 buffering, 168
 water quality, 168
- carbon dioxide
 existing recommendations, 164
 toxicity, 163–4
 transport to slaughter, 229
 water quality, 162–4, 229
- carbon dioxide narcosis, 231–3
- CAWC *see* Companion Animal Welfare Council
- challenges, fish farmer's perspective, 109
- chickens research, stocking density, 116
- chilling, live, sedation/stunning/slaughter, 233–5
- chlordiazepoxide, 67
- CITES *see* Convention on International Trade in Endangered Species
- cod (*Gadus morhua*), behaviour, 26
- Code of Good Practice for Scottish Fin Fish Aquaculture, 105
- codes of practice
 British Trout Association Code of Practice, 105
 Code of Good Practice for Scottish Fin Fish Aquaculture, 105
 Strategic Framework for Scottish Aquaculture in 2003, 97–8
 voluntary welfare code, Scotland, 97–8, 105
- cognitive capacities, suffering, 86–7
- cognitive processes, 22
 spatial learning/memory, 87
 stress response, 35
- commitment, fish farmer's perspective, 104–5
- communication
 behaviour, 129–30
 fin erosion, 129–30
 indicators, 261
- Companion Animal Welfare Council (CAWC), ornamental fish, 271–2, 274
- conductivity, water quality, 169–70
- consciousness
 assessing, 50–3
 behaviour, 50–2
 fear, 65
 neuroanatomy/neurophysiology, 52–3
 suffering, 79, 82, 87
- consumer perceptions, indicators, 261, 265–6
- Convention on International Trade in Endangered Species (CITES), ornamental fish, 280
- coping strategies
 behavioural variation, 26
 stress response, 33, 35
- cortisol
 bile, 38–9
 blood, 38, 41–2
 detecting, 39–40
 faeces detection, 39–40
 index of stress, 37–41
 modifying factors, 40–1
 non-invasive measurement, 39–40
 stress, 13
 stress response, 34, 37–41
 variations, 40–1
 water detection, 39–40
 whole body homogenates, 39
- cosmetic manipulation, ornamental fish, 275–6
- Council Directive 2006/88/EC, 108
- Council Regulation (EC) N0 1/2005, transport, 107–8
- crowding, harvest, 221–6
- day-to-day indicators, welfare, 255–6
- defining conditions, welfare improvement strategies, 27
- defining welfare, 19–21, 24
- deformities, 202–16
 aetiology, 206
 heart abnormalities, 202–5
 jaw, 207–9
 liver abnormalities, 205–6
 pug nose (brachygnathia), 208–9
 screamer disease, 207–8
 skeletal system, 206–12
 soft tissue, 202–6
 swim bladder abnormalities, 205

- detecting stress, 35–41
 disease control, fish farmer's perspective, 103–4
 disease treatment, fish farmer's perspective, 107–8
 diseases
 see also deformities; medicines
 bacterial coldwater disease, 129
 ectoparasitic, 200
 examples, 198–200
 feed withdrawal effects, 196
 fin erosion, 128–9
 furunculosis, 175, 199
 human resources demands, 196
 IHN, 128–9
 indicators, 249
 moribund/dying fish, 195
 ornamental fish, 283–5
 production diseases, 199
 RTFS, 129
 salmonid whirling disease, 129
 sea lice, 198–9
 spreading, 196
 stocking density, 115
 transport, 191–2
 treatments examples, 198–200
 vaccination, 199
 water quality, 174–5, 195–6, 200
 welfare consequences, 195–6
 welfare implications, 195–201
 wild fish implications, 196
 dissolved oxygen (DO)
 ammonia toxicity, 156–7
 existing recommendations, 151–2
 hyperoxia, 152–3
 nitrite, 161
 transport to slaughter, 228–9
 water quality, 151–3, 156–7, 161, 228–9
 disturbance, indicators, 251
 DO *see* dissolved oxygen
 domestication, stress response, 41–2
 dopaminergic systems,
 neuroanatomy/neurophysiology, 52
 drugs, anti-anxiety, 66–7
 duty of care, indicators, 250–1
 dying/moribund fish, diseases, 195

 ectoparasitic diseases, treatments, 200
 electrical stunning, 97, 237–8
 endogenous substances, pain, 59–60
 enkephalins, pain, 59–60
 environment-based parameters, water quality, 172–3
 environmental constraints, medicines, 197
 environmental control/monitoring, fish farmer's
 perspective, 103
 environmental issues, ornamental fish, 274–5
 environmental needs, ornamental fish, 286

 environmental quality, indicators, 254–5, 263
 epidemiological approach, stocking density, 116
 ethical issues, 23
 evolution, and fish welfare, 21–2
 exercise, ammonia toxicity, 157–8

 Farm Animal Welfare Council (FAWC)
 defining conditions, 27
 legislation influences, 96
 transport, 188, 189
 farm records, indicators, 257, 263–4
 farmed fish
 fin erosion, 121–49
 legislation, 93–8
 farmed rainbow trout, water quality, 150–84
 farmed salmonids
 assessing welfare, 111–12
 stocking density, 111–20
 welfare, 111–20
 Farmers' focus group (Winchester, September 2004),
 246–53
 farmer's perspective *see* fish farmer's perspective
 FAWC *see* Farm Animal Welfare Council
 FEAP *see* Federation of European Aquaculture
 Producers
 fear, 61–7
 alarm behaviours, 63–6
 anti-anxiety drugs, 66–7
 anti-predator response, 64–5
 avoidance studies, 64
 behavioural responses, 63–6
 benzodiazepines, 66–7
 chlordiazepoxide, 67
 conditioning, 62–3
 consciousness, 65
 defining, 50
 drugs, anti-anxiety, 66–7
 innate, 62–3
 learned, 62–3
 learnt avoidance studies, 64
 light stimulus studies, 65–6
 neuronal control mechanisms, 62–3
 physiological responses, 63–6
 Federation of European Aquaculture Producers
 (FEAP), 105
 feed management, fish farmer's perspective, 104
 feed withdrawal, 222
 ammonia, 220
 effects on diseases, 196
 flavours, 219
 gut bacteria, 220–1
 pre-harvest, 219–21
 taste effect, 219
 feed, withholding, ornamental fish, 276
 feedback control system, feeding, 28

294 Index

- feeding
 feedback control system, 28
 indicators, 249, 251, 255
feeding/fasting, ammonia toxicity, 158
feeding schedule, fin erosion, 137–8
feeling well, scientific philosophies, 12–13
fin condition, stocking density, 116
fin erosion
 abrasion, 132–3
 aetiology, 141
 analysis variation, 125–6
 assessing, 124–6
 behavioural effects, 129–30
 causes, 130–1
 defining, 121–2
 diseases, 128–9
 extent of problem, 123
 factors affecting, 136–9
 farmed fish, 121–49
 feeding schedule, 137–8
 vs fin rot, 122
 fins affected, 126–7
 fish species and size, 138
 functional impairment, 129–30
 genetics, 138–9
 handling, 131–2
 healing, 135–6
 historical background, 123–4
 impacts, 127–30
 indicators, 247–8
 infection, 134
 injuries, 128
 management practices, 141–2
 nipping, 131
 nutrition, 134–5, 137–8
 ontogeny, 127
 physiological effects, 129
 physiological status, 139
 prevalence, 123
 progression, 127
 regeneration, 135–6
 sensory information, 130
 species affected, 122–3
 stocking density, 136–7
 stress, 135
 subjectivity, 125
 sunburn, 133
 temperature, 139
 transport, 131–2
 unit construction/design, 137
 water current, 137
 water quality, 133
 welfare indicator?, 139–40
 welfare issue?, 127–30
fin rot, vs fin erosion, 122
- fish farmer's perspective, 101–10
 best practice, 108–9
 challenges, 109
 commitment, 104–5
 disease control, 103–4
 disease treatment, 107–8
 environmental control/monitoring, 103
 feed management, 104
 legislation, 107–8
 management skills/training, 104
 objectives, 109–10
 on-farm welfare interactions, 102–4
 perceived welfare issues, 105
 reality, 106
 responsibility for welfare, 106–7
 site selection, 102–3
 stakeholder action/achievement, 107–8
 stress control, 104
 trout farming, 102
- Fish Veterinary Society meeting (Edinburgh, November 2004), 253–9
flavours, feed withdrawal, 219
focus groups *see* stakeholder focus groups
functioning well, scientific philosophies, 13–15
furunculosis
 vaccination, 199
 water quality, 175
- Gadus morhua* (cod), behaviour, 26
gas supersaturation
 recommendations, 166
 water quality, 166
genetic modification, ornamental fish, 276
genetics, fin erosion, 138–9
gill cover defects, 207
gut bacteria, feed withdrawal, 220–1
- handling, fin erosion, 131–2
harvest, 217–42
 crowding, 221–6
 feed withdrawal, 219–21
 light effects, 225
 medicines withdrawal, 218–19
 nets, 223–4, 226–7
 preparations, 217–21
 pumps, 227–8
 removing fish, 226–8
 stress, 224–5
 water quality, 225–6
- heart abnormalities, 202–5
 abnormal position, 203–4
 morphology, 202–3
 other, 204–5
 septum transversum absence, 204
heavy metals, water quality, 170, 177

- high/low stocking density, 115–16
- HPA axis *see* hypothalamic–pituitary–adrenal axis
- HPI axis *see* hypothalamus–pituitary–interrenal axis
- human activities, adverse, 22–3
- human resources demands, diseases, 196
- husbandry systems
- indicators, 250–1
 - welfare improvement strategies, 27–8
- hyperoxia, 152–3
- hypothalamic–pituitary–adrenal (HPA) axis, stress, 13
- hypothalamus, neuroanatomy/neurophysiology, 52
- hypothalamus–pituitary–interrenal (HPI) axis, stress response, 34, 35, 36
- IHNV *see* infectious haematopoietic necrosis virus
- improving welfare, strategies for, 25–8
- in vivo* observations, pain, 60–1
- indicators
- autopsy-based sampling, 256
 - awareness indicators, sedation/stunning/slaughter, 230–1, 232
 - behaviour, 248, 255
 - branding, 261
 - communication, 261
 - consumer perceptions, 261, 265–6
 - day-to-day, 255–6
 - diseases, 249
 - disturbance, 251
 - duty of care, 250–1
 - environmental quality, 254–5, 263
 - farm records, 257, 263–4
 - feeding, 249, 251, 255
 - fin erosion, 247–8
 - husbandry systems, 250–1
 - mortality, 249, 256
 - on-farm welfare assessment, 243–67
 - OWIs, 262–3
 - post-harvest measures, 256–7, 264
 - priorities, 259–60
 - research tools, 256
 - sampling, 256, 264
 - species specific considerations, 261–2
 - stakeholder focus groups, 243–67
 - standards, 260–1
 - stocking density, 249
 - stockmanship, 257–8, 264
 - water quality, 174, 246–7, 250, 254–5
- infection, fin erosion, 134
- infectious haematopoietic necrosis virus (IHNV), 128–9
- infectious pancreatic necrosis (IPN), water quality, 175
- injuries, 67–8
- fin erosion, 128
- inspectors, 252
- International Air Transport Association (IATA)
- Live Animal Regulations, ornamental fish, 278
- ionic strength of water, ammonia toxicity, 158
- IPN *see* infectious pancreatic necrosis
- jaw deformities, 207–9
- killing *see* slaughter
- learned fear, 62–3
- learning/memory
- associative learning, 82
 - social learning, 86–7
 - spatial, 87
 - suffering, 82
- learnt avoidance studies
- fear, 64
 - pain, 61
- legislation
- Agriculture (Miscellaneous Provisions) Act 1968, 94
 - animal welfare, 9–10
 - Animal Welfare Act (2006), 9
 - Convention on International Trade in Endangered Species (CITES), 280
 - Council Directive 2006/88/EC, 108
 - enforcement, 96–7
 - farmed fish, 93–8
 - fish farmer's perspective, 107–8
 - influences, 96
 - International Air Transport Association (IATA)
 - Live Animal Regulations, 278 - new welfare Acts, 96
 - other approaches to improving animal welfare, 97–8
 - Protection of Animals Act (1911), 93–4
 - Protection of Animals (Scotland) Act (1912), 93–4
 - transport, 95, 108, 187–9, 252, 265
 - Welfare of Animals (Slaughter or Killing) Regulations (1995), 95
 - Welfare of Animals (Transport) (England) Order (2006), 95
 - Welfare of Animals (Transport) Order 2006 (WATO), 187–8, 277
 - Welfare of Animals (Transport) (Scotland) Regulations (2006), 95
 - Welfare of Animals (Transport) (Wales) Order (2007), 95, 108
 - Welfare of Farmed Animals Regulations (2000), 94–5
 - Welfare of Farmed Animals (Scotland) Regulations (2000), 94–5
- lesions, brain, behavioural changes, 84–6
- life history morphology changes, 26

296 Index

- life stage/size, ammonia toxicity, 158
 light effects, harvest, 225
 light stimulus studies, fear, 65–6
 live chilling, sedation/stunning/slaughter, 233–5
 liver abnormalities, 205–6
 low/high stocking density, 115–16
- MAC** *see* Marine Aquarium Council
 management skills/training, fish farmer's perspective, 104
 Marine Aquarium Council (MAC), ornamental fish, 273–4
 maximum residue limit (MRL), medicines, 218–19
 measuring fish welfare, 23–5
 measuring stress, 35–41
 medicines
 see also diseases
 environmental constraints, 197
 lack of, 196–7, 251–2
 MRL, 218–19
 organic constraints, 198
 retailer constraints, 198
 side effects, 197
 treatments delay, 198
 welfare implications, 196–8
 medicines withdrawal
 harvest, 218–19
 periods, 197–8
 memory/learning *see* learning/memory
 methaemoglobinaemia
 nitrite, 160
 water quality, 160
 migration, 114
 monitoring welfare
 transport, 193
 water quality, 172, 175–8
 moral philosophy, animal welfare, 8–9
 moribund/dying fish, diseases, 195
 morphology changes, life history, 26
 morphology indicator, water quality, 174
 mortality
 indicators, 249, 256
 ornamental fish, 277, 278–80, 281–2
MRL *see* maximum residue limit
- narcosis**
 assessing, 230–1
 carbon dioxide, 231–3
 defining, 230
 natural lives, scientific philosophies, 11–12
 nerves, pain *see* nociceptor anatomy
 nest-building, sows, 11–14
 nets, harvest, 223–4, 226–7
 neuroanatomy/neurophysiology, assessing
 consciousness and sentience, 52–3
 neuroendocrine components, stress response, 34, 36, 42
 neuronal control mechanisms, fear, 62–3
 nipping, fin erosion, 131
 nitrate, water quality, 162
 nitrite
 bicarbonate, 161
 bromide, 161
 DO, 161
 existing recommendations, 162
 methaemoglobinaemia, 160
 toxicity, 161–2
 water quality, 159–62
 nociception studies, pain, 49–50, 54–6
 nociceptor anatomy, pain, 53–4
 nociceptor properties, pain, 54–6
 noxious stimuli response, behavioural changes, 60–1, 83–6
 nutrition
 distribution, 137–8
 feed management, 104
 feedback control system, 28
 feeding schedule, 137–8
 fin erosion, 134–5, 137–8
 ration, 137–8
- OATA** *see* Ornamental Aquatic Trade Association
 objectives, fish farmer's perspective, 109–10
OCD *see* opercular complex deformity
 Office International des Epizooties (OIE), legislation
 influences, 15, 96
 offloading, transport to slaughter, 229–30
OIE *see* Office International des Epizooties
 on-farm welfare assessment
 indicators, 243–67
 stakeholder focus groups, 243–67
 on-farm welfare interactions, fish farmer's
 perspective, 102–4
 operational welfare indicators (OWIs), 262–3
 opercular complex deformity (OCD), 207
 opioids, pain, 59–60, 60–1
 organic constraints, medicines, 198
Ornamental Aquatic Trade Association (OATA), 272, 286–7, 288
ornamental fish, 271–90
 air transport, 278–80
 arrival at destination, 282–3
 CAWC, 271–2, 274
 CITES, 280
 collecting from the wild, 273–5
 cosmetic manipulation, 275–6
 culling, 273
 defining, 271–2
 diseases, 283–5

- environmental issues, 274–5
 environmental needs, 286
 EU, entry into, 280–1
 fish health, 283–5
 general considerations, 285–7
 genetic modification, 276
 hobbyist premises, 283
 housing space, 286
 International Air Transport Association (IATA)
 Live Animal Regulations, 278
 ‘life stages’, 287
 MAC, 273–4
 mixing species, 286
 mortality, 277, 278–80, 281–2
 OATA, 272, 286–7, 288
 cf. other companion animals, 288
 pre-transport handling, 277–8
 production, 272–3
 Project Piaba, 275
 trade bodies, 271–2, 273–4
 trade statistics, 272
 transport, 276–83
 transport losses, 278–80, 281–2
 veterinary profession, 289
 way forward, 289
 wholesaler premises, 282–3
 withholding food, 276
 OWIs *see* operational welfare indicators
 oxygen, dissolved *see* dissolved oxygen
- pain, 53–61
 analgesics/analgesics studies, 60–1, 83
 avoidance studies, 61
 brain structures, 56–9
 endogenous substances, 59–60
 enkephalins, 59–60
 learnt avoidance studies, 61
 nociceptor anatomy, 53–4
 nociceptor properties, 54–6
 opioids, 59–60, 60–1
 RFamide-related peptide family, 60
 in vivo observations, 60–1
 pallium, neuroanatomy/neurophysiology, 52
 perceived welfare issues, fish farmer’s perspective,
 105
 percussive stunning, 235–6
 pH
 ammonia toxicity, 157
 water quality, 166–7, 168
 physical condition, measuring fish welfare,
 23–5
 physical damage, transport, 191
 physiological effects
 fin erosion, 129
 transport, 191
 physiological responses, fear, 63–6
 physiological status
 fin erosion, 139
 measuring fish welfare, 23–5
 stress response, 36–7, 42
 pigs, nest-building, 11–14
 ponds, stocking density, 112–13
 post-harvest measures, indicators, 256–7, 264
 pre-transport handling, ornamental fish, 277–8
 priorities, indicators, 259–60
 production backlogs, 252–3
 production diseases, treatments, 199
 production indicator, water quality, 174
 Project Piaba, ornamental fish, 275
 prolonged stress response, adverse effects, 35
 Protection of Animals Act (1911), 93–4
 Protection of Animals (Scotland) Act (1912), 93–4
 pug nose (brachygnathia), 208–9
 pumps, harvest, 227–8
- Quality Trout UK, quality standard, 105
 quality, water *see* water quality
- raceways, stocking density, 112–13
 rainbow trout (farmed), water quality, 150–84
 rainbow trout fry syndrome (RTFS), 129
 reality, fish farmer’s perspective, 106
 regulations *see* legislation
 religions, animal welfare, 7–8
 removing fish, harvest, 226–8
 research
 animal welfare, 15
 electrical stunning, 97, 237–8
 research background, suffering, 78–80
 research tools, indicators, 256
 responsibility for welfare, fish farmer’s perspective,
 106–7
 retailer constraints, medicines, 198
 Retailers, NGOs and Governmental organisations’
 focus group (London, January 2005), 259–62
 RFamide-related peptide family, pain, 60
 risk-taking, behavioural variation, 27
 road transporters, 185–6
 role, veterinarians/biologists, 28–9
 Royal Society for the Prevention of Cruelty to
 Animals (RSPCA), transport, 188
 RSPCA *see* Royal Society for the Prevention of
 Cruelty to Animals
 RTFS *see* rainbow trout fry syndrome
- Salmo salar* (Atlantic salmon), stocking density, 26,
 114
 salmonids
 behavioural variation, 26–7
 stocking density, farmed salmonids, 111–20

298 Index

- Salvelinus alpinus* (Arctic charr), stocking density, 25–6
- sampling
 autopsy-based, 256, 264
 indicators, 256, 264
- schooling behaviour, stocking density, 114, 115
- science application, animal welfare, 10–15
- scientific philosophies
 animal welfare, 11–15
 feeling well, 12–13
 functioning well, 13–15
 natural lives, 11–12
- Scotland
 Code of Good Practice for Scottish Fin Fish Aquaculture, 105
 Strategic Framework for Scottish Aquaculture in 2003, 97–8
 voluntary welfare code, 97–8, 105
- screamer disease, 207–8
- sea lice, treatments, 198–9
- sedation, 230–8
 assessing, 230–1
 awareness indicators, 230–1, 232
- selecting fish, welfare improvement, 25–7
- selective breeding, stress response, 41–2
- sensory information, fin erosion, 130
- sentience, 10
 assessing, 50–3
 behaviour, 50–2
 neuroanatomy/neurophysiology, 52–3
- SERs *see* somatosensory evoked responses
- side effects, medicines, 197
- site selection, fish farmer's perspective, 102–3
- skeletal system deformities, 206–12
 aetiology, 210–12
 gill cover defects, 207
 jaw, 207–9
 OCD, 207
 pug nose (brachygnathia), 208–9
 screamer disease, 207–8
 spinal deformities, 209–12
- slaughter, 230–8
 awareness indicators, 230–1, 232
 defining, 230
 methods, 67
 transport to, 228–30
 Welfare of Animals (Slaughter or Killing) Regulations (1995), 95
- social interactions, stocking density, 115
- social learning, suffering, 86–7
- somatosensory evoked responses (SERs), awareness indicators, 231, 232
- sows, nest-building, 11–14
- spatial learning/memory, 87
- species, selecting, welfare improvement, 25–7
 species specific considerations, indicators, 261–2
 spinal deformities, 209–12
 stakeholder action/achievement, fish farmer's perspective, 107–8
 stakeholder focus groups
 assessing welfare, 243–67
 Farmers' focus group (Winchester, September 2004), 246–53
 Fish Veterinary Society meeting (Edinburgh, November 2004), 253–9
 on-farm trout welfare, 243–67
 Retailers, NGOs and Governmental organisations' focus group (London, January 2005), 259–62
- standardisation, water quality, 172
- standards, indicators, 260–1
- starving *see* feed withdrawal
- stocking density
 behaviour, 113–14, 115
 cages, 112
 chickens research, 116
 controlling, 117
 diseases, 115
 epidemiological approach, 116
 farmed salmonids, 111–20
 fin condition, 116
 fin erosion, 136–7
 indicators, 249
 low/high, 115–16
 ponds, 112–13
 raceways, 112–13
- Salmo salar* (Atlantic salmon), 26, 114
- Salvelinus alpinus* (Arctic charr), 25–6
 schooling behaviour, 114, 115
 social interactions, 115
 tanks, 112–13
 water quality, 115
 welfare relationship, 114–17
- stockmanship, indicators, 257–8, 264
- Strategic Framework for Scottish Aquaculture in 2003, voluntary welfare code, 97–8
- strategies, welfare improvement, 25–8
 assessment indices, 28
 defining conditions, 27
 husbandry systems, 27–8
 selecting fish, 25–7
- strategy, AH&WS, 9
- stress
 ameliorating, 41–2
 ammonia toxicity, 158
 detecting, 35–41
 fin erosion, 135
 harvest, 224–5
 live chilling, 233–5
 measuring, 35–41
 percussive stunning, 235–6

- scientific philosophies, 13–15
- transport, 190
- transport to slaughter, 228–9
- stress control, fish farmer's perspective, 104
- stress response, 32–48
 - adaptive significance, 33
 - adverse effects, 35
 - allostasis, 33
 - behavioural changes, 35, 60–1, 83–6
 - cognitive processes, 35
 - coping strategies, 33, 35
 - cortisol, 34, 37–41
 - defining, 33
 - domestication, 41–2
 - in fish, 33–5
 - HPI axis, 34, 35, 36
 - neuroendocrine components, 34, 36, 42
 - physiological status, 36–7, 42
 - primary, 34, 36
 - prolonged, 35
 - reducing, 41–2
 - secondary, 34–5, 36–7
 - selective breeding, 41–2
 - terminology, 33
 - tertiary, 37
 - variations, 40–1
- stunning, 230–8
 - assessing, 230–1
 - awareness indicators, 230–1, 232
 - defining, 230
 - electrical, 97, 237–8
 - percussive, 235–6
- suffering, 78–92
 - associative learning, 82
 - cognitive capacities, 86–7
 - consciousness, 79, 82, 87
 - learning/memory, 82
 - research background, 78–80
 - social learning, 86–7
- sunburn, fin erosion, 133
- swim bladder abnormalities, 205

- tail rot, vs fin erosion, 122
- tanks, stocking density, 112–13
- taste effect, feed withdrawal, 219
- telencephalon, neuroanatomy/neurophysiology, 52
- temperature
 - ammonia toxicity, 157
 - existing recommendations, 169
 - fin erosion, 139
 - live chilling, 233–5
 - water quality, 168–9
- transport, 185–94
 - air freight, 187
 - air transport, ornamental fish, 278–80
 - diseases, 191–2
 - FAWC, 188, 189
 - fin erosion, 131–2
 - fish factors, 189
 - guidance, 187–9
 - human factors, 190
 - impacts, 189–92
 - impacts, minimising, 192–3
 - legislation, 95, 108, 187–9, 252, 265
 - monitoring welfare, 193
 - non-fish factors, 189
 - offloading, 229–30
 - ornamental fish, 276–83
 - physical damage, 191
 - physiological effects, 191
 - road transporters, 185–6
 - RSPCA, 188
 - to slaughter, 228–30
 - stress, 190, 228–9
 - systems, 185–7
 - water quality, 190–1
 - well boats, 186, 228–30
- treatments delay, medicines, 198
- treatments examples, diseases, 198–200
- trout farming, fish farmer's perspective, 102

- unit construction/design, fin erosion, 137

- vaccination, furunculosis, 199
- vacuum pumps, harvest, 227–8
- venturi pumps, harvest, 227
- VERs *see* visual evoked responses
- veterinarians
 - ornamental fish, 289
 - role, 28–9, 289
- visual evoked responses (VERs), awareness indicators, 231, 232
- in vivo* observations, pain, 60–1
- voluntary welfare code, Scotland, 97–8, 105

- water current, fin erosion, 137
- water flow, water quality, 170–1
- water quality, 150–84
 - acidity, 166–7
 - aeration, 228–9
 - alkalinity, 167
 - ammonia, 153–9
 - animal-based parameters, 173–5
 - bacterial gill disease, 174–5
 - behaviour indicator, 174
 - BKD, 175
 - buffering, 168
 - calcium and magnesium carbonate, 168
 - carbon dioxide, 162–4, 229
 - cause for concern, 171

300 Index

- water quality (*cont.*)
 - conductivity, 169–70
 - diseases, 174–5, 195–6
 - diseases treatments, 200
 - DO, 151–3, 156–7, 161, 228–9
 - environment-based parameters, 172–3
 - fin erosion, 133
 - furunculosis, 175
 - gas supersaturation, 166
 - hardness, 168
 - harvest, 225–6
 - heavy metals, 170, 177
 - indicators, 174, 246–7, 250, 254–5
 - IPN, 175
 - management options, 175–8
 - methaemoglobinaemia, 160
 - monitoring welfare, 172, 175–8
 - morphology indicator, 174
 - nitrate, 162
 - nitrite, 159–62
 - parameters, 150–1
 - parameters, animal-based, 173–5
 - parameters, environment-based, 172–3
 - parameters, ranking, 171
 - pH, 166–7, 168
 - production indicator, 174
 - standardisation, 172
 - stocking density, 115
 - temperature, 168–9
 - transport, 190–1
 - transport to slaughter, 228–9
 - trout welfare, safeguarding, 175–8
 - water chemistry limits, 176–7
 - water flow, 170–1
- WATO *see* Welfare of Animals (Transport) Order 2006
- welfare
 - concept, 19–21
 - defining, 19–21, 24
- Welfare of Animals (Slaughter or Killing) Regulations (1995), 95
- Welfare of Animals (Transport) (England) Order (2006), 95
- Welfare of Animals (Transport) Order 2006 (WATO), 187–8, 277
- Welfare of Animals (Transport) (Scotland) Regulations (2006), 95
- Welfare of Animals (Transport) (Wales) Order (2007), 95, 108
- Welfare of Farmed Animals Regulations (2000), 94–5
- Welfare of Farmed Animals (Scotland) Regulations (2000), 94–5
- well boats, 186
 - transport to slaughter, 228–30
- wild fish implications, diseases, 196
- withdrawal *see* feed withdrawal; medicines
 - withdrawal
- withholding food, ornamental fish, 276
- World Animal Health Organisation (OIE), 15, 96